

PUBLIC HEALTH REPORTS

VOL. 32

DECEMBER 28, 1917

No. 52

VACCINE VIRUS.

PROPAGATION AND SALE IN INTERSTATE TRAFFIC OF VACCINE VIRUS ON OR WITH POINTS PROHIBITED.

Under the provisions of section 4 of the act of July 1, 1902, paragraph 29 of the Regulations for the Sale of Viruses, Serums, Toxins, and Analogous Products in the District of Columbia and in Interstate Traffic, has been amended to read as follows:

29. The propagation and sale in interstate traffic of vaccine virus on or with "points" are hereby prohibited. Vaccine virus shall be furnished only in glass capillary tubes or in other glass container.

PUBLIC HEALTH ADMINISTRATION IN RUSSIA IN 1917.

By C.-E. A. WINSLOW, Professor of Public Health, Yale School of Medicine, Member American Red Cross Mission to Russia.

The most unique and significant contribution which Russia has made to the art of public health administration is the organization of a combined system of free medical care and health protection for her rural population through the medium of the zemstvos, or local representative assemblies. The problems of rural medicine and rural sanitation are everywhere most pressing and most difficult ones. In Russia, with 85 per cent of her population of some 180,000,000 living in rural districts, these problems are even more urgent than they are elsewhere. A brief consideration of the way in which their solution has been attempted is therefore fundamental to a conception of the general system of health organization of the new Republic.

History of Zemstvo Medicine.

According to the excellent sketch of "La Médecine du Zemstvo en Russie," prepared by E. Ossipow, I. Popow, and P. Kourkine for the XII International Congress of Medicine (Moscow, 1900), the first hospitals in Russia were built in connection with churches and monasteries after Vladimir embraced Christianity in 988. Many monks and priests became famous as healers in the period from the eleventh to the fourteenth century and lay physicians

gradually made their appearance. Ivan the Terrible brought English medical men over in the sixteenth century and Peter the Great introduced many foreign physicians and sent Russians to learn the art abroad. He studied medicine himself and was particularly interested in its preventive side, personally prescribing directions for controlling plague in Kiev and Little Russia in 1718 and for army sanitation during the war with Prussia in 1722. Under Catherine the Great the Medical Faculty of Moscow was organized and many hospitals were established. The Medical-Chirurgical Academy (now the Military Medical Academy) was founded at Petrograd in 1800.

In spite, however, of advances made in the great cities the rural population of Russia lived and died practically without medical care. They were treated, if at all, by midwives and occasionally by feldschers, the latter being medical assistants of a type peculiar to Russia who have completed four years in the Gymnasium (about equivalent to our Grammar school graduation) and have then spent three or four years in special training which includes elementary anatomy, physiology, with a little bacteriology, pathology, and the like. Fully trained physicians were known in the country only as Government officials who made their appearance on the occasion of an autopsy or of some official inquiry.

The zemstvos or rural constituent assemblies were created in 1864 by Alexander II. They are elective bodies which conduct the local government of Provinces and of the rural districts within the Provinces and at present they exist in between 35 and 40 of the 50 Provinces of European Russia. Members of the zemstvos under the old régime were chosen by a special electorate including owners of a specified amount of land or property, representatives of educational and benevolent institutions, and commercial companies. Under the Republic the basis is of course universal suffrage and far-reaching changes in personnel are taking place as a result. The assemblies of Provinces and districts meet annually to legislate and to elect the permanent zemstvo administrative organization. Zemstvo activities deal with problems of local taxation, road construction and maintenance, local postal service and the like, as well as with education and health protection. In 1890 the original privileges of the zemstvos were limited by giving to provincial governors wide powers of veto over their acts. Under the Republic, however, the provincial zemstvo will exercise powers essentially similar to those of our State legislatures, while the district zemstvos will constitute units somewhat analogous to the county governments in certain of our Southern States.

When the zemstvo organization was created there were hospitals in the larger centers of population controlled by the provincial governors and there were a few small hospitals, chiefly served by feldschers, for

the peasants of L'Etat and L'Apanage. The emancipated serfs were wholly unprovided for, as were the industrial workers with the exception of the miners in the Province of Perm. Altogether there were turned over to the newly organized zemstvos, 32 provincial hospitals with 6,200 beds and 303 district hospitals with 5,100 beds. These hospitals were for the most part in very bad repair, highly insanitary, and grossly mismanaged. There was rarely provision for adequate isolation of communicable diseases and it is small wonder that "the necessity of entering a hospital was regarded as a chastisement from God."

The idea of furnishing real medical care, not only to the city dweller but to the peasant in the remote rural district, seemed to many observers in 1864 too Utopian even to be thought of. The difficulties are indeed great. In some regions villages may be a mile apart with 50 inhabitants per square mile. In other regions villages may be 5 to 15 miles apart with 5 to 10 inhabitants per square mile. Yet it was to this Herculean task that the zemstvos promptly addressed themselves. At first a compromise was attempted by confiding the routine treatment of disease in rural districts to feldschers under the supervision of itinerant physicians. About 1870, however, the waste of the time of the physician and the inadequate service rendered by the feldscher led to the introduction of the system of fixed medical districts each provided with a small hospital and a qualified physician. Itinerant service was defended as cheaper and more democratic, but the stationary plan has gradually won its way and become almost universal except in the very sparsely-settled districts.

So successful were the zemstvos in the expansion of this side of their work that by 1890 instead of the 335 hospitals with 11,309 beds originally turned over to them, there were 1,422 zemstvo medical districts with 1,068 hospitals of 26,571 beds, and 414 dispensaries. Between the years 1870 and 1890 the number of zemstvo doctors increased from 756 to 1,805 and the number of nonmedical assistants (feldschers, midwives, pharmacists, etc.) from 2,794 to 6,778. A large part of rural Russia is now divided into medical districts, each of which centers about a small hospital or dispensary. Medical care is always given without charge and there has been a steadily increasing tendency to make all dispensary and hospital treatment free as well. The care of the sick is recognized by the zemstvos as a natural duty of society rather than as an act of charity.

The Work of the Zemstvos Along Preventive Lines.

Aside from this purely medical work, which was their original function, the zemstvo physicians in most Provinces are extending their activities along preventive lines, while in such provinces as Moscow, Petrograd, and Kherson there are completely organized sanitary

bureaus aside from the regular zemstvo medical staff. The relation between the prevention of disease and the free medical care of the poor is, however, throughout a very close one, and it is interesting to note that this has come about by the expansion of a State medical service along preventive lines, while with us the reverse process is taking place, health departments, originally organized for preventive work alone, developing as an offshoot provisions for medical examination and clinical care of the individual.

By a law enacted in 1852, public health committees with district physicians were created in the provinces, but these district physicians had also to perform all the duties of local legal medicine and the machinery to be set in action was cumbrous in the extreme. An epidemic in a remote rural district was reported by the Starosta (village head) to the chief of the group of Volosts villages in question, then to the district police, then to the committee on public health, and finally to the governor. After a month or two the district physician would arrive, to find that the epidemic had run its course, to make a proper report thereon, and to assess his traveling expenses against the afflicted village.

Very soon after the establishment of the zemstvos it became clear that their decentralized plan of organization furnished an opportunity for far more effective public-health work than could be hoped for from the bureaucratic provincial governments. In 1867 the provincial zemstvo of Poltava established a permanent medical commission which presented a report in print in 1869. In the next year the medical society of Kazan began active work along public-health lines. Both these groups of physicians, with many others—particularly provincial assemblies of zemstvo doctors—strongly urged the need of special sanitarians to supervise and develop the work of preventive medicine. The higher zemstvo officials were at first unsympathetic with this program. In 1879 a first step was taken by the employment of a special sanitary expert to study problems of industrial hygiene in Moscow Province. The Province of Kherson appointed seven special sanitary officers in 1886, while Petrograd Province created a sanitary organization with a director and nine district sanitarians only in 1896. Most of the provincial organizations are even to-day without special full-time sanitarians; but the regular zemstvo physicians are expected to devote a certain proportion of their time to school inspection, control of epidemics, collection of vital statistics, and public-health education.

Zemstvo Medicine in the Provinces of Moscow and Saratov.

The Province of Moscow has perhaps the most highly developed organization for the promotion of zemstvo medicine to be found in Russia. It supports at the present time approximately 100 hospitals—

one for every 10,000 to 15,000 inhabitants. Each hospital has from 20 to 60 beds and a personnel on the average of two physicians, four feldschers, and four sisters (nurses). The larger establishments include 16 to 20 beds for general use, 5 to 12 for communicable diseases, and 3 to 4 for maternity cases. Mental cases are cared for in special institutions maintained by the provincial zemstvos. Each hospital has its dispensary (averaging 100 visits a day) and all medicines as well, of course, as all medical care, are given free. Home visits are made by the regular zemstvo physicians only in serious cases. Financial aid is often given to women in childbirth and to invalids who can not be brought to the hospital.

For the special work of disease prevention Moscow Province is divided into thirteen sanitary districts, each with a sanitary supervisor in charge and with two or three assistants to the supervisor in the larger districts. These officials are full-time medical men. It is their duty to inspect and pass on plans for water supplies, sewerage systems, public buildings, and the like, to inspect industrial establishments, to collect vital statistics, and transmit them to the provincial office, as well as to deal with outbreaks of communicable disease. The work of these sanitary supervisors is coordinated by the provincial sanitary bureau, which maintains a central statistical division, a laboratory, and a vaccine institute. There is also a sanitary council for the whole province and one for each district within it—the former including representatives of the provincial zemstvo assembly and of the sanitary bureau divisions with the 13 district physicians—a district council including representatives of the district zemstvo and of the cities within the district as well as all the zemstvo and factory doctors of the district in question. Ultimate control of sanitary work belongs of course to the provincial and district zemstvo assemblies, with their respective administrative officers. The sanitary code which was in force before the revolution was prepared by the provincial assembly and promulgated by the governor.

The Province of Saratov offers a good example of well-organized zemstvo medicine in a smaller and more rural district, which was well illustrated by a special exhibit at the Dresden Hygienic Exposition (*Erklärung zu den Exponaten der Saratower Gouvernements Semstvo auf der Internationalen Hygiene Ausstellung in Dresden im Jahre, 1911. Saratov, 1911*). The provincial zemstvo in 1911 maintained a general hospital of 200 beds and a psychiatric hospital of 460 beds for a population of somewhat over 3,000,000. The district zemstvos maintained 123 medical districts with 78 hospitals and 1,106 beds (one hospital bed to 2,525 persons). In addition to the 123 medical districts, each of which had its own physician, medical assistance was offered by feldschers or other medical helpers at 55 other points.

Forty-five of the medical districts had a polyclinic only, 9 had 4-bed hospitals, 30 had 5 to 10 bed hospitals, and 2 had hospitals of more than 40 beds; 525.9 clinic cases and 9.1 resident cases were treated per 1,000 population; 33.2 per cent of the provincial budget and 31.6 per cent of the district budgets were appropriated for medical and sanitary purposes (total of both amounting, however, to only about 50 kopecs per capita).

The regular zemstvo physician is supposed to exercise general sanitary supervision of his district, to combat epidemics, inspect schools, and educate the public on health matters. The zemstvo has provided also in each district a sanitary supervisor with laboratory equipment sufficient for simple chemical and bacteriological examinations and a central sanitary bureau which analyzes vital statistics, publishes a monthly bulletin, maintains a Pasteur institute, and employs emergency workers in case of epidemics (131 such workers, 13 of them physicians, were employed to combat scarlet fever and typhus fever in 1910, and 231, of whom 46 were physicians, to deal with cholera).

Before leaving the general subject of zemstvo medicine, a word must be said about the splendid services which the zemstvo organizations have rendered along army medical and sanitary lines during the war. Just as the zemstvos accomplished in civilian health-protection tasks which seemed impossible to the bureaucratic authorities, so, when the strain of war proved too heavy for the constituted agencies, the union of zemstvos, the union of municipalities, and the Russian Red Cross stepped into the breach and assumed a large share, not only of the medical care but of the clothing and provisioning of the army. The zemstvo and municipal unions now maintain 200,000 hospital beds in the rear for army use, as well as a large organization at the front, and they have an elaborate and well-organized machinery for purchasing or manufacturing and distributing medical and surgical supplies. A central committee, representing the unions of zemstvos and municipalities, the Russian Red Cross, and the sanitary department of the army, meets every night in Moscow to plan for the evacuation of sick and wounded soldiers, of whom 4,000,000 have been handled by this and other similar committees since the beginning of the war.

In Russia, as elsewhere, the most intensive development along public-health lines has taken place in the cities and particularly in the two cities of Moscow and Petrograd, which are in the 2,000,000-population class. Kiev, Lodz, Odessa, Riga, and Warsaw are the only other cities with more than 400,000 population, with thirty-odd cities with between 100,000 and 400,000 population.

Moscow city health administration.

As in the case of provincial zemstvo organizations, Moscow leads also in municipal health administration. An excellent description of the sanitary machinery of the city was prepared for the Dresden Exposition (*Die Stadt Moskau in gesundheitlicher Beziehung; Moskau, 1911*); and I found the general outline of the organization was still essentially the same in 1917.

The water supply of the city (averaging in 1915, 10,100,000 vedros, or 27,270,000 gallons, per day) is derived chiefly from the Moscow River, and is purified by slow sand filtration with chemical coagulation when necessary. About one-sixth of the total supply is, however, contributed by well waters from Mytiszczы. Bacteriological results on the treated water are good, and the comparatively low death rate of the city from typhoid fever is good evidence of the effectiveness of the process.

Moscow is one of the very few Russian cities which have installed comprehensive systems of sewerage and sewage disposal. I was informed that not over a dozen cities in Russia have sewerage systems which receive fecal wastes and that only four or five have any system of sewage treatment. Nijni Novgorod has Imhoff tanks, Kharkov trickling filters, and Moscow and Odessa irrigation areas.

Even in Moscow, only the central district of the city is at present connected with the sewers, and in 1915, 572,442 cartloads of night soil (averaging 28.5 poods or 1,026 pounds per load) were removed from the outlying districts and dumped under highly offensive conditions in areas of low land. The sewage proper, which amounted in 1915 to 6,768,000 vedros, or 18,274,000 gallons, per day, flows to two separate irrigation areas, one at Lubline which treats about two-thirds of the total amount (about five and one-half million gallons in the summer of 1917) and another at Luberzy, which handles the remainder and provides space for expansion in the future as the outer zone of the city is gradually connected. The Lubline farms, which were the only ones I visited, include about 1,000 desiatins (2,700 acres), of which about a tenth is under cultivation, cabbages, rye grass, and willows being among the principal crops. The main part of the area is not cropped but is operated essentially on the plan of intermittent filtration. Of the total area, about half is clay, a quarter peaty soil (*tourbe*), and a quarter sand, and operating results differ materially, as would be expected, on the different soils. The clayey and peaty areas treat about 3,000 vedros per desiatin; the best of the sand areas about 25,000. (Since a vedro equals 2.7 gallons and a desiatin 2.7 acres, vedros per desiatin and gallons per acre are interchangeable terms.) Doses of sewage are applied to a given area at intervals of from 4 to 10 days, depending on the character of the

soil. The sewage pumped to the sand beds, which are on a higher level than the others, is submitted to bar screening ($2\frac{1}{2}$ cm. mesh) and brief sedimentation (10 minutes). The rest of the sewage receives no preliminary treatment.

The most interesting thing about the Moscow sewage-disposal plant is the admirable experiments which are being conducted on various alternative methods of treatment under the direction of M. Serge Stroganoff, who has made exhaustive large-scale studies of Imhoff tanks, contact beds, and trickling filters (the latter equipped with rectangular and circular Fiddian distributors as well as with American type spray nozzles), and is now devoting particular attention to activated sludge treatment. When I visited the plant four experimental basins were in operation, treating 50,000 vedros (135,000 gallons) a day by the activated sludge process with excellent results. The tanks are about 2.5 meters in depth and are operated on the fill-and-draw plan with four hours' aeration and 20 to 30 minutes' sedimentation. The air is distributed not through filter blocks but from 2.5-millimeter openings on the under side of $1\frac{1}{2}$ -inch pipe. The result of this procedure seems to warrant its further study. Forty volumes of air per volume of sewage was being used at the time of my visit, which is not bad for the extremely concentrated sewage treated, and M. Stroganoff believes that by improvements in distribution which he has worked out, this amount of air can be cut to 10 volumes of air for one volume of sewage. He hopes shortly to undertake the construction of a 3,000,000-vedro activated sludge plant which will release the irrigation area or a considerable portion of it for use as a municipal dairy farm.

Aside from these strictly sanitary engineering problems, the health administration of the city is directed, so far as its general policy and finances are concerned, by a board of health of 20 members. There is also an advisory medical board, representing the hospitals, district and school inspectorate, etc., which passes on recommendations of bureau chiefs as to medical policies and nominates candidates for medical posts, a sanitary advisory board which exercises similar functions in regard to problems of epidemiology and the like, and half a dozen smaller advisory boards which consider special problems relating to ambulances, hospitals, obstetrics, psychiatry, school inspection, veterinary medicine, pharmacy, etc. This system of advisory boards through which the expert staffs express their views on the problems of policy which concern them is very characteristic of Russian health administration in all its phases and on account of its broadly democratic character is likely to develop even further under the Republic.

Executive authority is divided between three bureau chiefs who deal respectively with hospitals, sanitation, and sanitary statistics,

all of them being physicians. This arrangement, with its close correlation between hospitals and sanitation and the recognition of statistics as an independent branch of cognate importance, is also typical of general practice in Russia.

The statistical bureau of Moscow, under Dr. Mik'hailovsky, is particularly well organized. It is equipped with a library of 50,000 volumes and its reports (summarized in the volumes of the *Annuaire Statistique de la Ville de Moscou* and *Bulletin Recapitulatif de la Ville de Moscou*) will repay careful study.

The routine sanitary work of the city is conducted by 20 district medical inspectors, who are charged with the general functions which belong to the divisions of communicable diseases and sanitation in an American city health department; that is, they visit cases of acute communicable disease, secure their isolation, study the epidemiological factors involved, and inspect factories, lodging houses, and the like. The work of terminal disinfection, which still occupies a very prominent place in Russian sanitation (and with some propriety in view of the prevalence of insect-borne diseases), is cared for by a chief disinfector with some 25 assistants; and the city maintains an elaborate disinfecting station for clothing and bedding with steam and hot water disinfection and with a "Japanese chamber" for combined heat and formalin treatment. For food control there is a separate force of 20 inspectors and analytical work is carried out in a well-equipped food and water laboratory. Diagnostic examinations are made at the university and the various hospitals. Finally, there is a third group of 20 medical men for school inspection. Each of these physicians has about 20 schools and some 3,000 children under his care. He inspects the school buildings and at the beginning of the year makes out an individual health card for each child and keeps track of all who are in need of special attention. He attends to the isolation of school children and the disinfection of the school-room, instructs the teacher in the early signs of communicable disease, and sends children in need of treatment to the general hospitals or to the special school clinics maintained for the treatment of diseases of the eye, ear, nose, throat, and teeth. Vaccination is stimulated by sending medical students out to vaccinate free of charge in the poorer districts, but is not compulsory.

The city of Moscow maintained 24 public hospitals in 1915 with a total of 6,992 beds, and the number of new patients entering during the year was 72,830; 1,264,676 persons made a total of 2,969,806 visits to the public dispensaries. There is one special hospital of over 400 beds and one special clinic, for venereal cases, while cases of this character, if not in an infective stage, may be received at any clinic. There are two sanatoria for tuberculosis with a capacity of

about 40 beds each, but tuberculous cases are also admitted to most of the general hospitals.

Mention should be made of the admirable municipal lodging houses maintained by the city with over 5,000 sleeping places.

For dealing with the important problem of infant mortality the city maintains three infant welfare stations at which some 3,000 infants are received during the year and about 100,000 quarts of milk distributed. The principal station, in connection with the Morosov Hospital, is the most perfectly equipped plant for the purpose which I have ever seen. The rooms are light, airy, and tiled, every possible equipment for the medical examination of the infants and for the preparation of milk is provided, and the waiting room is furnished with an admirable collection of models and pictures illustrating good and bad methods of infant care, the models of dangerous foods and the pictures of objectionable methods of clothing and the like being all labeled in red so that the most ignorant mother can not fail to grasp their significance.

There are also in Moscow three smaller infant welfare stations maintained by a private society for the campaign against infant mortality, which provided for 1,638 children in 1916.

Expenditures for medical purposes have risen from 5.2 per cent of the total municipal budget in 1870 to 14.7 in 1910 and to 17.0 per cent in 1914, and over 20 per cent in 1915, the last two figures being unduly swollen by war conditions. Of what may be considered a normal health budget of 5,078,730 roubles in 1910, 80.8 per cent was for hospitals, 8.7 per cent for lying-in hospitals, 5.0 per cent for clinics, 3.2 per cent for public health work, 1.2 per cent for grants to private hospitals, and 0.9 per cent for veterinary inspection.

The table below for the 25-year period, 1886-1910, gives an interesting picture of the relative prevalence of various communicable diseases indicated by the numbers of cases recorded.

Prevalence of various communicable diseases.

Disease.	Cases recorded, 1886-1910.	Per cent of all communicable diseases.	Disease.	Cases recorded, 1886-1910.	Per cent of all communicable diseases.
Measles.....	96,106	19.36	Typhoid fever.....	28,679	5.78
Scarlet fever.....	72,567	14.61	Typhus fever.....	23,434	4.72
Diphtheria.....	68,768	13.85	Typhus or typhoid fever.....	21,842	4.40
Relapsing fever.....	45,861	9.24	Parotitis.....	13,424	2.70
Dysentery.....	43,158	8.69	Varicella and varioloid.....	12,217	2.46
Whooping cough.....	32,665	6.58	German measles.....	3,844	.77
Chicken pox.....	28,743	5.79	Cholera.....	3,067	.62

The death rates for 1915 as certified for various specific causes calculated on an estimated population of 1,984,000 are as follows, the total registered death rate from all causes being 22.4.

Registered death rate from various causes in Moscow, 1915.

Cause of death.	Rate per 100,000.	Cause of death.	Rate per 100,000.
Typhoid fever.....	14.9	Other epidemic diseases.....	0.7
Typhus fever.....	1.9	Rabies.....	10.6
Relapsing fever.....	.2	Syphilis.....	8.0
Undetermined fevers (any of above).....	1.0	Puerperal fever.....	9.9
Smallpox.....	12.2	Pulmonary tuberculosis.....	191.1
Measles.....	91.0	Other forms of tuberculosis.....	32.8
Scarlet fever.....	70.3	Croupous pneumonia.....	54.4
Diphtheria.....	40.6	Other respiratory diseases.....	351.0
Dysentery.....	46.5	Diarrhea and enteritis:	
Anthrax.....	.9	Under 2 years.....	352.0
Intermittent fever.....	.2	Over 2 years.....	20.4
Influenza.....	11.7	Homicide.....	2.8
Whooping cough.....	17.2	Suicide.....	7.0
Cholera.....	6.7	Other violent deaths.....	45.2
Erysipelas.....	18.1	All other causes.....	823.0

It will be noted that measles, as is often the case with us, is the most serious of the acute contagia, that typhoid fever is fairly low, that diphtheria is high, and scarlet fever very high. Typhus and relapsing fevers have been fairly well controlled in recent years, though the central location of Moscow and its heavy railroad traffic have in the past exposed the city to frequent infection with these diseases, which have often made their first local appearance in the lodging houses. Smallpox is still a serious factor in the death rate, and dysentery constitutes a grave problem. Pulmonary tuberculosis is fairly high and is probably much higher than is indicated on the face of the returns, since the figure of over 400 for pneumonia and other respiratory diseases, as compared with less than 200 for pulmonary tuberculosis, suggests defective diagnosis. The rate for diarrhea and enteritis under two years is appalling.

Health Organization of the City of Petrograd.

The general sanitary organization of Petrograd is very similar to that of Moscow, more highly developed along certain lines, and less complete in some other departments.

The water supply of the city is derived from two sources, a main station on the southern mainland side of the Neva which supplies about 25,000,000 vedros (67,000,000 gallons) a day and a smaller 5,600,000 vedro (15,000,000 gallons) plant on Petrograd Island. The main plant originally consisted of 18 filters of the English slow sand type but they have been reconstructed for use as American rapid mechanical filters by dividing each one into 12 sections. On account of deficient capacity it has been the custom at this

plant at times to filter part of the water without chlorination and to chlorinate another part without filtration. The bacteriological results of these two methods as well as of the combined treatment for the year 1914 were as shown below.

Bacteriological results of various treatments applied to Neva River water, averages, 1914.

	Bacteria per c. c.	Per cent positive tests for B. coli in $\frac{1}{2}$ c. c.
Raw water.....	364	47.0
Filtered water.....	73	3.0
Chlorinated water.....	16	.02
Filtered and chlorinated water.....	5	.007
Mixtures as delivered.....	45	1.3

Great difficulty has been experienced in procuring either alum or bleaching powder since the war, and chlorination is now effected by the use of a sodium hypochlorite solution prepared on the spot by the electrolysis of salt.

The smaller plant on Petrograd Island includes 10 settling basins, 49 American rapid filters, a storage basin, and a Siemens-Otto ozone disinfecting outfit. The filters are of the mechanical wash type and the ozone apparatus appears to be working very satisfactorily, although at high cost. This plant, like the larger one, is now being strained beyond its capacity, and a resort to a wholly new supply brought in from Lake Ladoga will probably prove the ultimate solution of the problem.

The waste disposal system of Petrograd is a curiously primitive one for a great European capital. There is an extensive series of sewers in the city, but, as in London and Paris 50 years ago, they are not used for fecal wastes. The latter are collected in cesspools which are pumped out at night (at intervals varying from 2 weeks to several months) into special carts with cylindrical metal bodies which convey the sewage liquids to a disposal station near the west end of Vassilyevsky Island. About 200 such carts reach the station every day. The sewage matters are screened by passing them through Riensch-Wurl screens, the liquid is discharged through a 10-inch sewer at a point 7 kilometers out to sea, and the screenings are burned in the adjacent garbage destructor.

This destructor, it may be mentioned in passing, is one of two Heenan and Froude 4-unit furnaces, each of which destroys between 5,000 and 6,000 poods (180,000 to 216,000 pounds) a day. They handle only about a quarter of all the refuse produced by the city, the rest being dumped.

The health organization of Petrograd is centered in the sanitary bureau, which has three main divisions—sanitation, epidemiology, and

sanitary statistics—although the powers and responsibilities of the three divisions are not sharply limited, the same employees in some cases being responsible to two division heads. Thus the 40 district physicians who form the backbone of the staff not only do the work of sanitary inspection, building inspection, and plumbing inspection in their respective districts, but also the work of isolating cases of communicable disease and studying the epidemiological factors concerned. In addition to these men, the epidemiological division has 20 medical inspectors of food stores and 11 medical lodging-house inspectors, or a total of 71 physicians in all. The very able head of this division is Dr. Haffkine, a nephew of the bacteriologist who is so well known for his researches on bubonic plague. Medical inspection of schools is now under another city department, 50 physicians being employed, with 11 eye specialists and 20 dentists.

The city has a large contagious-disease hospital, built on the barrack plan, with 44 barrack buildings and some 1,200 beds. On the hospital grounds there is an elaborately equipped central disinfecting station for the treatment of clothing and bedding. It includes a number of large sterilizers, some operated with steam and some with formaldehyde, all controlled from a central glass-walled observation chamber. There is also at this station an extensive equipment of disinfecting apparatus for house disinfection, and sanitary officials from all over Russia come here (to the number of perhaps a hundred a year) to study the technique of disinfecting practice.

The sanitary bureau has an admirable chemical and bacteriological laboratory (the latter under the direction of Dr. V. Yakovlev). Three bacteriologists are employed, and in 1916 11,974 examinations were made for diphtheria and 1,711 for tuberculosis, besides examination for cholera, dysentery, relapsing fever, typhoid fever, and glanders. In 1908-1910 five bacteriologists were employed to deal with the cholera epidemic existing at that time, and during the three years 26,000 examinations of feces were made and 13,000 of water. The highly significant results of these cholera studies have been printed by the city in the form of a large monograph.

The city also maintains a vaccine institute under Dr. Gamaleia, which turns out 300,000 grams of vaccine a year (each gram being equivalent to something over 10 doses). Since the Revolution the enforcement of vaccination is no longer possible and the institute had over a million doses of vaccine on hand at the time of our visit.

The division of sanitary statistics (under Dr. Fedoroff) is excellently organized. It was interesting to us to note that slips of paper are still used in Russia instead of cards for the registration of births and deaths.

Health ordinances are framed by a central health board, which includes 30 health-department physicians and 30 city Duma members.

The hospitals of the city are at present under a completely distinct bureau organization. Twelve general municipal hospitals are maintained in which on a given day in August, 1917, there were 12,311 patients. In 1914, the last year for which we were able to obtain printed statistics, there were 11,930 beds and 144,704 patients treated. The city also carries on 11 free dispensaries, which average about 450 visits a day. There are 15 public maternity hospitals with 347 beds. It may be noted in passing that in 1915 24,808 out of 40,141 births in the city of Petrograd occurred in hospitals.

The total expenditure of the city for medical, veterinary, and sanitary purposes in 1914 was a little over 9,000,000 roubles, 17.8 per cent of the total municipal expenditure. About one-seventh of this, or 1,300,000 roubles, was for the sanitary bureau, whose work has been specially discussed above. This amount will be just about doubled for next year, not to provide for any expansion of work but simply to allow an increase in salaries to compensate for the fall in the value of the rouble and the increase in the cost of living.

Comprehensive plans are under consideration for the reorganization of the whole system of health administration to bring the hospital care and the preventive work more closely together on the one hand and, on the other, to provide for greater decentralization in local administration for the various districts of the city. The plan below has been recommended by a committee which was specially appointed to study the problem.

PROPOSED PLAN OF PUBLIC HEALTH ORGANIZATION FOR PETROGRAD, ALL BRANCHES TO BE UNDER A COMMISSION ON PUBLIC HEALTH WITH A MUNICIPAL MEDICAL BOARD.

Department:

I. Sanitary—

Functions—

A. Sanitation—

1. Purification of sewage.
2. Water supply.
3. Waste removal.
4. Industrial hygiene.
5. Hygiene of transportation.
6. Disposal of the dead.

B. Communicable diseases—

1. Prevention of communicable disease.
2. District sanitary inspection.
3. Disinfection.
4. Isolation.
5. Vaccination.

II. Veterinary—

1. District veterinary inspection.
2. Horseshoeing and medical care of horses.
3. Inspection of sales stables and of the health of horses.
4. Removal of bodies of dead horses.

Department—Continued.**II. Veterinary—Continued.**

5. Prevention of rabies.
6. Inspection of abattoirs and of imported meat products.
7. Inspection of stables, pig sties, etc.

III. Sanitary—**Statistical—**

1. Sanitary and medical statistics.
2. Sanitary records of dwellings, etc.

IV. Medical—**A. Outpatient service—**

1. Medical aid in dispensaries and homes.
2. Midwifery.
3. Safeguarding of mothers and infants.

B. Hospital service—

1. General hospitals.
2. Special hospitals.

C. Pharmaceutical service—

1. Supplying drugs through city and hospital pharmacies.
2. Providing drugs.

Each subdivision of a department should, it is suggested, work under the guidance of an advisory council, made up of the sanitarians, physicians, veterinarians, statisticians, etc., themselves.

Of the two great problems of tuberculosis and infant mortality, to which our own health departments are now devoting so much attention, the first is still almost neglected in Petrograd as a public-health problem. There is one sanatorium in Finland with 60 beds and out of 144,000 patients received in the general city hospitals during 1914, 10,605 were cases of pulmonary tuberculosis and 1,612 of tuberculosis in other forms. It is believed by many that tuberculosis has materially increased during the war, but on account of the heavy demands placed upon the medical personnel of hospitals and dispensaries accurate statistics are hard to obtain.

Infant welfare work is more fully developed in response to the urgent need which exists for activity along this line, in Petrograd as everywhere in Russia. In 1915 one-quarter of the infants born in Petrograd died before reaching the age of one year (as against less than one-tenth in New York City, the excess corresponding to a loss of 6,000 lives a year). There is, however, the nucleus of an admirable organization of milk stations and baby clinics in Petrograd, 1 being maintained by the city itself, 8 by the district dumas, 5 by the All-Russian Patronage for the Protection of Motherhood and Childhood, and 12 by other agencies. Between 5,000 and 6,000 children are cared for at these various stations. The number should be doubled or trebled. The work of existing institutions is at present seriously hampered by the grave shortage of milk. There was available last September only about 1 quart of milk for every 30 people in the total population,

one-third of the quantity available before the war and one-tenth of the amount deemed necessary by conservative food experts.

The birth rate of Petrograd has fallen from 30.7 per 1,000 in 1907 to 24.9 in 1914 and 22 in 1915, in which year it fell below the death rate (23.2 per 1,000).

The death rates as recorded by principal causes for 1914 are shown in the table below:

Recorded death rates from various causes, Petrograd, 1914.

Registered causes of death.	Rate per 100,000.	Registered causes of death.	Rate per 100,000.
Typhoid fever.....	35.8	Broncho-pneumonia.....	262.2
Typhus fever.....	1.0	Other respiratory diseases.....	43.5
Smallpox.....	16.6	Cancer.....	83.2
Measles.....	88.4	Sarcoma and other neoplasms.....	6.9
Scarlet fever.....	40.6	Alcoholism.....	31.9
Diphtheria.....	30.0	Cerebral apoplexy.....	61.4
Dysentery.....	25.1	Other cerebral diseases.....	87.2
Epidemic gastroenteritis.....	2.6	Diseases of heart and arteries.....	170.0
Anthrax.....	.3	Gastroenteritis:	
Influenza.....	19.0	Under 2.....	239.0
Whooping cough.....	20.2	Over 2.....	25.4
Erysipelas.....	14.2	Other digestive diseases.....	50.6
Puerperal fever.....	4.9	Urinary diseases.....	46.0
Pyemia and septicemia.....	35.1	Congenital debility.....	147.8
Rabies.....	.2	Senile marasmus.....	53.5
Other contagia.....	11.6	Suicide.....	22.2
Pulmonary tuberculosis.....	299.5	Accident.....	61.3
Other forms tuberculosis.....	54.4	Homicide.....	4.4
Lobar pneumonia.....	81.7	All other causes.....	87.8

In comparing these death rates with those for Moscow cited above it appears that the prevalence of the acute contagia is much the same in the two cities, measles leading all the rest. Scarlet fever was much more prevalent in Moscow in 1915 than in Petrograd in 1914, but this was due to a special outbreak in the former year. On the other hand the higher incidence of typhoid in Petrograd is characteristic and very possibly connected with imperfections in water purification, while dysentery is regularly higher in Moscow on account of its warmer climate and closer proximity to regions where this disease is very common. Cholera, which has disappeared from Petrograd in recent years, still occurs periodically in Moscow. The fact that the diarrhea and enteritis rate, which, while very high in Petrograd, falls short of the enormous figures reached in Moscow, is perhaps due in part to the cooler summer weather of the capital. Tuberculosis, on the other hand, appears to be far higher in Petrograd than in Moscow, the figures being 299.5 as compared with 191.1 for pulmonary and 54.4 as compared with 32.8 for other forms of tuberculosis. The combined rate for all forms of pneumonia and other respiratory diseases is lower in Petrograd, 387.4 against 405.4, so that better diagnosis may in some part account for the difference. It would be unsafe to stress this point, however, without a study of age distribution in the two cities, and we know that in our own

country there are cities like Pittsburgh which are actually characterized by low tuberculosis rates combined with a very high incidence of pneumonia.

The Central Bureau of Public Health.

There remains finally to be considered the government bureau which corresponds in many respects to our United States Public Health Service, a body which has been of some importance in the past and which, as in our own country, promises to play a much larger part in the future.

The central bureau of public health was endowed, theoretically, with large powers before the Revolution and had an inspector in each Province with 10 or 12 subinspectors under him, in all a force of nearly 2,000 physicians. The central organization at present includes a division of administration; a division for the supervision of hospitals, medical schools, schools for feldschers, and the like; a division for sanitary and epidemiological work; a division for the supervision of mineral springs, medicinal baths, etc.; and a division of statistics.

The reports issued annually by this bureau on the "Condition of the National Health and the Organization of Medical Service in Russia" contain much valuable material in regard to the current status of medical and sanitary matters.

Thus the report for 1914 (the last which is in print) shows that in that year there were in the Empire—excluding Poland and the three Provinces of Vilna, Kovno, and Kholm—18,320 physicians engaged in civil practice, of whom 15,433 were men and 2,887 women. In the cities there was 1 physician to 1,700 inhabitants and in the rural districts 1 to 23,000 inhabitants. Of medical assistants (feldschers, etc.) there were 25,310, of whom 18,577 were men and 6,733 women. There were 11,764 pharmacists, 4,706 physician-dentists, 2,216 dentists, and 11,925 midwives. There were 4,287 medical districts under the direction of zemstvo or municipal physicians and 4,952 additional points in charge of medical assistants.

For the same area (the Empire exclusive of Poland and the three Provinces mentioned) there were 7,617 hospitals and dispensaries with 217,806 beds for civilian use. Only 39 per cent of the hospitals had more than 15 beds, 39 per cent had 6 to 15 beds, and 22 per cent had less than 6 beds each, indicating the growth of small rural hospitals under the zemstvo medical organization. There were 3,349,083 patients treated in the hospitals during the year with a mortality of 4.5 per cent, and an average period of treatment of 19.4 days. Excluding obstetrical and psychiatric cases there were 2,924,539 patients treated with a death rate of 4.8 per cent and an

average period of treatment of 16 days. Of maternity hospitals there were 908 with 7,591 beds. In these hospitals there were 311,937 births in 1914, 83 per cent of them normal, 6 per cent premature, and 11 per cent miscarriages. •

The 4,791 registered pharmacies, registered in the area mentioned above, filled 32,412,972 prescriptions for which they received 18,185,628 roubles, while they took in over the counter 13,816,025 roubles more.

Fifty-four hygienic laboratories for the analysis of food products were registered with the bureau, 44 maintained by cities, 2 by zemstvos, 1 jointly by city and zemstvo, and the rest by Government bureaus or private agencies. Thirty-four of these laboratories were directed by physicians, 9 by chemists, 7 by veterinarians, and 3 by pharmacists.

There were 32 Pasteur stations in operation in Russia in 1914, in which 35,462 preventive treatments were given with 90 deaths. Excluding 3,490 cases not bitten, the mortality was 0.3 per cent.

As a result of the reconstruction called for by the revolution the central bureau of public health is likely to have on the one hand less theoretical power and on the other hand more actual influence for good than it ever had under the old régime. The functions of legal and administrative medicine which it exercised in the past will no doubt be delegated to local authorities; but the central bureau will be in position to guide and develop local health work throughout the Republic with wisdom and success.

The future central organization will probably bear to the provincial zemstvo health administration much the same relation that the latter now bears to the district sanitary organization. There will be a large council of some 200 members chosen by the provincial zemstvos and the municipalities, with representatives named by the national government. This council will hold plenary sessions two or three times a year and will itself elect a small permanent council of some 20 members. The work of the administrative bureau will be directed by this permanent council and sanitary legislation will, it is hoped, be enacted by the provisional government on its advice and suggestion. It will be the task of the council and the bureau to work out comprehensive plans for the development and standardization of medical and sanitary work throughout the Republic and to provide as promptly as possible medical and sanitary care for those Provinces which at present have no zemstvo organization.

The outline cited below is a proposed plan for the reorganization of the central bureau of public health, which has been prepared and printed and was being favorably considered by the authorities in August, 1917. It may be cited in full as an example of the general sort of health organization which met with approval during the days of reconstruction under the Kerensky government. It will be noted

that it calls for a high degree of decentralization as is essential to meet the demands of the revolution, while at the same time providing a strong central staff of advisory experts.

Plan for the Organization of a Central Sanitary Medical Service.

I. All questions concerning the health and sanitation of the civilian population shall be under the jurisdiction of the central medical sanitary service in accordance with the following regulations and corresponding State laws.

II. The duties of the central medical sanitary service shall include:

1. The preparation of new laws concerning questions of a medical, sanitary, pharmaceutical and medico-legal nature.
2. The furnishing to local self-governing bodies in their work of protecting the public health of assistance in the shape of money, medical assistance, information and reports.
3. The sanitary protection of sea and land boundaries.
4. The collection and publication of statistical data in regard to the movement of population, morbidity and mortality, the analysis of statistical and scientific material in regard to general health conditions, and the working out of a program for improving sanitary conditions and the prevention of communicable diseases.
5. The supervision of local medical-sanitary work in provinces and territories where it is not in charge of local self-governing bodies.
6. The working out of regulations concerning international sanitary agreements.
7. The execution of orders of the central medical sanitary council in regard to medical supervision and all business concerning other ministries. In connection with these questions the central medical sanitary service is the administrative organ of the central medical sanitary council.

III. In matters of internal and general organization and also of all sanitary matters under the ministry of the interior, the central medical sanitary service is subordinate to the minister of the interior.

IV. The staff of the service shall consist of (1) head of the service; (2) heads of divisions; (3) director of publications; (4) legal advisor; (5) secretary; (6) senior and junior assistants to the heads, traveling physicians and clerks.

V. The chief of the central medical sanitary service has control and supervision of all his personal staff. He takes the place of the minister of the interior in the higher Government institutions so far as all business concerning the central medical sanitary service is concerned; he is in charge of all current business of the central medical sanitary service; and he has all rights appropriate to the rank of assistant minister.

VI. Division heads are responsible assistants to the chief of the central medical sanitary service, each in his particular field, and take his place therein in case of need.

VII. The central medical sanitary service contains the following divisions: (1) Governmental and public health, (2) medical and hospital help, (3) epidemiology, (4) supervision of health resorts, (5) supervision of pharmacies, (6) supervision of medical schools, (7) legal and official medicine, (8) statistics, (9) office staff, (10) publications, (11) legal advice, (12) secretary to the chief.

VIII. The duties of local sanitary medical control, of pharmaceutical matters and legal medicine, which according to present laws are vested in the provincial government bureaus, are to be exercised by the provincial zemstvos and in capitals and large cities by the municipal organizations. To meet these obligations, provincial zemstvos and dumas must provide new departments or reorganize existing medical offices so as to provide in every province experts competent to direct state medicine, legal medicine and pharmacy. To fulfill the duties of legal medicine it will be necessary for the zemstvos and dumas to create a new organization of medico-legal experts. Such departments will be subordinate to their respective zemstvos and dumas but will be required to transmit to the central medical sanitary service all reports which are required by law and such other information in regard to sanitary and medical matters as the central medical sanitary service may require.

IX. In Provinces and territories in which there are difficulties in the way of the immediate transfer of all the medical business previously carried on by provincial and district medical bureaus, municipal and police physicians to the self-governing bodies there shall be provided, until final organization of the zemstvo medical bureaus can be accomplished, organized medical-sanitary offices and medico-legal experts at the expense of the central government and under the direction of the Central Medical Sanitary Service such provincial medical-sanitary offices to be acting organs of the provincial medical-sanitary councils.

X. The functions of the provincial medical-sanitary offices shall be as follows:

1. Registration of physicians and pharmacists, of pharmacies drug stores, factories, and laboratories engaged in the preparation of drugs, of medico-legal statistics, of statistical data in regard to the medical inspection of recruits and of school inspection, of dentists, medical assistants, midwives, practitioners of massage and physical culture, registration of hospitals.

2. Control of the practice of medicine.

3. Supervision of private hospitals and private diagnostic laboratories.

4. Censorship of medical publications concerning drugs and curative treatments.

5. License and control of private medical schools.

6. Licensing and control of pharmacies, shops, factories, and laboratories, and preparing drugs, sera, vaccines, and other therapeutic preparations.

7. Granting licenses for the sale of cosmetics.

8. Management of hospitals and schools maintained by Central Medical Sanitary Service.

9. Approval of certificates submitted by court authorities in regard to examinations of sick persons or dead bodies and reexamination of material proofs in cases of conflict of evidence and the results of an inquest, or in cases of doubt as to the exact interpretation of medical signs noted in the examination of a body.

10. Approval of results of medical examinations in cases of pension claims, sickness insurance benefits, divorce cases, or any personal or property rights.

Such matters may be brought before the medical-sanitary office: By official experts in cases of disagreement; by persons at whose request the original examination was made (if they doubt its regularity); by the subject of the examination if he holds the physician's finding to be unjust.

11. Control and supervision of medico-legal matters.

12. Provision of facilities for necessary laboratory examinations of material proofs. Laboratories must be organized as branches of the medical-sanitary offices; or one laboratory may be organized jointly by several medical-sanitary offices; or by approval of the Central Medical Sanitary Service, the provincial medical-sanitary officer can transfer this work to other public or private laboratories.

13. The certificates and actions mentioned in paragraphs 9 and 10 are passed upon by a board consisting of the provincial medical sanitarian as chairman, three of his assistants, representatives of the Public Health Society and any specialists appointed by the board.

XI. In Provinces, territories, and cities where medical-sanitary offices are maintained at the expense of the central government their staff shall be made up as follows: (1) Provincial medical sanitarian, (2) assistants in charge of medico-legal and pharmaceutical divisions; (3) chief clerk; (4) medical inspectors.

XII. For the carrying out of medico-legal and administrative investigations in cases prescribed by law there shall be constituted a special institute of medico-legal experts.

Vital Statistics of Russia.

Russia has not had a general census since the year 1897, and there is no general system of registration of births and deaths other than the church records, which are reasonably complete and are carefully kept and analyzed by the central statistical committee of the ministry of the interior. The Russian has a gift for statistics, and statistical bureaus are well organized and directed by very competent experts, so that such figures as are available are reasonably reliable.

The central statistical committee published last year a volume on "Statistics of the Russian Empire; Movement of Population of European Russia for the Year 1910," some of the data from which may be worth citation and analysis. The estimated population of European Russia for that year was 118,700,000. The calculated marriage rate was 8.2 per 1,000, the birth rate, 44, and the death rate, 30.8. The birth rate by religions varied from 47.1 among the Orthodox and Mahometans to 22.3 among the Protestants and 21.7 among the Hebrews. The death rate varied from 33.4 among the Orthodox and 27.5 among the Mahometans to 15.9 among the Protestants and 12.4 among the Hebrews. The Orthodox in European Russia make up 83 per cent of the total population, and each of the other four religions between 3 and 6 per cent.

Thirty-eight per cent of all deaths were under one year of age and 21 per cent between one and five years.

The mortality rate in European Russia has decreased quite steadily from 37.2 in 1867-1871 to the figure of 30.8 cited above for 1910.

Death rates by causes are wholly lacking except for the cities, but cases of communicable diseases are reported by hospitals and by zemstvo and factory physicians to the central council of public health. The table below shows the incidence of morbidity from certain principal causes in 1914 for 91 Provinces.

Morbidity rates for certain communicable diseases, 1914, in 91 provinces of Russia.

[Cases per 100,000 population.]

Scabies.....	3, 676	Whooping cough.....	262
Influenza.....	2, 377	Measles.....	260
Malaria.....	2, 190	Typhoid fever.....	236
Syphilis.....	747	Smallpox.....	63
Trachoma.....	592	Typhus fever.....	59
Pulmonary tuberculosis.....	516	Scurvy.....	19
Lobar pneumonia.....	328	Relapsing fever.....	11
Diphtheria.....	279		

The annual reports of the central council of public health also contain tabulated data of death rates from certain causes for the principal cities of Russia, which are based on data collected by the

health bureaus of the cities on a system of registration similar to our own. In the table below it will be noted that the figures for Petrograd are somewhat lower than those cited above. They are evidently based on a slightly higher population estimate than that obtained by me from the municipal authorities.

Recorded death rates from certain causes per 100,000 population—Russian cities, 1914.

	Petrograd.	Moscow.	Odessa.	Warsaw.	Other cities, population 3,950,000.
Smallpox.....	16	4	2	23	21
Measles.....	79	77	13	21	65
Scarlet fever.....	39	37	36	59	62
Whooping cough.....	16	23	11	19	21
Influenza.....	16	17	2	2	16
Diphtheria.....	26	33	29	10	41
Typhoid fever.....	32	21	26	24	40
Typhus fever.....	1	3	2	1	4
Relapsing fever.....		1	1		2
Dysentery.....	25	33	8	24	56

The Problem of Infant Mortality.

There is one public-health problem which is everywhere of such importance as to deserve special consideration and which in Russia possesses a peculiarly dominant importance, the problem of the protection of the infant during its first year of life.

This question has received serious consideration from Russian sanitarians and statisticians ever since the Russian Economic Society at its meeting in Petrograd in 1835 called special attention to the great mortality of infants among the peasants. In the report on infant mortality in Russia, prepared by Drs. S. Glibovsky and B. Griebenshikov for the 1906 International Congress of Charities at Milan (*L'assistance publique et privée en Russie*; Acad. Imp. des Sci. Petrograd, 1906), the high infant mortality rate of Russia was emphasized very forcibly and was attributed chiefly to the fact that the agricultural labor of women, particularly among the Great Russians, interferes with the breast feeding and maternal care which are essential if a fair proportion of the infants born into the world are to survive.

I have been unable to find any very recent infant mortality statistics for Russia as a whole, but a study of the "Statistics as to Movement of Population in 1910," published by the central statistical committee, indicates that in that year deaths under 1 year made up 38 per cent of the deaths at all ages. The infant mortality rate (deaths under 1 year per 1,000 births) was 266 for European Russia, while at the same period the rates for certain other countries were: Austria-Hungary, 207; Germany, 192; Italy, 142; England and Wales, 130; France, 111; Denmark, 106; Sweden, 75; Norway, 67; and New Zealand, 56.

The rates by Provinces in 1910 varied from 370 in Viatka to 134 in Esthonia, the higher rates obtaining generally in the north and east (Viatka, Olonetz, Kostroma, Simbirsk, Nijni-Novgorod, Kaluga, Smolensk, Novgorod, Vologda, Tver, Penza, Vladimir, Samara, all over 300), and the low rates almost universally in the west (Esthonia, Courland, Vilna, Livonia, Minsk, Volhynia, Podolia, Poltava, Grodno, and the Crimea, all under 200). This distribution for 1910 corresponds fairly well to that reported by Glibovsky and Griebenshikov for 1895-1899, and it seems clear that the lower rates in the west are due to the better care given to the children of the Finns and Letts of the Baltic Provinces, and the Lithuanians, Poles, Jews, and Germans of the west as compared with the Great Russian peasants of the central and eastern Provinces. By religions the authors cited above give the following infant mortality rates: Hebrews, 128; Catholics, 150; Mahometans, 163; Protestants, 179; Orthodox, 285.

A valuable study of the "Mortality of Nursing Infants in Petrograd during the 10-year period 1906-1915," by V. E. Bienshtok, has recently been published as Monograph No. 1 of the statistical bureau of the city of Petrograd. It shows that the infant mortality rate of the city was as high as 330.8 in 1882; since 1886 it has varied by years between 218.8 and 277.7, and by five-year periods from 238.3 (1891-1895) to 256.3 (1906-1910). The 1915 figure was 251, so that there has been no appreciable decrease in these enormous rates for a quarter of a century. The rates by districts varied for 1906-1915 from 122 in the Liteinyi and 123 in the Admiralty to 279 in the Alexander-Nevsky (industrial) quarter.

Twenty-five per cent of the infant deaths occur during the first month and 18 per cent during the first week. The second and third months of life account for 16 per cent of the total, the fourth to the sixth month for 24 per cent, the seventh to the ninth month for 19 per cent, and the tenth to the twelfth month for 15 per cent. Seasonal differences are not as striking as might be expected, 25 per cent of infant deaths occurring during the winter, 28 per cent during the spring, 28 per cent during the summer, and 18 per cent during the autumn months.

Of all the infant deaths in Petrograd 32.1 per cent were due to digestive diseases, 21.7 per cent to congenital debility, 20.5 per cent to pneumonia, 5.4 per cent to acute contagia (measles, diphtheria, scarlet fever), 2.6 per cent to tuberculosis, and 17.6 per cent to other causes.

The enormous infant mortality rate of Russia is of course due as everywhere, to Dr. Emmet Holt's twin factors, "Poverty and Ignorance," in an accentuated form. Glibovsky and Griebenshikov point out the close relation between the variation in infant welfare rates and illiteracy by races, 70 per cent of men and 91 per cent of women

being illiterate among the true Russians as against 40 per cent of men and 41 per cent of women among the Germans, 48 per cent of men and 47 per cent of women among the Letts and Lithuanians, and 51 per cent of men and 72 per cent of women among the Hebrews. In particular it is ignorance in regard to the principles of infant feeding which contributes most conspicuously to the unfortunate results observed. The Russian mother is apt to continue to give breast milk to her infant for a considerable period; but unfortunately she gives the child other and less innocuous foods from a very early age. Thus of a group of mothers in Saratov Province only 10 per cent were found by Dr. Minkh to be bringing up their babies on breast milk only, while in another district only 1.4 per cent nursed their babies without the addition of other food up to the seventh or eighth month. Of 2,000 women canvassed by one investigator in the province of Orel, 49 per cent had begun artificial feeding by the end of the first month.

The remedy for all this is of course clear and obvious—the establishment of infant-welfare stations for the instruction of mothers in the duties of maternity and such an improvement in their economic condition as may enable them properly to fulfill those duties.

An admirable beginning has been made along these lines, as has been suggested in discussing the work of public health administration in Petrograd and Moscow. The first *goutte de lait* was established by Dr. W. Hubert at Petrograd in 1901, and the more important educational work of the Consultation des Nourrissons, or baby clinic, was begun about 10 years ago. A most important factor in the development of this work has been the All Russian Patronage for the Protection of Motherhood and Childhood, which maintains stations in various parts of the country and which has its main offices and publishes an admirable monthly journal at Petrograd. This patronage has a most excellent Infant Welfare Museum on Kameny Ostrov Island in Petrograd with a remarkable series of anatomical models, charts and pictures, and a good library; and a fund of 1,000,000 roubles contributed by the banks of Petrograd and Moscow on the occasion of the Romanov Tercentenary was set aside before the war to be devoted to the erection of buildings for the work of this society.

The splendidly equipped infant welfare station at the Morosov Hospital in Moscow has been mentioned above. I had the opportunity of observing the work done here and at the other welfare stations in Petrograd and Moscow, and so far as the work at the clinics is concerned it appeared to be of a wholly modern and satisfactory type. The principal thing lacking is the home instruction by nurses, which has proved so vital a factor in such work in America. The Patronage for the Protection of Motherhood and Childhood has made a beginning along this line, having about 15 nurses doing home visit-

ing in Petrograd, but the municipalities have not as yet any facilities for such educational work. All the infant welfare work in Russia, and particularly that in Petrograd, is gravely hampered at the present time by the shortage of milk which has resulted from the war and from the Revolution.

General Status and Future Needs of Public Health in Russia.

Public-health work in most countries has passed from a stage in which the sanitation of the environment was its chief preoccupation, to one in which the control of community infections by epidemiological, bacteriological, and serological methods is predominant; and from this second phase it tends to proceed to a third, in which emphasis is laid on the hygienic education of the individual.

The first of these stages, that of sanitary engineering, has so far been somewhat neglected in the development of Russian public health. In 1912 out of 1,063 towns and urban settlements with a population of over 10,000 only 219, or 20.6 per cent, had an organized water supply of any kind, only 167 supplied this water to private houses, and only 59 had filters. As pointed out above there are to-day not more than a dozen cities that have modern sewerage systems and only half this number have systems of sewage treatment. The custom of boiling water and cooking milk before use materially assists in preventing the epidemics that we should expect might follow. At every railroad station, for example, there is a Kipyatok or tank of boiling water with a tap from which water may be drawn for tea, and the crowd of soldiers and other passengers running out with their teapots to these taps is the most characteristic feature of Russian railway life. As is the case all through the East, in China and Japan, one is struck with the extent to which cookery may take the place of sanitary engineering. From the standpoint of nuisance, too, it is somewhat remarkable that the night-soil removal system of Petrograd, for example, can be conducted with so little offense to the senses. It was only after several weeks of residence that I learned that the sewers of the city did not dispose of its fecal wastes.

Modern sanitary engineering will of course have its day in Russia, and when the time comes its development will be a fruitful one. Russian engineering is solid and successful. The smaller water purification plant at Petrograd, though costly both in construction and in operation, has interesting features in its design, while M. Stroganoff's experiments at Moscow are probably the most extensive and important sewage-treatment studies which are being conducted anywhere in the world to-day.

The principal developments of Russian public health have been along medical and bacteriological lines, in the control of the more acute communicable diseases and in the field of vital statistics. The sta-

tistical bureaus of the central council of public health and of the larger cities are better equipped with funds and with highly trained specialists than our own. The bacteriological and chemical laboratories are also highly developed and in charge of high-grade men with leisure and inclination for productive research as well as routine duties.

The control of communicable diseases is in general reasonably effective in the large cities; and the leaders in this field are in sympathy with the modern American view as to the supreme importance of bedside care of the individual and the detection of carriers as compared with the terminal disinfection of places and fomites. In current practice, however, terminal disinfection still occupies a very large place in municipal sanitation, a condition to some extent justified by the danger of insect-borne diseases, such as typhus and relapsing fever. The success with which these latter diseases are controlled in the larger cities is a credit to Russian sanitary science. In certain parts of the country, however, these diseases, and particularly malaria, constitute grave public-health problems which must be dealt with in the future.

Smallpox vaccine should obviously be used far more extensively than at present. Scarlet fever is much more serious than with us in spite of the rather common treatment with streptococcic vaccines.

Considerable attention is devoted to food inspection, mainly along chemical lines. The supervision of milk supplies is, however, in its infancy. There is little farm inspection and practically no bacteriological control.

Medical inspection of schools is general and well developed, the school doctors in many districts undertaking the care of the sick children in their homes as well as diagnosis in the school. School nurses are not, however, utilized as with us and public health nursing in general is a problem for the future.

There are schools for training public health workers in Petrograd and in Moscow, the former at the clinical institute under Dr. Gregor Khlopin being the most fully developed. The course at this institute is a post-graduate course of three months' duration with about eight hours of lecture and laboratory work a day, or 656 hours in all.

The program of the work as given in the last printed announcement of the school is sufficiently interesting to be cited in full.

Lecture courses:	Hours.	Lecture courses—Continued.	Hours.
Climatology.....	6	Physical instruction and gymnastics.....	6
Housing and clothing.....	12	Industrial hygiene.....	16
Water supply and waste disposal.....	20	General epidemiology.....	16
Nutrition.....	8	Epidemiology of typhoid.....	2
Food adulteration.....	6	Epidemiology of malaria, plague, syphilis, and tuberculosis.....	3
Sanitary methods and results..	30		
School hygiene.....	16		

Lecture courses—Continued.		Lecture courses—Continued.	
	Hours.		Hours.
Bacteriology and immunology.	20	Technique of sanitary organization.....	20
Chemism and relation of microbes to circulation of certain elements.....	2	Clinical features of cholera, typhoid, and relapsing fever	6
Disinfection.....	8	Pathology of diphtheria, cholera, plague, and typhus fever.....	6
Public health organization and sanitary legislation in Russia and abroad.....	16	Laboratory and practice courses:	
Organization of zemstvo medicine.....	8	Chemistry.....	170
Organization of municipal medicine.....	8	Bacteriology.....	160
Organization of sanitary statistics.....	16	Pathological anatomy.....	10
		School hygiene.....	40
		Problems for the sanitary expert.....	20

Perhaps a hundred students a year on the average took this course before the war, 15 to 20 per cent of them being women.

The most important future developments of public health, in Russia, as elsewhere, must be along educational lines in connection with the three major problems of venereal disease, tuberculosis, and infant mortality, for it is here that the great harvests of disease prevention are to be reaped and here that least has so far been accomplished.

In Petrograd Dr. Haffkine has opened six venereal clinics for medical and prophylactic treatment, but in many parts of the country, particularly in Siberia and in the Caucasus, the lack of medical care makes this problem a very difficult one. The war, as everywhere, has increased venereal disease to a very serious degree.

The antituberculosis campaign is still in its infancy in Russia. The Red Cross did some antituberculosis work before the war and there are a few sanatoria, but very few in proportion to the need. Petrograd has only one poorly organized tuberculosis clinic. It is probable that the Russian has a high natural resistance to tuberculosis; and this fact combined with the rigorous examination of recruits for the army has prevented any such shocking increase as has taken place in France in spite of the peculiarly insanitary conditions under which so many Russian troops are housed in peasant dwellings behind the front. There is little doubt, however, that tuberculosis is more prevalent, in both the civil and military population, than is commonly recognized or than is indicated on the face of the statistics. "Chronic pneumonia" is a commonly reported cause of death even in the army. A vigorous and comprehensive antituberculosis campaign will be certainly one of Russia's first problems after the war.

The largest single task of public health in Russia is, however, the control of infant mortality. There are approximately 1,500,000 infant deaths in Russia every year, of which two-thirds should be preventable according to such standards as have been set in New

York City. Even allowing for the economic difficulties which must interfere with prenatal precautions and infant care among the Russian peasants, it seems certain that a comprehensive campaign for the prevention of infant mortality could save half a million lives a year in Russia. The admirable infant welfare stations of Petrograd and Moscow and those maintained elsewhere by the Patronage for the Protection of Motherhood and Childhood need only to be multiplied throughout the Republic and supplemented by the organization of a staff of visiting nurses for domiciliary education in order to solve the problem satisfactorily.

From the standpoint of administrative procedure there are two points about Russian health organization which are peculiarly favorable for future progress.

In the first place, one is impressed with the possibilities of the numerous advisory boards, made up largely of active employees, with which both zemstvo and municipal executives are surrounded. Such organizations must often prove cumbrous and time consuming, but they tend to favor initiative and esprit de corps on the part of the staff. It is interesting to note that even before the revolution Russia was in this respect in position to give a lesson in democracy to the rest of the world.

The great strategic point in the Russian health situation is, however, the remarkable development of social medicine along curative lines and the consequent close connection between curative and preventive work. Russia, on account of the peculiarly acute needs of her rural population, has already developed the State care of the sick to a point of which we are only beginning to dream, and after the war the new republican government will no doubt pursue this social ideal to a much higher point of perfection. The opportunity for developing preventive educational work in connection with such a system is practically unlimited. In connection with infant mortality, for example, the high proportion of deliveries in maternity hospitals (in Petrograd nearly half of all births) is a most favorable circumstance. We may therefore look in the future, as zemstvo and municipal medicine develop and acquire the educational and preventive quality which is in accord with modern progress, for unprecedented successes in the control of preventable disease in the great sister Republic.

MALARIA IN FLORIDA.

PREVALENCE AND GEOGRAPHIC DISTRIBUTION—APRIL, 1915, TO DECEMBER, 1916.


The study of the prevalence and geographic distribution of malarial fevers in the State of Florida through the circularization of the practicing physicians was begun in 1913. Previous reports on this sub-

ject were published in the Public Health Reports of March 13, 1914, and May 28, 1915, and were issued as reprints Nos. 172 and 277.

The physicians were circularized every three months from April, 1915, to December, 1916, reply postal cards being used for the purpose.

Of the cards sent to the physicians about 13.5 per cent were returned. The number of cards sent out, the number of schedules returned, and the number of counties represented at each circularization are shown in Table No. 1.

It is to be borne in mind that the number of cases reported by the physicians does not show the number of cases that actually occurred, for an average of only about 13.5 per cent of the physicians returned the schedules. While there must have been many more cases of



Relative prevalence of malaria in Florida, by months, as indicated by the number of cases reported.

malaria in the State, the reports of the physicians on which this study is based are sufficient to show whether malaria was present or absent in the several counties, and reasonably accurately the relative intensity of the infection in the counties.

The cases reported throughout the State by months are shown in Table No. 2. The relative numbers of cases reported by months are shown in the chart.

The number of cases reported from the several counties of the State are given by race and year in Table No. 3.

The map on page 2221 shows the relative prevalence of the disease in the several counties of the State, the heavier shaded counties being those in which the infection was heaviest, the unshaded counties those in which the infection was lightest, as indicated by the

numbers of cases reported. The relative intensity of infection was determined by ascertaining the number of cases reported in each county during the period—April, 1915, to December, 1916—per 1,000 population. The population used was that of the 1910 census, it being impracticable to use current estimates for the purpose.

During the first quarter of 1916 one case of hemoglobinuric fever was reported in Columbia County, and during the fourth quarter two cases were reported in Duval County.



Relative prevalence of malaria in Florida, by counties, in proportion to the population, as indicated by the number of cases reported.

TABLE 1.—Results of circularization of practicing physicians.

Period.	Inquiry cards sent to physicians.	Replies received.	Percentage of replies.	Counties represented in replies.	Counties not heard from.	Cases of malaria reported.
1915.						
April to June.....	976	108	11.07	36	14	835
July to September.....	976	168	17.21	43	10	2,044
October to December.....	976	155	15.88	40	12	1,103
1916.						
January to March.....	987	133	13.75	37	13	609
April to June.....	987	131	13.27	43	9	786
July to September.....	987	125	12.66	40	12	1,280
October to December.....	987	109	11.04	39	13	750

TABLE 2.—Cases of malaria reported by months.

Year.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
1915.....				226	244	365	550	683	811	422	370	302
1916.....	143	168	298	187	264	335	243	386	651	298	251	201

TABLE 3.—Cases reported by counties, by years, and by color.

County.	Apr. 1 to Dec. 31, 1915.			Calendar year 1916.		
	White.	Colored.	Com-bined.	White.	Colored.	Com-bined.
Alachua.....	37	6	43	19	4	23
Baker.....				4	3	7
Bay.....	20	7	27	3		3
Bradford.....	1		1	2		2
Brevard.....	7		7	7	3	10
Broward.....	6	2	8	11		11
Calhoun.....	71	35	106	10	9	19
Citrus.....	127	121	248	92	82	174
Clay.....	1		1	11		11
Columbia.....	11	16	27	8	1	9
Dade.....	68	16	84	26		26
De Soto.....	67	16	83	14	2	16
Duval.....	152	195	347	71	44	115
Escambia.....	51	2	53	28	10	38
Franklin.....	39	29	50	54	54	108
Gadsden.....	47	35	82	64	40	104
Hamilton.....	33	28	61	53	30	83
Hernando.....				1		1
Hillsboro.....	55	7	62	42	21	63
Holmes.....	261	25	286	158	55	213
Jackson.....	10	19	29	22	34	56
Jefferson.....	3	4	7			
Lafayette.....	75	5	80	145	11	156
Lake.....	11	102	113	20	73	93
Lee.....	4	2	6	24		24
Leon.....	7	1	8	10	13	23
Levy.....	38	43	81			
Liberty.....				17	43	60
Madison.....	14	6	20	4	1	5
Manatee.....	3	4	7	41	12	53
Marion.....	265	312	577	288	340	628
Monroe.....	3		3	4		4
Nassau.....				13	11	24
Okaloosa.....	23	18	41	41	22	63
Orange.....	28	50	78	23	13	36
Oscola.....	3		3			
Palm Beach.....				7		7
Pasco.....	104	105	209	4		4
Pinellas.....	24		24	23		23
Polk.....	50	20	70	48	32	80
Putnam.....	88	83	171	13	18	31
St. John.....	16	13	29	13	7	20
St. Lucie.....	71	24	95	88	55	143
Santa Rosa.....	30	11	41			
Seminole.....	62	39	101	66	74	140
Sumter.....	125	203	328	90	284	374
Suwannee.....	25	25	50	27	21	48
Volusia.....	15	4	19		4	4
Wakulla.....	20	10	30	103	63	166
Walton.....	7		7	33	7	40
Washington.....	93	77	170	33	51	84
Total.....	2,262	1,720	3,982	1,878	1,547	3,425

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

EXTRA-CANTONMENT ZONES—CASES REPORTED WEEK ENDED DECEMBER 25.

Camp Beauregard, La.—City of Alexandria, measles 29, mumps 4, German measles 10, malaria 2, broncho-pneumonia 2, lobar pneumonia 1, amebic dysentery 1; for the city of Pineville, measles 16, German measles 4, broncho-pneumonia 5, lobar pneumonia 1; city of Boyse, measles 18; village of Libust, German measles 1; village of Ball, broncho-pneumonia 2.

Camp Dodge, Iowa.—Des Moines, smallpox 25, measles 1, scarlet fever 6, diphtheria 5, cerebrospinal meningitis 1, chicken pox 1, malaria 1; Grimes, scarlet fever 1; Polk City, whooping cough 1.

Camp Funston, Kans.—Manhattan, measles 50, meningitis carriers 2, paratyphoid 8, erysipelas 1, scarlet fever 5; Junction City, measles 8, mumps 1, chicken pox 1; Ogden, measles, 6; Riley, measles 1.

Camp Gordon, Ga.—Atlanta, diphtheria 2, gonococcus infection 16, measles 11, syphilis 6, scarlet fever 2, tuberculosis 1, cerebrospinal meningitis 1, German measles 3, smallpox 1, whooping cough 2; College Park, cerebrospinal meningitis 1; Stone Mountain, measles 2.

Camp Greene, N. C.—Measles 16, whooping cough 6, scarlet fever 1, tuberculosis 1, syphilis 16, gonorrhoea 12, chancroids 4.

Camp Hancock, Ga.—Cases measles, Augusta 2, Blythe 11, Hepzibap 1, Soods Chapel 9, Tennile several, North Augusta 2; and scarlet fever, Augusta 2; and German measles, Augusta 1; and whooping cough, Augusta 1; and diphtheria carriers, Augusta 3; and fatal case cerebrospinal meningitis, Augusta 1; and pulmonary tuberculosis, Augusta 1, base hospital 1.

Fort Leavenworth, Kans.—Smallpox, city 2, county 5; chicken pox, county 1; scarlet fever, city 1, county 2; German measles, city 6; diphtheria, city 1; lobar pneumonia, city 1; gonococcus infection, city 3.

Camp Lee, Va.—German measles, Petersburg 7; scarlet fever, Petersburg 1, pneumonia, Petersburg 5, measles, Petersburg 2, measles, Hopewell 4, epidemic meningitis, Petersburg 1.

Camp Lewis, Wash.—German measles, American Lake 2, Roy 1, Custer 1, Lake View 8, cerebrospinal meningitis, Dupont 1.

Camp Logan, Tex.—Chicken pox, 2 Houston; diphtheria, 4 Houston; German measles, 3 Houston Heights, 19 Houston; measles 46, Houston; malaria 1, Brunner; mumps 1, Houston; 1 Rosslyn, meningitis 1 Houston, pneumonia 3 Houston, tuberculosis 5 Houston. *

Camp McClellan, Ala.—Anniston, typhoid 3, pneumonia 2, chicken pox 5, scarlet fever 1, German measles 4, measles 10, smallpox 8, mumps 3; Precinct Four, smallpox 1; Precinct Fifteen, pneumonia 1.

Fort Oglethorpe, Ga.—Chattanooga, German measles 8, measles 5, mumps 11, scarlet fever 3, tuberculosis 2, pneumonia 7, whooping cough 3, syphilis 1; North Chattanooga, measles 1, chicken pox 1; Missionary Ridge, scarlet fever 1; Alton Park, pneumonia 1; East Chattanooga, tuberculosis 7.

Camp Pike, Ark.—Little Rock, measles 56, chicken pox 2, smallpox 25, scarlet fever 3, tuberculosis 1, pneumonia 2, German measles 4, diphtheria 1, mumps 1, malaria 1, syphilis 2, gonorrhea 1; North Little Rock, smallpox 11, measles 4, German measles 2, tuberculosis 2; College Station, smallpox 1; Levy, measles 5; North Point, malaria 1, measles 1.

Camp Sevier, S. C.—Three scarlet fever, Chick Springs, rural; 1 pneumonia, Greenville, rural; 1 pulmonary tuberculosis, Butler, rural; 4 measles, Greenville, rural; 2 measles, Chick Springs, rural; 3 measles, Greenville, Mills Mill.

Camp Shelby, Miss.—Diphtheria 3, German measles 143, gonorrhea 9, leprosy 1, pneumonia 2, scarlet fever 1, meningitis 1.

Camp Sheridan, Ala.—City of Montgomery, measles 17, smallpox 4, chicken pox 1, mumps 1, German measles 18, scarlet fever 4, tuberculosis 2.

Camp Sherman, Ohio.—Chicken pox, Chillicothe 1, Hallsville 1; diphtheria, Chillicothe 1; measles, Chillicothe 22, Hallsville 1; scarlet fever, Chillicothe 7, Springfield township 1; smallpox, Chillicothe 1; pneumonia, lobar, Frankfort 1.

Camp Zachary Taylor, Ky.—City of Louisville, diphtheria 6, pneumonia 1, chicken pox 5, measles 24, tuberculosis 4, scarlet fever 8, whooping cough 6, smallpox 1, malaria 1.

Tidewater Health District, Va.—Newport News, measles 12, chicken pox 1, tuberculosis lungs 1; Hampton, measles 1, chicken pox 3.

Camp Wadsworth, S. C.—Spartanburg city, scarlet fever 2, German measles 9, mumps 4, measles 4, chicken pox 9, diphtheria 1, roseola 1; Spartanburg County, chicken pox 2; Whitney, measles 1, pertussis 1, tuberculosis 1, mumps 1; Pauline, German measles 2; Drayton Mills, typhoid 1; White Stone, pneumonia 1.

Camp Wheeler, Ga.—Macon, measles 23, diphtheria 2, pneumonia 1, chicken pox 1.

CURRENT STATE SUMMARIES.

California.

From the California State Board of Health, telegram dated December 26, 1917:

Diphtheria increasing slightly in prevalence, particularly in large cities, 66 cases in California last week, 24 in San Francisco, minor outbreak in Willits. Three cases smallpox, 2 in Los Angeles city, 1 San Francisco. Three epidemic cerebrospinal meningitis, 1 each Los Angeles, San Diego County, and Sonoma County. Prevalence of measles doubled last week, 265 cases reported.

Reported by mail for the preceding week (ended Dec. 15):

Cerebrospinal meningitis.....	5	Pneumonia.....	77
Chicken pox.....	196	Poliomyelitis.....	1
Diphtheria.....	64	Scarlet fever.....	71
Erysipelas.....	3	Smallpox.....	2
German measles.....	61	Syphilis.....	33
Gonococcus infection.....	129	Tetanus.....	1
Hookworm.....	8	Trachoma.....	2
Malaria.....	2	Tuberculosis.....	199
Measles.....	136	Typhoid fever.....	23
Mumps.....	93	Whooping cough.....	54

Indiana.

From the State Board of Health of Indiana, telegram dated December 24, 1917:

Scarlet-fever epidemic, Roll, Blackford County; diphtheria epidemic, Owensville and Millville, Henry County; smallpox epidemic, Huntington, school children ordered vaccinated, Centerville, Wayne County, and Whiteland, Johnson County; measles epidemic, Kingman, Fountain County; 20 cases typhoid, Edinburg; epidemic rabies, dogs, Lake, Spencer County, and Terre Haute.

Kansas.

From Collaborating Epidemiologist Crumbine, telegram dated December 24, 1917:

Epidemic meningitis, Auburn 1, Junction City 1; meningitis carriers, Manhattan 9; smallpox, Kansas City 40; Barclay 27; poliomyelitis, Earlton, 1.

Massachusetts.

From Collaborating Epidemiologist Kelley, telegram dated December 24, 1917:

Unusual prevalence: Diphtheria—Lancaster 9, Chatham 4, Amesbury 6 additional; measles—Swampscott 29, Blandford 17, Needham 15; scarlet fever—Barnstable 7; typhoid fever—North Brookfield 4 additional; smallpox—Beverly 1, Brookfield 1, Springfield 1.

South Carolina.

From Collaborating Epidemiologist Hayne, telegram dated December 24, 1917:

Two cases cerebrospinal meningitis in Columbia; measles and pneumonia still prevalent in the State.

Virginia.

From Collaborating Epidemiologist Traynham, telegram dated December 26, 1917:

One case cerebrospinal meningitis near Phoenix, Charlotte County; several cases smallpox, Clifton Forge.

Washington.

From Collaborating Epidemiologist Tuttle, telegram dated December 24, 1917:

Five typhoid, Wenatchee; no outbreaks of disease in State.

RECIPROCAL NOTIFICATION.

Massachusetts.

Cases of communicable diseases referred during November, 1917, to other State health departments by the department of health of the State of Massachusetts.

Disease and locality of notification.	Referred to health authority of—	Why referred.
Malaria: Pittsfield.....	State board of health, Bowling Green, Ky., Nov. 30, 1917.	Patient came to Pittsfield from Beaver Dam, Ky.; Sept. 25 admitted to House of Mercy Hospital, Pittsfield, with malaria; patient stated he had had previous attacks; returned to Kentucky Oct. 8.
Pneumonia (lobar): Pittsfield.....	State department of health, Albany, N. Y., Nov. 26, 1917.	Came to House of Mercy Hospital, Pittsfield, ill from Stephenstown, N. Y.; died Nov. 22, 1917.
Poliomyelitis: Lynn.....	State department of health, Augusta, Me., Nov. 18, 1917.	Patient showed first symptoms Nov. 3, while in Foxcroft, Me., where she had been for 6 weeks; had been a Camp Ellis, Me., from June 1 until she went to Foxcroft.
Scarlet fever: Pittsfield.....	State department of health, Albany, N. Y., Nov. 10, 1917.	Case was brought to the House of Mercy Hospital, Pittsfield, ill from Canaan, N. Y.
Tuberculosis (pulmonary): Pittsfield.....	State department of health, Albany, N. Y., Nov. 6, 1917.	Case came from Nassau, N. Y., Oct. 31; died at Pittsfield Nov. 5, 1917.
East Bridgewater.....	State department of health, Augusta, Me., Nov. 14, 1917.	Case reported Nov. 12 by East Bridgewater board of health at Millet's Sanatorium; home address is Biddeford, Me.
Typhoid fever: Tiverton, R. I.....	State board of health, Providence, R. I., Nov. 10, 1917.	Case reported by Fall River board of health; patient lived on State Street, Tiverton, R. I.
North Adams.....	State board of health, Burlington, Vt., Nov. 10, 1917.	Case reported Nov. 1; ill about 1 month; first seen by physician Oct. 24; visited in Readsboro, Vt., Sept. 20 to Sept. 24.
Rowley.....	State board of health, Concord, N. H., Nov. 21, 1917.	Patient was a school-teacher at Hampton, N. H.; when her illness began she returned to Rowley.
Springfield.....	State department of health, Hartford, Conn., Nov. 21, 1917.	Patient visited Madison, Conn., on Oct. 24; date of onset, Oct. 25.
Quincy.....	State board of health, Concord, N. H., Nov. 23, 1917.	Patient spent vacation in Bristol, N. H., in August; onset, Aug. 25; died Sept. 16, 1917.
Wareham.....	State board of health, Concord, N. H., Nov. 28, 1917.	Patient at Boys Camp, Danbury, N. H., from Aug. 23 to Sept. 2; from the camp he went to Bartlett, N. H., thence to Weirs, N. H., returning to Wareham Sept. 5; onset during week ending Sept. 29.
North Adams.....	State department of health, Hartford, Conn., and department of health, New York City, N. Y., Nov. 30, 1917.	Patient was in South Norwalk, Conn. Nov. 10 and 11, and Nov. 12 and 13 was in New York City, at known addresses; onset, about Nov. 4.

Minnesota.

Cases of communicable diseases referred during November, 1917, to other State health departments by department of health of the State of Minnesota.

Disease and locality of notification.	Referred to health authority of—	Why referred.
Diphtheria: Minneapolis health department, Hennepin County. Winona, Winona County.	Division surgeon, Camp Dodge, Iowa Buffalo County, Wis. (exact location not given).	Patient on leave from Camp Dodge Nov. 15-20; developed diphtheria in Minneapolis, Nov. 19. Physician from La Crosse, Wis., brought child to Winona, where child died same day of diphtheria.

RECIPROCAL NOTIFICATION—Continued.

Minnesota—continued.

Cases of communicable diseases referred during November, 1917, to other State health departments by the department of health of the State of Minnesota—Continued.

Disease and locality of notification.	Referred to health authority of—	Why referred.
Tuberculosis: Mayo Clinic, Rochester, Olmsted County.	Roggen, Weld County, Colo.; Urbana, R. No. 7, Champaign County, Ill.; Mount Vernon, Jefferson County, Ill.; Danville, R. No. 6, Vermilion County, Ill.; Peru, Miami County, Ind.; Marion, Grant County, Ind.; Loggotee, Martin County, Ind.; Everly, Clay County, Iowa; Irving, Tama County, Iowa; Des Moines, Polk County, Iowa; Herndon, Rawlins County, Kans.; Atchinson, Atchinson County, Kans.; New Orleans, Orleans Parish, La.; Benton Harbor, Berrien County, Mich.; Alpena, Alpena County, Mich.; Hannibal, Marion County, Mo.; St. Joseph, Buchanan County, Mo.; Stacy, Custer County, Mont.; Glenville, Clay County, Nebr.; Santa Rita, Grant County, N. Mex.; Hull, Emmons County, N. Dak.; Rutland, Emmons County, N. Dak.; Enderlin, Ransom County, N. Dak.; Brinsmade, Benson County, N. Dak.; Parshall, Mountrail County, N. Dak.; Woodworth, Stutsman County, N. Dak.; Lawton, Ramsey County, N. Dak.; Utica, Yankton County, S. Dak.; Tushka, Atoka County, Okla.; Westby, Vernon County, Wis.; Manawa, Waupaca County, Wis.; Pentang, Ontario, Canada.	1 advanced, 8 moderately advanced, 1 apparently cured, 2 apparently arrested, 3 stage of disease not given; left Mayo Clinic for homes; 4 apparently arrested, 4 moderately advanced, 7 advanced, 2 stage of disease not given; left Mayo Clinic for homes.
Typhoid fever: Miners Hospital Crosby, Crow Wing County. Thief River Falls, Pennington County. Prior Township, Bigstone County.	Hesper, Yellowstone County, Mont.; Warland, Washakie County, Wyo. Overly, Bottineau County, N. Dak.. Dalton, Turner County, S. Dak.....	Working at a camp at Hesper, Mont., and Warland, Wyo., 3 weeks previous to first symptoms. Employed at Soo depot, Overly, N. Dak., 3 weeks previous to first symptoms. Visiting at Dalton, S. Dak., 3 weeks previous to first symptoms.

CEREBROSPINAL MENINGITIS.

State Reports for November, 1917.

Place.	New cases reported.	Place.	New cases reported.
California:		Ohio:	
Alameda County—		Allen County.....	1
Oakland.....	1	Clark County.....	1
Los Angeles County—		Cuyahoga County.....	1
Los Angeles.....	1	Franklin County.....	1
San Diego County.....	10	Hamilton County.....	3
San Diego.....	3	Lucas County.....	1
Total.....	15	Mahoning County.....	1
		Ross County.....	2
Louisiana:		Stark County.....	1
Rapides Parish.....	7	Summit County.....	2
		Total.....	16
Minnesota:		Pennsylvania:	
Freeborn County—		Allegheny County.....	6
Albert Lea.....	1	Delaware County.....	1
Hennepin County—		Fayette County.....	1
Minneapolis.....	1	Lackawanna County.....	2
St. Louis County—		Luzerne County.....	1
Duluth.....	1	Northampton.....	1
Total.....	3	Philadelphia County.....	10
		Total.....	22

CEREBROSPINAL MENINGITIS—Continued.

State Reports for November, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
Rhode Island:		Wisconsin:	
Providence County—		Forest County.....	4
Providence.....	3	Milwaukee County.....	1
South Carolina:		Waukesha County.....	1
Greenville County.....	6	Total.....	6

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....	1		Leavenworth, Kans.....	1	1
Birmingham, Ala.....	1		Los Angeles, Cal.....	2	1
Boston, Mass.....	1		Nashville, Tenn.....	1	
Brockton, Mass.....	1		New York, N. Y.....	5	2
Chicago, Ill.....	9	3	Philadelphia, Pa.....	3	1
Cleveland, Ohio.....	1	1	Portland, Oreg.....	1	1
Harrisburg, Pa.....	1	1	Portsmouth, Va.....		1
Hartford, Conn.....	2		Rockford, Ill.....	1	1
Jersey City, N. J.....	1		St. Louis, Mo.....	1	
Kansas City, Kans.....	2		San Francisco, Cal.....	1	1
Lawrence, Mass.....	1	1	Washington, D. C.....	3	1

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2238.

ERYSIPELAS.

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Berkeley, Cal.....	1		Milwaukee, Wis.....	3	1
Buffalo, N. Y.....	2	1	New York, N. Y.....		2
Chicago, Ill.....	17		Philadelphia, Pa.....	3	1
Cleveland, Ohio.....	2	1	Pittsburgh, Pa.....	12	
Denver, Colo.....	2	1	Reading, Pa.....	1	
Detroit, Mich.....	2	2	St. Joseph, Mo.....	1	
Duluth, Minn.....	1		St. Louis, Mo.....	10	1
Elizabeth, N. J.....	2		St. Paul, Minn.....	1	
Harrisburg, Pa.....	1		Salt Lake City, Utah.....		1
Hartford, Conn.....	1		San Francisco, Cal.....	4	
Johnstown, Pa.....	1		Stockton, Cal.....	2	
Leavenworth, Kans.....	1	1	Toledo, Ohio.....	1	
Long Branch, N. J.....	1		Troy, N. Y.....		1
Los Angeles, Cal.....	2				

MALARIA.

State Reports for November, 1917.

Place.	New cases reported.	Place.	New cases reported.
California:		California—Continued.	
Butte County.....	8	Glenn County—	
Colusa County.....	1	Orland.....	3
Colusa.....	6	Kern County—	
Fresno County.....		Bakersfield.....	1
Clovis.....	3	Placer County—	
Firebaugh.....	2	Rocklin.....	2

MALARIA—Continued.

State Reports for November, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
California—Continued.		Louisiana—Continued.	
Sacramento County—		Rapides Parish.....	13
Sacramento.....	1	Sabine Parish.....	2
San Francisco (city).....	2	St. Helena Parish.....	1
San Joaquin County—		St. Martin Parish.....	8
Stockton.....	1	St. Mary Parish.....	10
Santa Barbara County—		St. Tammany Parish.....	1
Lompoc.....	1	Tangipahoa Parish.....	4
Solano County—		Tensas Parish.....	62
Vacaville.....	3	Vermilion Parish.....	3
Sutter County.....	1	West Feliciana Parish.....	2
Trinity County.....	1	Winn Parish.....	1
Yolo County.....	6	Total.....	141
Woodland.....	1		
Yuba County—		Ohio:	
Marysville.....	5	Clark County.....	1
Total.....	47	Lorain County.....	1
Louisiana:		Total.....	2
Ascension Parish.....	3		
Bossier Parish.....	2	Pennsylvania:	
Concordia Parish.....	6	Philadelphia County.....	1
De Soto Parish.....	1		
East Feliciana Parish.....	7	South Carolina:	
Grant Parish.....	3	Beaufort County.....	9
Iberville Parish.....	1	Chesterfield County.....	8
Jefferson Parish.....	1	Marion County.....	25
Jefferson Davis Parish.....	3	Spartanburg County.....	3
La Salle Parish.....	2	Williamsburg County.....	1
Madison Parish.....	4	Total.....	49
Morehouse Parish.....	1		

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	3	1	Richmond, Va.....	1	
New Orleans, La.....	2	1	Savannah, Ga.....		1
Oklahoma City, Okla.....		1	Tacoma, Wash.....	1	

MEASLES.

See Diphtheria, measles, scarlet fever and tuberculosis, page 2238.

PELLAGRA.

State Reports for November, 1917.

Place.	New cases reported.	Place.	New cases reported.
California:		South Carolina:	
Los Angeles County—		Chesterfield County.....	2
Los Angeles.....	1	Greenville County.....	2
Louisiana:		Greenwood County.....	1
Beauregard Parish.....	1	Marion County.....	4
De Soto Parish.....	1	Spartanburg County.....	2
Madison Parish.....	1	York County.....	1
Orleans Parish.....	4	Total.....	12
St. Mary Parish.....	1		
Total.....	8		

PELLAGRA—Continued.

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.		1	Mobile, Ala.		1
Birmingham, Ala.	2	1	New Orleans, La.	1	1
Charleston, S. C.		2	Portsmouth, Va.		1
Fall River, Mass.	1		Savannah, Ga.		1
Lexington, Ky.		1	Wilmington, N. C.		1
Lynchburg, Va.	1		Winston-Salem, N. C.		1

PNEUMONIA.

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal.	1		McKeesport, Pa.	1	
Allentown, Pa.	1		Malden, Mass.	4	
Baltimore, Md.	10	22	Morri town, N. J.	1	
Beaver Falls, Pa.	1	1	New Bedford, Mass.	7	4
Berkeley, Cal.	1		New Castle, Pa.	1	
Blinhamton, N. Y.	2	4	Newport, Ky.	1	1
Boston, Mass.	20	23	Newton, Mass.	1	1
Bu alo, N. Y.	2	9	Pasadena, Cal.	94	65
Cambridge, Mass.	4	1	Philadelphia, Pa.	36	27
Chelsea, Mass.	6	2	Pittsburgh, Pa.	4	4
Chicago, Ill.	128	56	Pittsfield, Mass.	3	1
Cleveland, Ohio.	38	19	Pontiac, Mich.	5	2
Detroit, Mich.	5	17	Reading, Pa.	1	1
Duluth, Minn.	2	2	Roanoke, Va.	11	3
Frie, Pa.	4		Rochester, N. Y.	4	4
Everett, Mass.	2		Sacramento, Cal.	1	
Fall River, Mass.	1	1	Sandusky, Ohio.	21	15
Fitchburg, Mass.	1		San Francisco, Cal.	2	
Flint, Mich.	4		San Jose, Cal.	4	
Grand Rapids, Mich.	2		Schenectady, N. Y.	1	1
Harrisburg, Pa.	2	3	Somerville, Mass.	7	2
Haverhill, Mass.	7	2	South Bethlehem, Pa.	4	1
Jac' son, Mich.	1	1	Springfield, Mass.	3	
Kalamazoo, Mich.	4	2	Stoc' ton, Cal.	6	5
Kansas City, Mo.	4	8	Wichita, Kans.	1	
Lexington, Ky.	1	3	Worcester, Mass.	1	
Long Beach, Cal.	3		York, Pa.	1	
Los Angeles, Cal.	11	9	Zanesville, Ohio.	1	

POLIOMYELITIS (INFANTILE PARALYSIS).

State Reports for November, 1917.

Place.	New cases reported.	Place.	New cases reported.
California:		Minnesota:	
Alameda County—		Becker County—	
Berkeley.....	2	Richwood Township.....	1
Butte County—		Hennepin County—	
Chico.....	1	Minneapolis.....	1
Contra Costa County.....	1	Total.....	2
Los Angeles County—		Ohio:	
Monrovia.....	1	Ashland County.....	1
Pasadena.....	1	Coshocton County.....	1
Riverside County.....	1	Crawford County.....	1
San Mateo County—		Cuyahoga County.....	2
San Mateo.....	1	Franklin County.....	1
Total.....	8	Guernsey County.....	1
Michigan:		Hamilton County.....	1
Calhoun County.....	1	Lorain County.....	1
Eaton County.....	1	Pike County.....	1
Gratiot County.....	1	Total.....	10
Menominee County.....	1	Pennsylvania:	
Van Buren County.....	1	Allegheny County.....	4
Wayne County.....	1	Armstrong County.....	1
Total.....	6	Beaver County.....	4

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**State Reports for November, 1917—Continued.**

Place.	New cases reported.	Place.	New cases reported.
Pennsylvania—Continued.		Rhode Island:	
Butler County.....	1	Providence County—	
Cambria County.....	2	Providence.....	1
Fayette County.....	4		
Franklin County.....	1	South Carolina:	
Indiana County.....	1	Spartanburg County.....	1
Lancaster County.....	2		
Lawrence County.....	1	Wisconsin:	
Luzerne County.....	1	Milwaukee County.....	2
Schuylkill County.....	1	Shawano County.....	1
Somerset County.....	1	Walworth County.....	1
Washington County.....	3	Washburn County.....	1
Total.....	27	Total.....	5

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Brockton, Mass.....	1		Philadelphia, Pa.....		1
Chicago, Ill.....	1		San Francisco, Cal.....	1	
Cincinnati, Ohio.....	1	1	Seattle, Wash.....	3	
Fall River, Mass.....	1		Springfield, Mass.....	1	1
Lancaster, Pa.....	1				

RABIES IN MAN.**Minnesota—Ramsey County.**

A case of rabies in man was notified in Ramsey County, Minn., November 9, 1917. Death occurred November 11. Antirabic treatment was not administered.

RABIES IN ANIMALS.**City Reports for Week Ended Dec. 8, 1917.**

During the week ended December 8, 1917, 1 case of rabies in animals was reported in Detroit, Mich.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2238.

SMALLPOX.**Iowa—Decatur and Polk Counties.**

During the period from December 1 to 17, 1917, 107 cases of smallpox were notified in Grand River, Decatur County, Iowa, and 48 cases were notified in Polk County during the same period.

Maine.

During the period from December 1 to 19, 1917, cases of smallpox were notified in counties of Maine as follows: Aroostook 60, Kennebec 21, Penobscot 2, Oxford 4, Somerset 13, Washington 53, Waldo 6.

SMALLPOX—Continued.

Maine—Eastport.

During the period from December 14 to 18, 1917, 31 cases of smallpox were notified at Eastport, Me., making a total of 51 cases reported at that place since December 1, 1917.

State Reports for November, 1917.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
California:						
Kern County.....	1				1	
Los Angeles County—						
Los Angeles.....	1			1		
Tropico.....	1				1	
Nevada County.....	1				1	
Grass Valley.....	1				1	
San Diego County.....	1				1	
San Francisco (city).....	1			1		
Solano County—						
Benicia.....	1				1	
Tulare County—						
Porterville.....	8				6	2
Total.....	16			2	12	2
Michigan:						
Alcona County.....	8			2	6	
Alpena County.....	5				5	
Bay County.....	7				7	
Berrien County.....	2			1	1	
Calhoun County.....	13				13	
Cass County.....	1				1	
Clinton County.....	3		2		1	
Eaton County.....	8				7	1
Genesee County.....	79				68	11
Gladwin County.....	1				1	
Gratiot County.....	2				2	
Huron County.....	15				13	2
Ingham County.....	9				7	2
Iosco County.....	5			3	1	1
Iron County.....	1					
Isabella County.....	8			8		
Kent County.....	19				19	
Lapeer County.....	9				6	3
Lenawee County.....	2				2	
Livingston County.....	1				1	
Macomb County.....	11			1	3	7
Mason County.....	28				27	1
Mecosta County.....	3				3	
Montcalm County.....	5				4	1
Missaukee County.....	3				3	
Muskegon County.....	1				1	
Oakland County.....	7				7	
Oceana County.....	1				1	
Osceola County.....	13				13	
Oscoda County.....	7				7	
Ottawa County.....	13				5	8
Presque Isle County.....	2				2	
Saginaw County.....	3				3	
St. Clair County.....	18				14	4
St. Joseph County.....	1				1	
Sanilac County.....	17				16	1
Shiawassee County.....	1				1	
Washtenaw County.....	18				17	1
Wayne County.....	49				48	1
Wexford County.....	1				1	
Total.....	400		2	16	338	44

SMALLPOX—Continued.

State Reports for November, 1917—Continued.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Minnesota:						
Crow Wing County—						
Brainerd.....	6				6	
Crosby.....	3				3	
Douglas County—						
Osakis.....	9				9	
Fillmore County—						
Beaver Township.....	2				2	
Freeborn County—						
Alden.....	1				1	
Goodhue County—						
Goodhue Township.....	1				1	
Hennepin County—						
Minneapolis.....	85		1	6	78	
Medina Township.....	3				1	2
Orono Township.....	1				1	
Itasca County—						
Nashwauk.....	1			1		
Kittson County—						
Kennedy.....	5				5	
Granville Township.....	2			1	1	
Lincoln County—						
Tyler.....	1		1			
Lyon County—						
Marshall.....	1				1	
Tracy.....	1				1	
Lyons Township.....	1				1	
Marshall County—						
Stephen.....	2				2	
Mower County—						
Austin.....	9		2	1	6	
Udolpho Township.....	1				1	
Murray County—						
Clayton.....	1				1	
Niellet County—						
North Marquette.....	1				1	
Ottertail County—						
Hobart Township.....	1			1		
Pine County—						
Finlayson Township.....	4				4	
Ramsey County—						
St. Paul.....	72				72	
Rose Township.....	10				9	1
Renville County—						
Cairo Township.....	1				1	
Rock County—						
Kamran-i Township.....	1				1	
Roseau County—						
Roseau.....	4				4	
Jadis Township.....	1				1	
Stearns County—						
Sauk Center.....	5				5	
Steele County—						
Owatonna.....	1				1	
Todd County—						
Birchdale Township.....	2				2	
Hartford Township.....	3				3	
West Union Township.....	2				2	
Watsonwan County—						
Butterfield.....	1				1	
Total.....	245		4	10	228	3
Ohio:						
Athens County.....	4				4	
Belmont County.....	1					1
Butler County.....	10				8	2
Clark County.....	14			1	5	8
Clinton County.....	3				3	
Coshocton County.....	1				1	
Cuyahoga County.....	83				83	
Darke County.....	10				8	2
Defiance County.....	4				3	1
Fairfield County.....	3				3	
Fayette County.....	3				1	2
Franklin County.....	20				20	

SMALLPOX—Continued.

State Reports for November, 1917—Continued.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Ohio—Continued.						
Fulton County.....	8				7	1
Greene County.....	35		1		17	17
Guernsey County.....	4				4	
Hamilton County.....	7				7	
Highland County.....	3					3
Hocking County.....	29				23	6
Huron County.....	1				1	
Lake County.....	1				1	
Lawrence County.....	4				3	1
Lorain County.....	1				1	
Lucas County.....	15					15
Mahoning County.....	5				4	1
Medina County.....	14			1	11	2
Mercer County.....	3					3
Miami.....	26			1	21	4
Montgomery County.....	20				20	
Perry County.....	1					1
Pike County.....	2					2
Portage County.....	23			1	16	6
Putnam County.....	20			1	19	
Ross County.....	6				3	3
Sandusky County.....	1					1
Scioto County.....	66				13	53
Shelby County.....	139				125	14
Stark County.....	19				5	14
Summit County.....	104				13	91
Trumbull County.....	6				6	
Tuscarawas County.....	6					6
Van Wert County.....	8				4	4
Washington County.....	2					2
Wayne County.....	10				5	5
Williams County.....	2				1	1
Total.....	717		1	5	469	272

Miscellaneous State Reports.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Louisiana (Nov. 1-30):			Wisconsin:		
Grant Parish.....	1		Barron County.....	3	
Jefferson Davis Parish.....	7		Buffalo County.....	7	
Lafourche Parish.....	5		Calumet County.....	2	
Madison Parish.....	1		Chippewa County.....	9	
Natchitoches Parish.....	6		Dane County.....	1	
Orleans Parish.....	1		Douglas County.....	3	
Rapides Parish.....	4		Juneau County.....	1	
St. Tammany Parish.....	2		La Crosse County.....	18	
Total.....	27		Lincoln County.....	1	
Pennsylvania (Nov. 1-30):			Manitowoc County.....	8	
Allegheny County.....	5		Milwaukee County.....	24	
Bedford County.....	3		Outagamie County.....	12	
Cambria County.....	4		Racine County.....	3	
Center County.....	8		Rock County.....	1	
Clearfield County.....	23		St. Croix County.....	2	
Clinton County.....	5		Sauk County.....	12	
Dauphin County.....	1		Sheboygan County.....	3	
Erie County.....	1		Vernon County.....	3	
Philadelphia County.....	1		Total.....	113	
Somerset County.....	1				
Total.....	52				
South Carolina (Nov. 1-30):					
Greenville County.....	17				
Laurens County.....	2				
Spartanburg County.....	1				
Total.....	20				

SMALLPOX—Continued.

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	5	La Crosse, Wis.....	7
Alton, Ill.....	3	Leavenworth, Kans.....	1
Baltimore, Md.....	2	Lincoln, Nebr.....	7
Boston, Mass.....	2	Los Angeles, Cal.....	1
Buffalo, N. Y.....	2	Milwaukee, Wis.....	4
Butte, Mont.....	32	Minneapolis, Minn.....	22
Canton, Ohio.....	2	Muscatine, Iowa.....	1
Cincinnati, Ohio.....	4	Nashville, Tenn.....	1
Cleveland, Ohio.....	32	New Orleans, La.....	2
Coffeyville, Kans.....	1	Newport, Ky.....	1
Columbus, Ohio.....	12	Oklahoma City, Okla.....	4
Cumberland, Md.....	1	Omaha, Nebr.....	59
Denver, Colo.....	11	Pontiac, Mich.....	8
Detroit, Mich.....	46	Portland, Oreg.....	2
Dubuque, Iowa.....	1	Quincy, Ill.....	1
East Chicago, Ind.....	1	St. Louis, Mo.....	4
Evansville, Ind.....	5	St. Paul, Minn.....	21
Flint, Mich.....	4	Salt Lake City, Utah.....	8
Fort Wayne, Ind.....	23	San Francisco, Cal.....	1
Fort Worth, Texas.....	4	Savannah, Ga.....	2
Grand Rapids, Mich.....	4	Seattle, Wash.....	3
Harrisburg, Pa.....	1	Sioux City, Iowa.....	6
Indianapolis, Ind.....	54	Tacoma, Wash.....	1
Kansas City, Kans.....	37	Toledo, Ohio.....	3
Kansas City, Mo.....	140	Washington, D. C.....	1
Knoxville, Tenn.....	1	Wichita, Kans.....	1

TETANUS.

New Jersey.

During the month of November, 1917, one case of tetanus was notified in the State of New Jersey.

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....	1	New York, N. Y.....	1
Chicago, Ill.....	1	Philadelphia, Pa.....	1	1
Lorain, Ohio.....	1	1	Pittsfield, Mass.....	1	1

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2238.

TYPHOID FEVER.

State Reports for November, 1917.

Place.	New cases reported.	Place.	New cases reported.
California:		California—Continued.	
Alameda County.....	3	Mendocino County—	
Oakland.....	2	Fort Bragg.....	1
Piedmont.....	1	Monterey County—	
Butte County—		Sa inas.....	1
Chico.....	1	Orange County.....	1
Contra Costa County—		Sacramento County—	
Richmond.....	1	Sacramento.....	4
Eldorado County.....	1	San Diego County—	
Fresno County.....	8	San Diego.....	4
Fresno.....	5	San Francisco (city).....	15
Reedley.....	4	San Joaquin County—	
Kern County.....	1	Lodi.....	2
Bakersfield.....	1	Stockton.....	8
Kings County—		San Luis Obispo County.....	2
Hanford.....	1	Santa Barbara County—	
Los Angeles County.....	2	Santa Barbara.....	1
Los Angeles.....	9	Santa Clara County—	
Madera County.....	1	San Jose.....	1

TYPHOID FEVER—Continued.

State Reports for November, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
California—Continued.		Michigan—Continued.	
Shasta County—		St. Clair County.....	2
Redding.....	1	Shiawassee County.....	1
Solano County.....	1	Van Buren County.....	1
Sonoma County.....	3	Washtenaw County.....	11
Santa Rosa.....	2	Wayne County.....	9
Stanislaus County—		Wexford County.....	2
Turlock.....	1	Total.....	98
Sutter County.....	1		
Tulare County.....	1	Minnesota:	
Porterville.....	1	Bigstone County—	
Yolo County.....	2	Prior Township.....	2
Yuba County—		Blue Earth County—	
Marysville.....	1	Mankato.....	3
Total.....	95	Clay County—	
Louisiana:		Moorhead.....	1
Assumption Parish.....	2	Crow Wing County—	
Blenville Parish.....	4	Ironton.....	1
Caddo Parish.....	9	Dodge County—	
Calcasieu Parish.....	3	Dodge Center.....	2
De Soto Parish.....	3	Faribault County—	
Evangeline Parish.....	3	Briceyn.....	1
Iberia Parish.....	1	Hennepin County—	
Iberville Parish.....	1	Minneapolis.....	9
Jefferson Davis Parish.....	3	Brooklyn Township.....	2
Lafayette Parish.....	4	Hubbard County—	
Lafourche Parish.....	1	Porte.....	1
Morehouse Parish.....	2	Isanti County—	
Orleans Parish.....	10	Maple Ridge Township.....	1
Ouachita Parish.....	3	Jackson County—	
Plaquemines Parish.....	2	Minneota Township.....	1
Rapides Parish.....	8	Lake County—	
Red River Parish.....	1	Two Harbors.....	1
Sabine Parish.....	1	Nicollet County—	
St. James Parish.....	1	North Mankato.....	1
St. Helena Parish.....	3	Ottertail County—	
St. Mary Parish.....	2	Fergus Falls.....	2
Tangipahoa Parish.....	1	Otto Township.....	1
Union Parish.....	1	Pennington County—	
Vermilion Parish.....	1	Thief River Falls.....	1
West Baton Rouge Parish.....	1	Polk County—	
Total.....	71	Gully Township.....	2
Michigan:		Pope County—	
Alcona County.....	1	Glenwood.....	1
Allegan County.....	2	Ramsey County—	
Bay County.....	2	St. Paul.....	4
Barry County.....	1	Redwood County—	
Berrien County.....	1	New Avon Township.....	1
Branch County.....	1	Rice County—	
Calhoun County.....	2	Faribault.....	1
Cheboygan County.....	1	Forest Township.....	1
Eaton County.....	2	St. Louis County—	
Genesee County.....	17	Buhl.....	1
Gratiot County.....	1	Chisholm.....	1
Huron County.....	1	Duluth.....	5
Ingham County.....	3	Hibbing.....	1
Ionia County.....	1	Virginia.....	3
Isabella County.....	1	Wadena County—	
Iosco County.....	1	Verndale.....	1
Jackson County.....	2	Wilkin County—	
Kalamazoo County.....	1	Breckenridge.....	1
Kalkaska County.....	1	Winona County—	
Kent County.....	6	Winona.....	2
Lenawee County.....	1	Total.....	55
Macomb County.....	1		
Manistee County.....	3	Ohio:	
Marquette County.....	3	Adams County.....	5
Mecosta County.....	1	Allen County.....	2
Midland County.....	1	Athens County.....	6
Montcalm County.....	1	Belmont County.....	6
Montmorency County.....	1	Champaign County.....	1
Muskegon County.....	1	Clark County.....	24
Newaygo County.....	2	Clermont County.....	6
Oakland County.....	5	Columbiana County.....	1
Saginaw County.....	4	Crawford County.....	1
		Cuyahoga County.....	13
		Darke County.....	1

TYPHOID FEVER—Continued.

State Reports for November, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
Ohio—Continued.		Pennsylvania—Continued.	
Defiance County.....	1	Luzerne County.....	3
Frie County.....	4	Lycoming County.....	2
Fayette County.....	4	Mercer County.....	3
Franklin County.....	6	Mifflin County.....	6
Greene County.....	1	Montgomery County.....	13
Hamilton County.....	4	Northampton County.....	3
Hancock County.....	1	Northumberland County.....	5
Harrison County.....	1	Perry County.....	3
Henry County.....	2	Philadelphia County.....	36
Huron County.....	1	Potter County.....	1
Jackson County.....	3	Schuylkill County.....	4
Jefferson County.....	4	Snyder County.....	1
Lawrence County.....	1	Somerset County.....	3
Licking County.....	1	Tioga County.....	2
Logan County.....	5	Union County.....	1
Lorain County.....	5	Venango County.....	1
Lucas County.....	9	Washington County.....	12
Mahoning County.....	5	Wayne County.....	4
Marion County.....	1	Westmoreland County.....	4
Medina County.....	1	Wyoming County.....	1
Mercer County.....	4	York County.....	10
Montgomery County.....	5		
Muskingum County.....	3	Total.....	315
Pickaway County.....	3		
Richland County.....	1	Rhode Island:	
Ross County.....	3	Newport County—	
Scioto County.....	7	Tierron (town).....	1
Seneca County.....	3	Providence County—	
Shelby County.....	2	Fair Providence (town).....	1
Stark County.....	2	North Providence (town).....	1
Summit County.....	18	North Smithfield (town).....	1
Trumbull County.....	2	Providence.....	3
Tuscarawas County.....	1	Washington County—	
Van Wert County.....	1	Hope Valley (town).....	1
Vinton County.....	1		
Warren County.....	1	Total.....	8
Total.....	183		
Pennsylvania:		South Carolina:	
Adams County.....	4	Beaufort County.....	1
Allegheny County.....	33	Charleston County.....	5
Armstrong County.....	14	Florence County.....	1
Beaver County.....	4	Greenville County.....	11
Bedford County.....	2	Greenwood County.....	4
Berks County.....	1	Marion County.....	1
Blair County.....	12	Orangeburg County.....	1
Brafford County.....	4	Richland County.....	5
Bucks County.....	2	Spartanburg County.....	11
Butler County.....	1		
Cambria County.....	6	Total.....	40
Center County.....	2		
Chester County.....	8	Wisconsin:	
Clarion County.....	3	Ashland County.....	1
Columbia County.....	8	Brown County.....	1
Cumberland County.....	21	Chippewa County.....	2
Dauphin County.....	5	Door County.....	2
Delaware County.....	4	Douglas County.....	7
Erie County.....	4	Dunn County.....	1
Fayette County.....	7	Fauclair County.....	5
Franklin County.....	6	Jackson County.....	1
Greene County.....	1	Langlade County.....	1
Huntingdon County.....	1	Lincoln County.....	1
Indiana County.....	2	Marathon County.....	2
Jefferson County.....	4	Milwaukee County.....	3
Juniata County.....	1	Outagamie County.....	1
Lackawanna County.....	2	Racine County.....	2
Lancaster County.....	10	Shawano County.....	1
Lebanon County.....	8	Sheboygan County.....	16
Lehigh County.....	11	Waupaca County.....	2
		Total.....	43

TYPHOID FEVER—Continued.

City Reports for Week Ended Dec. 8, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Albany, N. Y.	8		New Bedford, Mass.	1	
Allentown, Pa.	3		New Haven, Conn.	1	
Baltimore, Md.	7	1	New Orleans, La.	6	1
Beaver Falls, Pa.	4		New York, N. Y.	24	1
Berkeley, Cal.	1		Niagara Falls, N. Y.	1	
Birmingham, Ala.	2	1	Norfolk, Va.		2
Boston, Mass.	2		Oakland, Cal.	2	
Braddock, Pa.	1		Ogden, Utah	1	
Bridgeport, Conn.	1		Philadelphia, Pa.	4	1
Buffalo, N. Y.	3	2	Pittsburgh, Pa.	2	
Butler, Pa.		2	Portland, Me.	1	1
Chicago, Ill.	5		Portland, Oreg.	3	1
Cincinnati, Ohio.	1	1	Quincy, Ill.	1	1
Cleveland, Ohio.	2	1	Rockford, Ill.		1
Columbus, Ohio.	1		Rocky Mount, N. C.	1	
Detroit, Mich.	5	1	St. Joseph, Mo.	1	
Elizabeth, N. J.	7		St. Louis, Mo.	4	
El Paso, Tex.	1		Salt Lake City, Utah		2
Eric, Pa.	2		Sandusky, Ohio.		1
Evansville, Ind.	1		San Francisco, Cal.	12	
Fall River, Mass.	8		Schenectady, N. Y.	1	
Flint, Mich.	3		Seattle, Wash.	1	
Fort Worth, Tex.	1	1	Somerville, Mass.	1	1
Galesburg, Ill.		1	South Bend, Ind.	3	1
Galveston, Tex.	1		Stockton, Cal.	1	
Harrisburg, Pa.	1		Syracuse, N. Y.	1	
Hartford, Conn.	2		Terre Haute, Ind.	1	
Indianapolis, Ind.	2		Toledo, Ohio.		1
Jersey City, N. J.	1		Troy, N. Y.	3	
Kansas City, Mo.	2	3	Washington, D. C.	5	2
Knoxville, Tenn.	1		Wheeling, W. Va.	16	1
Los Angeles, Cal.	1		Wilmington, Del.	3	
Memphis, Tenn.		1	Worcester, Mass.	4	1
Minneapolis, Minn.	3		York, Pa.	1	
Mobile, Ala.	2	1	Zanesville, Ohio.	1	
Nashville, Tenn.	1	1			

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for November, 1917.

State.	Cases reported.			State.	Cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
California	303	360	327	Pennsylvania	1,842	776	763
Louisiana	111	1,871	35	Rhode Island	105	26	48
Michigan	714	285	625	South Carolina	227	296	43
Minnesota	413	210	266	Wisconsin	217	236	445
Ohio	966	420	810				

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Dec. 8, 1917.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	589,621	221	18	1	30	1	18	1	36	23
Boston, Mass.	756,476	240	151	5	73	2	31	1	51	24
Chicago, Ill.	2,497,722	608	241	25	39	122	390	70	34	11
Cleveland, Ohio.	674,073	158	37	4	8	9	22	13	38	14
Detroit, Mich.	571,784	177	100	6	44	57	38	14	272	147
Los Angeles, Cal.	503,812	133	13	4	1	6	116	19	27	22
New York, N. Y.	5,602,841	1,417	280	19	300	7	64	1	39	22
Philadelphia, Pa.	1,709,518	627	69	12	36	11	32	15	31	14
Pittsburgh, Pa.	579,090	201	41	1	42	1	11	8	26	10
St. Louis, Mo.	557,309	201	112	6	23	18	9	8	4	4
From 300,000 to 500,000 inhabi- tants:										
Buffalo, N. Y.	468,558	149	27	3	3	15	31	14	12	7
Cincinnati, Ohio.	410,476	121	14	1	1	11	18	8	10	5
Jersey City, N. J.	306,345	91	28	3	34	13	10	7	4	4
Milwaukee, Wis.	436,535	82	23	1	62	59	10	7	4	4
Minneapolis, Minn.	363,454	16	13	7	8	49	21	15	7	7
New Orleans	371,747	13	12	4	4	14	17	8	4	4
San Francisco, Cal.	463,516	152	19	15	8	14	27	17	17	17
Seattle, Wash.	348,639	62	4	26	13	21	9	8	4	4
Washington, D. C.	363,980	126	35	43	18	9	8	4	4	4
From 200,000 to 300,000 inhabi- tants:										
Columbus, Ohio.	214,878	63	15	2	21	9	5	10	5	10
Denver, Colo.	260,800	66	12	6	8	9	7	4	4	4
Indianapolis, Ind.	271,708	58	6	6	26	10	7	4	4	4
Kansas City, Mo.	297,847	80	11	3	2	6	10	1	8	4
Portland, Oreg.	285,463	59	3	3	3	10	1	8	4	4
Providence, R. I.	254,960	69	24	4	2	17	8	4	4	4
Rochester, N. Y.	256,417	49	3	18	9	8	4	4	4	4
St. Paul, Minn.	217,232	51	8	4	9	8	4	4	4	4
From 100,000 to 200,000 inhabi- tants:										
Albany, N. Y.	104,199	1	1	3	1	6	5	3	3	3
Atlanta, Ga.	190,558	5	5	19	8	4	3	3	3	3
Birmingham, Ala.	181,762	72	3	108	5	2	4	2	2	2
Bridgeport, Conn.	121,579	33	10	1	5	6	5	2	2	2
Cambridge, Mass.	112,981	28	11	16	1	11	6	5	5	5
Camden, N. J.	106,233	5	5	31	1	11	9	6	6	6
Fall River, Mass.	128,366	28	5	1	1	3	3	3	3	3
Fort Worth, Tex.	104,562	29	2	104	2	3	3	3	3	3
Grand Rapids, Mich.	128,291	29	5	6	8	3	3	3	3	3
Hartford, Conn.	110,900	51	8	2	11	3	3	3	3	3
Lawrence, Mass.	100,560	16	3	1	3	5	2	2	2	2
Lowell, Mass.	113,245	37	6	1	4	6	2	2	2	2
Lynn, Mass.	102,425	20	1	1	3	13	2	2	2	2
Memphis, Tenn.	148,995	46	14	98	6	2	2	2	2	2
Nashville, Tenn.	117,057	40	6	8	1	3	3	3	3	3
New Bedford, Mass.	118,158	37	5	11	3	11	6	2	2	2
New Haven, Conn.	149,685	5	5	5	5	11	6	2	2	2
Oakland, Cal.	198,604	40	2	2	5	6	2	2	2	2
Omaha, Nebr.	165,470	49	9	2	7	4	2	2	2	2
Reading, Pa.	109,381	22	5	1	1	5	2	2	2	2
Richmond, Va.	156,687	56	13	2	6	4	2	2	2	2
Salt Lake City, Utah.	117,399	32	1	43	13	5	1	1	1	1
Springfield, Mass.	105,912	37	8	1	11	5	2	2	2	2
Syracuse, N. Y.	155,621	17	1	27	1	13	6	6	6	6
Tacoma, Wash.	112,770	15	2	2	1	13	6	6	6	6
Toledo, Ohio.	191,554	61	1	1	1	6	6	6	6	6
Trenton, N. J.	111,593	50	16	2	1	6	6	6	6	6
Worcester, Mass.	163,314	46	5	9	14	6	6	6	6	6
From 50,000 to 100,000 inhabi- tants:										
Akron, Ohio.	85,625	12	5	2	4	6	6	6	6	6
Allentown, Pa.	63,505	18	5	1	4	4	4	4	4	4
Atlantic City, N. J.	57,660	2	2	1	2	3	2	2	2	2
Bayonne, N. J.	69,893	6	1	1	2	2	2	2	2	2
Berkeley, Cal.	57,653	15	9	2	4	2	2	2	2	2
Binghamton, N. Y.	53,973	10	12	2	5	2	2	2	2	2
Brockton, Mass.	67,449	16	3	1	1	3	3	3	3	3
Canton, Ohio.	60,852	24	1	1	1	2	2	2	2	2
Charleston, S. C.	60,734	1	1	1	1	1	1	1	1	1

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Dec. 8, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants—Continued.										
Covington, Ky.	57,144	9	5				3		2	1
Duluth, Minn.	94,495	22	8	2	9		7			
Elizabeth, N. J.	86,690	18	9				14	1	8	
El Paso, Tex.	63,705	22	2		4		2			
Erie, Pa.	75,195		11		2		5		10	44
Evansville, Ind.	76,078	18			7		3			3
Flint, Mich.	54,772		7				6			
Fort Wayne, Ind.	76,183	20	5	1			2		4	2
Harrisburg, Pa.	72,015	22	3	1			8		6	3
Hoboken, N. J.	77,214	11	1	1	22		1		3	1
Johnstown, Pa.	68,529	28	3	2			3			2
Kansas City, Kans.	99,437		2	1	1		6		6	
Lancaster, Pa.	50,853		4		1		2		1	1
Malden, Mass.	51,155	6	4		4		1	1	1	1
Manchester, N. H.	78,283	16	4		6		2			
Mobile, Ala.	58,221	17	2	1			2			1
New Britain, Conn.	53,794	19	2	1	4		1			6
Norfolk, Va.	89,612		2		19					7
Oklahoma City, Okla.	92,943	11	6	1	2		1			
Passaic, N. J.	71,744	15	4	2	2		2		2	2
Pawtucket, R. I.	59,411	16	5				2			
Portland, Me.	63,867	16			149	3	5			1
Rockford, Ill.	55,185	11	1		1		1			
Sacramento, Cal.	66,895	27			1		1		4	1
Saginaw, Mich.	55,642	18	5				1			1
St. Joseph, Mo.	85,236	22	15				3		1	1
San Diego, Cal.	53,330	25	7		10		4			3
Savannah, Ga.	68,845	37	3		5		1		1	1
Schenectady, N. Y.	99,519	14	3				4		3	
Sioux City, Iowa.	57,078	1		1			7			
Somerville, Mass.	87,039	21	7	1	22		10			2
South Bend, Ind.	68,946	16	1	1			2			1
Springfield, Ill.	61,120	19	1							2
Terre Haute, Ind.	66,083	15	3							1
Troy, N. Y.	77,916		2	1			8		4	2
Wichita, Kans.	70,722		2				5			
Wilkes-Barre, Pa.	76,776	14	8	1	6		1		2	2
Wilmington, Del.	94,265	42	7	1	4		1			6
York, Pa.	51,650		4						1	
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,732	4	1		1			1		
Austin, Tex.	54,814	8	4		2		1			
Brookline, Mass.	32,730	10	1		1		1		1	
Butler, Pa.	27,632	9	3		5		1		1	
Butte, Mont.	43,425	2	2				3			
Chelsea, Mass.	46,192	14	5		10				1	1
Chicoree, Mass.	29,319	8			8				2	
Cumberland, Md.	26,074	7	5	1					1	
Danville, Ill.	32,261	9			1		1		1	2
Davenport, Iowa.	48,811		1				2			
Dubuque, Iowa.	39,873		2	1			1			2
East Chicago, Ind.	28,743	11	2	1			2			
East Orange, N. J.	42,458	6	1		47		3		2	
Elgin, Ill.	28,203	7			1		1			
Everett, Mass.	39,233	11	1		37	1	2		2	
Everett, Wash.	35,486	5			2		1			
Fitchburg, Mass.	41,781	5	3						4	
Galveston, Tex.	41,863	12	1		1		1		1	2
Green Bay, Wis.	29,353	4					1			
Haverhill, Mass.	48,477		9	1	1				1	
Jackson, Mich.	35,363	16			1		29	1		
Kalamazoo, Mich.	48,886	16	6		17				2	1
Kenosha, Wis.	31,576	14	17	3			7			
Knoxville, Tenn.	38,676		3				4			
La Crosse, Wis.	31,677	10	2				1			
Lexington, Ky.	41,097	21	1		18		2		23	2
Lima, Ohio.	35,384	8	5				1			1
Lincoln, Nebr.	46,515	8	6		18		9			
Long Beach, Cal.	27,587	6	1		1		1		1	
Lorain, Ohio.	36,964		4	1			1			
Lynchburg, Va.	32,940	7	1							

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Dec. 8, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 25,000 to 50,000 inhabitants—Continued.											
Madison, Wis.	30,699				2						
McKeesport, Pa.	47,521	13	3		9		1				
Medford, Mass.	26,234	10	1		5		2		4		
Montclair, N. J.	26,318	9	1		3		2		1		
Nashua, N. H.	27,327	11								3	
Newburgh, N. Y.	29,603	10			99				1	2	
New Castle, Pa.	41,133		3		1		2		2		
Newport, Ky.	31,927	5									
Newport, R. I.	30,108	4	3		13		2			1	
Newton, Mass.	43,715	15	2		1		3				
Niagara Falls, N. Y.	37,353	11	4				1		2		
Norristown, Pa.	31,401	4			1					1	
Ogden, Utah.	31,404	12					4				
Orange, N. J.	33,080	10	2		6		2			1	
Pasadena, Cal.	46,450	13								2	
Perth Amboy, N. J.	41,185	11	3		6				3		
Pittsfield, Mass.	38,629	13			10		6			3	
Portsmouth, Va.	39,651	12	1		1		1			3	
Quincy, Ill.	36,798	10	2		5					1	
Quincy, Mass.	38,136	12	2		1				6		
Racine, Wis.	46,486	12									
Roanoke, Va.	43,284	8	2		1					1	
Rock Island, Ill.	28,926	11	3						1		
San Jose, Cal.	38,902				1						
Stockton, Cal.	35,358	53							2		
Superior, Wis.	46,226	8					2				
Taunton, Mass.	36,283	12					3		1	2	
Topeka, Kans.	48,726	15	2				6				
Waltham, Mass.	30,570	9	1							1	
Watertown, N. Y.	29,894		1		2		1				
West Hoboken, N. J.	43,139	6	1		1		1		1		
Wheeling, W. Va.	43,377	10			1						
Williamsport, Pa.	33,809		13				1		2		
Wilmington, N. C.	29,892	12			1					1	
Winston-Salem, N. C.	31,155	18	1	1	25				1	1	
Zanesville, Ohio.	30,863	13							1	1	
From 10,000 to 25,000 inhabitants:											
Alton, Ill.	22,874	13							2	1	
Ann Arbor, Mich.	15,010	7	3		2				1	1	
Beaver Falls, Pa.	13,532	1	2				1				
Braddock, Pa.	21,685		4		6		1		1		
Cairo, Ill.	15,794	5									
Clinton, Mass.	13,075	3					1		2		
Coffeyville, Kans.	17,548		2		2						
Concord, N. H.	22,669	11			1						
Galesburg, Ill.	24,276	4									
Harrison, N. J.	16,950				6				1		
Kearney, N. J.	23,539	7			13		1			1	
Kokomo, Ind.	20,930	6								2	
Leavenworth, Kans.	19,363	5	3						1		
Long Branch, N. J.	15,395	1									
Marinette, Wis.	14,610	3	1								
Melrose, Mass.	17,445	10	1						1		
Morristown, N. J.	13,284	3									
Nanticoke, Pa.	23,126	4	2						2		
Newburyport, Mass.	15,243	5									
New London, Conn.	20,985	4	3								
North Adams, Mass.	12,019	2							1		
Northampton, Mass.	19,926	8	3				1		1	1	
Plainfield, N. J.	23,805	6		1	1		2		2		
Pontiac, Mich.	17,524	13	2				4	1		2	
Portsmouth, N. H.	11,666				1						
Rocky Mount, N. C.	12,067	4			3		5				
Rutland, Vt.	14,831	5									
Sandusky, Ohio.	20,193	7			1		2				
Saratoga Springs, N. Y.	13,821	7									
South Bethlehem, Pa.	24,204								1		
Steelton, Pa.	15,548	5	1						1		
Washington, Pa.	21,618				1		1		4		
Wilksburg, Pa.	23,228	6									
Woburn, Mass.	15,969	6									

¹ Population Apr. 15, 1910; no estimate made.

FOREIGN.

CUBA.

Communicable Diseases—Habana.

Communicable diseases have been notified at Habana as follows:

Disease.	Nov. 21-30, 1917.		Remain- ing under treatment Nov. 30, 1917.	Disease.	Nov. 21-30, 1917.		Remain- ing under treatment Nov. 30, 1917.
	New cases.	Deaths.			New cases.	Deaths.	
Diphtheria.....	6	1	1	Paratyphoid fever..	1		4
Leprosy.....			10	Smallpox.....			1
Malaria.....	43		170	Typh. id fever.....	21	9	278
Measles.....	4		4	Varicella.....	1		1

¹ From the interior, 52 cases.

² From the interior, 29 cases.

INDO-CHINA.

Cholera—Plague—Smallpox—August, 1917.

During the month of August, 1917, 328 cases of cholera, 50 cases of plague, and 234 cases of smallpox were notified in Indo-China. For the month of July, 1917, the reported prevalence was as follows: Cholera, 522 cases; plague, 69 cases; smallpox, 525 cases. The distribution of cases of these diseases during the month of August, 1917, by Provinces, was as follows:

Cholera.—Province of Anam, 134 cases; Cambodia, 19; Cochin-China, 175; total 328. Total for the corresponding month of the previous year, 870 cases.

Plague.—Province of Anam, 7 cases; Cambodia, 26; Cochin-China, 16; Tonkin, 1 case; total, 50 cases, as against 43 in the month of August, 1916.

Smallpox.—Province of Anam, 97 cases; Cambodia, 10 cases; Cochin-China, 124; Tonkin, 3; total, 234 cases. In August, 1916, 14 cases were notified.

Leprosy—August, 1917.

During the month of August, 1917, 40 cases of leprosy were notified in Indo-China, as against 23 cases notified in July, 1917, and 25 in August, 1916. Of the 40 cases notified in August, 1917, 36 occurred in the Province of Tonkin, 34 of this number being at Hanoi, the capital of the Province.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER.

Reports Received During the Week Ended Dec. 28, 1917.¹

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India:				
Bombay.....	Oct. 7-20.....	15	15	
Madras.....	Oct. 14-20.....	3	1	
Indo-China:				
Provinces.....				Aug. 1-31, 1917: Cases, 328;
Anam.....	Aug. 1-31.....	134	73	deaths, 182.
Cambodia.....	do.....	19	11	
Cochin-China.....	do.....	175	98	
Philippine Islands:				
Provinces.....				Nov. 4-10, 1917: Cases, 215;
Bohol.....	Nov. 4-10.....	9	8	deaths, 119.
Cebu.....	do.....	7	1	
Iloilo.....	do.....	24	10	
Mindanao.....	do.....	32	23	
Negros Occidental.....	do.....	134	25	
Negros Oriental.....	do.....	9	2	
Provinces.....				Nov. 11-17, 1917: Cases, 227;
Capiz.....	Nov. 11-17.....	2	2	deaths, 134.
Iloilo.....	do.....	44	26	
Leyte.....	do.....	27	18	
Mindanao.....	do.....	35	27	
Negros Occidental.....	do.....	96	50	
Negros Oriental.....	do.....	23	11	

PLAGUE.

Ceylon:				
Colombo.....	Sept. 30-Oct. 6....	3	1	
India:				Oct. 7-29, 1917: Cases, 24,282;
Bassein.....	Sept. 30-Oct. 13....		2	deaths, 17,834.
Bombay.....	Oct. 7-20.....	32	28	
Karachi.....	Oct. 14-20.....	4	2	
Madras Presidency.....	do.....	1,302	961	
Mandalay.....	Sept. 16-Oct. 10....		32	
Moulmein.....	Sept. 23-Oct. 10....		6	
Pegu.....	Sept. 16-22.....		1	
Rangoon.....	Oct. 7-20.....	30	26	
Indo-China:				Aug. 1-31, 1917: Cases, 50; deaths,
Provinces.....				44.
Anam.....	Aug. 1-31.....	7	7	
Cambodia.....	do.....	26	25	
Cochin-China.....	do.....	16	11	
Tonkin.....	do.....	1	1	
Saigon.....	Oct. 22-28.....	1	1	
Siam:				
Bangkok.....	Sept. 23-Oct. 27....	10	10	

SMALLPOX.

British East Africa:				
Mombasa.....	Sept. 1-30.....		1	
Canada:				
Nova Scotia—				
Sydney.....	Nov. 25-Dec. 1....	1		
Ceylon:				
Colombo.....	Sept. 30-Oct. 6....	1		Port case.
China:				
Chungking.....	Oct. 28-Nov. 10....			Present.
Shanghai.....	Nov. 5-18.....	3	12	
Egypt:				
Cairo.....	Apr. 16-June 24....	14	2	Jan. 1-21, 1917: Cases, 3.
India:				
Bombay.....	Oct. 7-20.....	8	4	
Madras.....	Oct. 14-20.....	2	2	
Rangoon.....	Oct. 7-20.....	3		
Indo-China:				
Provinces.....				Aug. 1-31, 1917: Cases, 234;
Anam.....	Aug. 1-31.....	97	22	deaths, 76.
Cambodia.....	do.....	10	4	
Cochin-China.....	do.....	124	50	
Tonkin.....	do.....	3		
Saigon.....	Oct. 22-28.....	7	3	
Philippine Islands:				
Manila.....	Nov. 4-17.....	1		Varioid.

¹ From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received During the Week Ended Dec. 28, 1917—Continued.

TYPHUS FEVER.

Place.	Date.	Cases.	Deaths.	Remarks.
Egypt:				
Alexandria.....	Oct. 22-Nov. 4....	17	2	
Cairo.....	Apr. 16-June 24....	251	109	Jan. 1-21, 1917: Cases, 16; deaths, 8.
Port Said.....	Apr. 16-June 24....	8	6	Jan. 1-7, 1917: Cases, 2; deaths, 1.
Do.....	July 2-8.....	1		
Greece:				
Saloniki.....	Oct. 14-Nov. 10....		37	
Japan:				
Nagasaki.....	Nov. 12-25.....	2		
Mexico:				
Aguascalientes.....	Nov. 3-9.....		1	
Sweden:				
Goteborg.....	Oct. 7-13.....	1		

Reports Received from June 30 to Dec. 28, 1917.

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India:				
Bassein.....	Apr. 1-May 5.....		8	
Bombay.....	June 24-30.....	1	1	
Do.....	July 8-Oct. 20.....	39	30	
Calcutta.....	Apr. 29-June 30.....		347	
Do.....	July 1-Sept. 15.....		68	
Karachi.....	Sept. 9-Oct. 13.....	12	10	
Madras.....	Apr. 22-June 30.....	5	4	
Do.....	July 1-Oct. 20.....	115	69	
Mandalay.....	May 6-June 30.....		2	
Do.....	July 29-Aug. 25.....		2	
Moulmein.....	May 13-June 2.....		3	
Pakokku.....	Apr. 20-May 5.....		1	
Pegu.....	May 27-June 30.....		5	
Do.....	July 1-7.....		7	
Prome.....	July 29-Aug. 11.....		1	
Rangoon.....	Apr. 21-June 30.....	31	17	
Do.....	July 8-Sept. 8.....	10	8	June 3-23, 1917: Cases, 5; deaths, 3.
Indo-China:				
Provinces.....				Feb. 1-June 30, 1917: Cases, 1,273; deaths, 805. July 1-Aug. 31, 1917: Cases, 880; deaths, 496.
Anam.....	Feb. 1-June 30.....	230	191	
Do.....	July 1-Aug. 31.....	220	120	
Cambodia.....	Feb. 1-June 30.....	93	64	
Do.....	July 1-Aug. 31.....	93	64	
Cochin-China.....	Feb. 1-June 30.....	878	543	
Do.....	July 1-Aug. 31.....	534	312	
Laos.....	June 1-30.....	1		
Tonkin.....	Feb. 1-June 30.....	36	21	
Do.....	July 1-31.....	3		
Saigon.....	Apr. 23-May 27.....	163	* 108	
Do.....	July 2-Sept. 30.....	49	33	
Japan.....				Jan.-July, 1917: Cases, 391, occurring in 16 Provinces and districts. Sept. 12, 1917: Cases, 252. In 5 Provinces and districts.
Tokyo.....	Sept. 12.....	2		
Java:				
East Java.....	Apr. 2-8.....	1		
Do.....	July 9-26.....	3	3	
Mid Java.....	July 16-Oct. 2.....	2	2	
West Java.....				Apr. 13-July 5, 1917: Cases, 71; deaths, 31, July 6-Oct. 11, 1917: Cases, 601; deaths, 342.
Batavia.....	Apr. 13-July 5.....	7	2	
Do.....	July 6-Oct. 11.....	78	23	
Persia:				
Mazanderan Province—				
Amir Kela.....	Feb. 3.....	1		
Barfourouche.....	Jan. 15-17.....	4		
Do.....	July 28.....	4	1	
Demavend.....	July 29.....	11	6	
Hamze Kela.....	Jan. 17.....	1		
Machidessar.....	Jan. 31.....	3		
Sabzevar.....	Aug. 20-29.....	19	14	
Sari.....	July 25-Aug. 5.....	179	98	
Tabriz.....				Aug. 4, 1917: In village of Osoundeh, vicinity of Tabriz, about 7 cases daily.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 30 to Dec. 28, 1917—Continued.

CHOLERA—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Philippine Islands:				
Manila.....	June 17-23.....	1		Sept. 2-8, 1917: 1 case. Not previously reported.
Do.....	Aug. 5-25.....	4		
Provinces.....				
Agusan.....	July 15-28.....	12	2	May 20-June 30, 1917: Cases, 795; deaths, 506. July 1-Nov. 17, 1917: Cases, 5,012, deaths, 3,019.
Albay.....	May 30-June 30.....	113	76	
Do.....	July 2-Sept. 1.....	73	43	
Ambos Camarines.....	June 3-9.....	2	1	
Do.....	July 23-Aug. 11.....	26	15	
Antique.....	Sept. 16-Oct. 27.....	123	65	
Bataan.....	July 8-14.....	1		
Batangas.....	June 17-23.....	1	1	
Bohol.....	May 20-June 30.....	368	251	
Do.....	July 1-Nov. 10.....	451	350	
Capiz.....	June 3-30.....	62	40	
Do.....	July 1-Nov. 17.....	73	51	
Cebu.....	June 2-30.....	231	150	
Do.....	July 1-Nov. 10.....	688	375	
Iloilo.....	July 1-Nov. 17.....	240	139	
Leyte.....	June 10-30.....	14	4	
Do.....	July 1-Nov. 17.....	846	530	
Misamis.....	July 8-Aug. 4.....	237	117	
Mindanao.....	July 20-Nov. 17.....	699	411	
Negros Occidental.....	Sept. 30-Nov. 17.....	473	273	
Negros Oriental.....	July 1-Nov. 17.....	367	338	
Rizal.....	June 24-30.....	1		
Do.....	July 1-7.....	1		
Romblon.....	July 22-28.....	1	1	
Samar.....	July 15-Sept. 22.....	138	75	
Sorsogon.....	June 3-30.....	196	88	
Do.....	July 1-Aug. 25.....	274	133	
Surigao.....	July 29-Aug. 25.....	16	10	
Tayabas.....	June 3-30.....	7	7	
Do.....	July 1-Sept. 29.....	15	14	
Zamboanga.....	July 15-21.....	17	16	
Straits Settlements:				
Singapore.....	Sept. 30-Oct. 13.....	2	2	

PLAGUE.

Arabia:				
Aden.....	May 3-July 4.....		43	Apr. 8-May 14, 1917: Cases, 69; deaths, 51.
Bahrein Islands.				
				In Persian Gulf. Present Apr. 3, 1917.
Brazil:				
Bahia.....	June 10-30.....	12	8	
Do.....	July 8-Oct. 20.....	8	3	
Pernambuco.....	July 16-Sept. 30.....	6	1	
Ceylon:				
Colombo.....	Apr. 8-June 23.....	41	33	
Do.....	July 6-Oct. 6.....	8	9	
China:				
Amoy.....	Apr. 29-May 5.....			Present and in vicinity.
Do.....	July 1-7.....	6	6	Present Aug. 10.
Hongkong.....	May 13-June 30.....	20	13	
Do.....	July 8-Aug. 18.....	4	3	
Kwangtung Province— Ta-pu district.....	June 2.....			Present.
Ecuador:				
Estancia Vieja.....	Feb. 1-28.....	1		
Guayaquil.....do.....	56	29	
Do.....	Mar. 1-Apr. 30.....	42	22	
Do.....	July 1-Aug. 31.....	4		
Milagro.....	Mar. 1-31.....	1		
Do.....	Apr. 1-30.....	1	1	
Nobol.....	Feb. 1-28.....	2		
Salitre.....do.....	1		
Do.....	Mar. 1-3.....		1	
Tanra.....	Feb. 1-28.....	3	2	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 30 to Dec. 28, 1917—Continued.

PLAGUE—Continued

Place.	Date.	Cases.	Deaths.	Remarks.
Egypt				Jan. 1-Oct. 18, 1917: Cases, 727; deaths, 397.
Alexandria.....	June 21-27.....	6	4	
Do.....	July 31-Oct. 15.....	7	2	
Port Said Government.....	Apr. 30-May 19.....	4	3	
Port Said.....	June 25.....	1		
Do.....	July 28-29.....	1	1	
Provinces—				
Fayoum.....	May 11-June 26.....	14	7	
Galioubeh.....	June 28.....	1		
Girgeh.....	May 17.....		1	
Minieh.....	May 12-June 28.....	4	3	
Do.....	July 29-Sept. 11.....	9		
Siout.....	May 12.....	3	1	
Suez Government.....	Apr. 30-June 2.....	23	9	
Suez.....	May 12-June 28.....	38	23	
Do.....	Oct. 14-20.....	1	1	
Great Britain:				
Gravesend.....	Aug. 13-24.....	3	1	From s.s. Matiana.
London.....	May 3-8.....	2		2 in hospital at port. From s.s. Sardinia from Australia and oriental ports.
India				Apr. 15-June 30, 1917: Cases, 43,992; deaths, 30,197. July 1-Oct. 20, 1917: Cases, 45,657; deaths, 34,074.
Bassein.....	Apr. 1-June 30.....		54	
Do.....	July 1-Oct. 13.....		29	
Bombay.....	Apr. 22-June 30.....	486	397	
Do.....	July 1-Oct. 20.....	432	353	
Calcutta.....	Apr. 29-June 2.....		38	
Do.....	July 15-21.....		4	
Henzada.....	Apr. 1-June 30.....		35	
Do.....	Aug. 12-Sept. 15.....		7	
Karachi.....	Apr. 22-June 30.....	468	413	
Do.....	July 1-Oct. 20.....	49	41	
Madras.....	Sept. 30-Oct. 6.....	1	1	
Madras Presidency.....	Apr. 22-June 30.....	201	250	
Do.....	July 1-Oct. 21.....	5,490	3,971	
Mandalay.....	Apr. 8-May 12.....		9	
Do.....	July 29-Oct. 10.....		66	
Moulmein.....	Apr. 1-June 30.....		74	
Do.....	July 1-Oct. 10.....		39	
Myingyan.....	Apr. 1-7.....		1	
Pegu.....	May 27-June 2.....		2	
Do.....	July 29-Sept. 22.....		2	
Rangoon.....	Apr. 15-June 30.....	183	169	June 3-23, 1917: Cases, 72; deaths, 66.
Do.....	July 1-Oct. 20.....	605	563	
Toungoo.....	Apr. 8-14.....		2	
Do.....	July 29-Sept. 1.....		12	
Indo-China:				
Provinces—				
Anam.....	Feb. 1-June 30.....	232	131	Feb. 1-June 30, 1917: Cases, 730; deaths, 491. July 1-Aug. 31, 1917: Cases, 119; deaths, 89.
Do.....	July 1-Aug. 31.....	20	16	
Cambodia.....	Feb. 1-June 30.....	132	115	
Do.....	July 1-Aug. 31.....	36	35	
Cochin-China.....	Feb. 1-June 30.....	219	133	
Do.....	July 1-Aug. 31.....	59	25	
Kwang-Chow-Wan.....	May 1-June 30.....	34	23	
Tonkin.....	Feb. 1-June 30.....	113	89	
Do.....	July 1-Aug. 31.....	4	3	
Salgon.....	Apr. 23-June 3.....	47	28	
Do.....	Sept. 9-Oct. 28.....	10	7	
Japan:				
Aichi Ken.....	Jan.-July.....	22		
Mye Ken.....	do.....	3		
Java:				
East Java.....				Apr. 2-May 20, 1917: Cases, 29; deaths, 29. July 30-Aug. 26, 1917: Cases, 4; deaths, 4.
Djocjakarta Residency.....	Apr. 23-May 6.....	1	1	
Kediri Residency.....	do.....	1	1	
Samarang Residency.....	Apr. 23-May 20.....	3	3	
Surabaya Residency.....	Apr. 2-May 20.....	18	18	
Do.....	July 8-28.....	4	4	
Surakarta Residency.....	do.....	6	6	
Persia:				
Mohammera.....	May 1.....			Present.
Peru				May 13-31, 1917: Cases, 15. June 1-July 31, 1917: Cases, 36.
Departments—				
Ancachs.....	July 1-31.....	3		At Casma.
Arequipa.....	May 16-July 31.....	10		At Mollendo.
Callao.....	do.....	5		At Callao.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 30 to Dec. 28, 1917—Continued.

PLAGUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Peru—Continued.				
Departments—Continued.				
Lambayeque.....	do.....	3		At Chiclayo.
Libertad.....	May 10-21.....	7		At Salaverry, San Pedro, and Trujillo. July 1-31, 1917: At Trujillo.
Lima.....	do.....	20		At Lima. July 1-31, 1917: Lima, city and country. Present in interior.
Senegal.....	Sept. 30.....			
Siam:				
Bangkok.....	Apr. 22-June 30....	13	12	
Do.....	July 3-Oct. 27....	31	29	
Straits Settlements:				
Singapore.....	June 3-16.....	2	1	
Do.....	July 1-Oct. 6.....	13	10	
Turkey in Asia:				
Trebizond.....	Dec. 8.....			Present.
Union of South Africa:				
Cape of Good Hope State—				
Craddock.....	Aug. 23.....			Do.
Glengrey district.....	Aug. 13.....			Do.
Terka district.....	May 28.....	1	1	At Summerhill Farm.
Queenstown.....	June 6.....	1		
Orange Free State.....				
Winburg district.....	May 28.....		1	Apr. 16-22, 1917: 1 case. Apr. 9-22, 1917: Cases, 26; deaths, 17.
At sea:				
S. S. Matiana.....	July 14-18.....	9	6	En route for port of London.

SMALLPOX.

Algeria:				
Algeria.....	Oct. 1-31.....	1		
Australia:				
New South Wales.....				Apr. 27-July 5, 1917: Cases, 5. July 12-Sept. 25, 1917: Cases, 10. Near Newcastle.
Abermain.....	Oct. 12-25.....	2		
Brewarrina.....	Apr. 27-June 21....	6		
Cessnock.....	July 25-28.....	4		
Coonabarabran.....	May 25-July 5.....	13		
Quambone.....	Apr. 27-June 21....	2		
Warren district.....	June 22-Oct. 13....	50		
Queensland—				
Thursday Island Quarantine Station.....	May 9.....	1		From s. s. St. Albans from Kobe via Hongkong. Vessel proceeded to Townsville, Brisbane, and Sydney, in quarantine.
Brazil:				
Bahia.....	May 6-June 30....	4		
Do.....	July 22-Nov. 3.....	8	2	
Rio de Janeiro.....	do.....	126	31	
Do.....	July 1-Sept. 29....	620	132	
British East Africa:				
Mombasa.....	Sept. 1-30.....		1	
Canada:				
Manitoba—				
Winnipeg.....	June 10-16.....	1		
Do.....	Aug. 19-Sept. 1....	5		
New Brunswick.....	Nov. 10.....	21		Chiefly in Carleton and York Counties. One case notified in Northumberland County.
Nova Scotia—				
Halifax.....	June 18-July 7....	3		
Port Hawkesbury.....	June 17-30.....			
Sydney.....	Nov. 25-Dec. 1....	1		Present in district.
Ontario—				
Ottawa.....	July 30-Aug. 5.....	1		
Sarnia.....	Nov. 11-Dec. 8....	2		
Windsor.....	Sept. 30-Nov. 3....	4		
Ceylon:				
Colombo.....	May 6-12.....	1		
Do.....	Sept. 30-Oct. 6....	1		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 30 to Dec. 28, 1917—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Amoy.....	Apr. 29-May 26.....			Present and in vicinity.
Do.....	July 1-Oct. 21.....			Do.
Antung.....	May 21-June 24.....	4		
Do.....	Aug. 6-Nov. 4.....	5		
Changsha.....	May 27-June 2.....	5		
Do.....	Aug. 11-17.....		7	
Chungking.....	May 6-June 23.....			Present.
Do.....	July 1-Nov. 10.....			Present.
Dairen.....	May 13-June 30.....	30	4	
Do.....	July 8-28.....	6	1	July 1-7, 1917: Present.
Hankow.....	June 21-30.....	2		
Harbin.....	Apr. 23-May 6.....	7		On Chinese Eastern Ry.
Hongkong.....	May 6-June 10.....	8	7	
Do.....	Aug. 5-18.....	1		
Manchuria Station.....	Apr. 23-29.....	1		Do.
Mukden.....	May 27-June 2.....			Present.
Do.....	July 8-Nov. 3.....			Do.
Shanghai.....	May 21-July 1.....	13	32	Cases, foreign; deaths among natives.
Do.....	July 2-Nov. 18.....	9	38	Do.
Tientsin.....	Nov. 4-10.....	5		
Tsitshar Station.....	Apr. 16-22.....	1		On Chinese Eastern Ry.
Tsingtao.....	May 22-July 7.....	35	7	At another station on railway; 1 case.
Do.....	July 30-Aug. 11.....	4	1	
Che-eh (Korea):				
Chemulpo.....	May 1-31.....	1		
Cuba:				
Habana.....	Nov. 1.....			From s. s. Alfonso XIII, from ports in Spain.
Ecuador:				
Guayaquil.....	Feb. 1-28.....	1		
Do.....	Mar. 1-Apr. 30.....	8		
Do.....	July 1-Aug. 31.....	12		
Egypt:				
Alexandria.....	Apr. 30-July 1.....	39	9	
Do.....	July 2-29.....	30	4	
Cairo.....	Feb. 12-June 24.....	94	3	Jan. 1-21, 1917: Cases, 3.
France:				
Nantes.....	July 30-Aug. 5.....	1		
Paris.....	May 6-12.....	1		
Germany:				
Berlin.....	Mar. 18-Apr. 28.....	106		Mar. 18-Apr. 28, 1917: Cases, 715; in cities and 32 States and districts.
Bremen.....	do.....	16		
Charlottenberg.....	do.....	18		
Hamburg.....	do.....	50		
Leipzig.....	do.....	20		
Lübeck.....	do.....	2		
Munich.....	do.....	10		
Stuttgart.....	do.....	1		
Greece:				
Athens.....	July 25-30.....		23	
India:				
Bombay.....	Apr. 22-June 30.....	186	75	
Do.....	July 1-Oct. 20.....	83	42	
Calcutta.....	Apr. 29-May 26.....		12	
Do.....	July 29-Sept. 8.....		3	
Karachi.....	Apr. 22-July 4.....	27	8	
Do.....	July 8-Sept. 1.....	5	2	
Madras.....	Apr. 22-June 30.....	80	48	
Do.....	July 1-Oct. 20.....	24	26	
Rangoon.....	Apr. 15-June 30.....	33	5	
Do.....	July 1-Oct. 20.....	15		June 3-23, 1917: Cases, 18; deaths, 5.
Indo-China:				
Provinces.....				Feb. 1-June 30, 1917: Cases, 617; deaths, 635. July 1-Aug. 31, 1917: Cases, 759; deaths, 208.
Anam.....	Feb. 1-June 30.....	1,630	237	
Do.....	July 1-Aug. 31.....	450	81	
Cambodia.....	Feb. 1-June 30.....	136	26	
Do.....	July 1-Aug. 31.....	38	27	
Cochin-China.....	Feb. 1-June 30.....	1,267	377	
Do.....	July 1-Aug. 31.....	254	99	
Kwang-Chow-Wan.....	Mar. 1-Apr. 30.....	4		
Laos.....	Apr. 1-30.....	5	1	
Do.....	July 1-31.....	10	1	
Tonkin.....	Feb. 1-June 30.....	274	30	
Do.....	July 1-Aug. 31.....	7		
Saigon.....	Apr. 27-June 10.....	199	63	
Do.....	July 2-Oct. 28.....	148	69	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 30 to Dec. 28, 1917—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Italy:				
Milan.....	Sept. 10-16.....	3		
Turin.....	May 21-June 24....	32	12	
Do.....	July 12-Sept. 30...	12	3	
Jamaica:				
Kingston.....	Sept. 9-15.....	1		
Japan:				Jan.-July, 1917: Cases, 4,974; in 37 Provinces and districts.
Kobe.....	May 27-July 22.....	65	16	
Nagasaki.....	May 28-June 3.....	1		
Osaka.....	May 16-July 5.....	177	55	
Yokkaichi.....	July 25-31.....	1		
Yokohama.....	May 27-July 1.....	1	1	
Java:				
East Java.....	Apr. 2-July 1.....	38	2	
Do.....	July 2-Aug. 29.....	21		
Mid-Java.....	Apr. 1-July 1.....	88	7	
Do.....	July 2-Oct. 2.....	100		
West Java.....				Apr. 13-July 5, 1917: Cases, 239; deaths, 44. July 6-Oct. 11, 1917: Cases, 273; deaths, 80.
Batavia.....	Apr. 13-Sept. 20...	32	6	
Mexico:				
Coatepec.....	Jan. 1-June 30.....		116	
Do.....	Aug. 1-14.....		1	Jan. 1-Aug. 14, 1916: 118 deaths.
Jalapa.....	July 1-13.....		1	
Mazatlan.....	July 11-Aug. 7.....		9	
Mexico City.....	June 3-30.....	162		
Do.....	Aug. 5-Nov. 10.....	191		
Monterey.....	June 18-24.....		24	
Orizaba.....	Jan. 1-June 30.....		23	
Do.....	July 1-23.....		1	
Vera Cruz.....	July 1-Sept. 15.....	6	2	
Netherlands:				
Amsterdam.....	Aug. 13-18.....	1	1	
Philippine Islands:				Variceloid.
Manila.....	May 13-June 9.....	6		Do.
Do.....	July 8-Nov. 17.....	11		
Portugal:				
Lisbon.....	May 13-June 30.....	14		
Do.....	July 8-Nov. 3.....	10		
Portuguese East Africa:				
Loourenço Marques.....	Mar. 1-June 30.....		5	
Do.....	July 1-31.....		7	
Russia:				
Archangel.....	May 1-June 28.....	56	4	
Do.....	July 2-Aug. 28.....	6		
Moscow.....	July 2-Aug. 25.....	6	4	
Petrograd.....	Feb. 18-June 30.....	565		
Do.....	July 2-Aug. 25.....	69		
Riga.....	Mar. 11-June 2.....	7		Jan. 1-Mar. 31, 1917: Cases, 9.
Vladivostok.....	Mar. 15-24.....	23	7	
Siam:				
Bangkok.....	June 9-30.....	16		
Do.....	July 11-17.....	3	5	
Spain:				
Coruna.....	Sept. 30-Nov. 3.....	5		
Madrid.....	May 1-June 19.....		4	
Do.....	Oct. 1-31.....		3	
Malaga.....	Apr. 1-June 30.....		44	
Do.....	July 1-31.....		19	
Seville.....	May 1-June 30.....		11	
Do.....	Sept. 1-30.....		6	
Valencia.....	June 3-23.....	5		
Do.....	July 1-Sept. 15.....	13		
Straits Settlements:				
Penang.....	Mar. 18-June 23.....	6	3	
Singapore.....	June 24-30.....	1		
Do.....	Sept. 16-Oct. 13.....	8	1	
Sweden:				
Malmo.....	Apr. 22-28.....	1		
Stockholm.....	May 20-June 23.....	2	1	
Tunisia:				
Tunis.....	June 2-8.....	2		
Turkey in Asia:				
Trebizond.....	Feb. 25-Apr. 13.....		15	
Union of South Africa:				
Johannesburg.....	Mar. 12-24.....	4		
Do.....	July 1-Sept. 30.....	24		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 30 to Dec. 28, 1917—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Uruguay:				
Montevideo.....	May 1-31.....	2		
Venezuela:				
Maracaibo.....	June 18-July 8.....		8	
Do.....	July 9-23.....		1	
On vessels:				
S. S. Alfonso XIII.....	Nov. 1.....	1		At Habana: From ports in Spain for Mexican ports.

TYPHUS FEVER.

Algeria:				
Aglers.....	June 1-30.....	6	3	
Do.....	July 1-Aug. 31.....	1	1	
Argentina:				
Buenos Aires.....	Aug. 12-18.....		1	
Austria-Hungary:				
Austria.....				Oct. 22-Dec. 17, 1916: Cases, 2,371.
Bohemia.....	Oct. 22-Dec. 17.....	634		Dec. 24, 1916-Feb. 24, 1917: Cases, 2,553.
Galicla.....	do.....	809		
Lower Austria.....	do.....	47		
Moravia.....	do.....	617		
Silesia.....	do.....	16		
Styria.....	do.....	243		
Upper Austria.....	do.....	5		
Bosnia-Herzegovina.....				Dec. 22, 1916-Feb. 24, 1917: Cases, 110.
Hungary.....				Feb. 19-June 17, 1917: Cases, 1,747.
Budapest.....	Feb. 19-May 27.....	10		
Eisenburg.....	Apr. 23-June 17.....	278	46	
Brazil:				
Rio de Janeiro.....	July 29-Aug. 11.....	2		
Canary Islands:				
Santa Cruz de Tenerife.....	Sept. 23-29.....		1	
China:				
Antung.....	June 23-July 1.....	3		
Do.....	July 9-Nov. 4.....	31	5	
Hankow.....	June 9-15.....	1		
Do.....	July 8-14.....		1	
Tientsin.....	June 17-23.....	1		
Do.....	Nov. 4-10.....	1		
Tsingtao.....	May 30-July 7.....	4		
Do.....	Aug. 5-Oct. 20.....	3		
Egypt:				
Alexandria.....	Aug. 30-July 1.....	1,648	478	
Do.....	July 17-Nov. 4.....	464	125	
Cairo.....	Jan. 1-June 24.....	212	90	
Port Said.....	Jan. 1-June 24.....	10	7	
Do.....	July 2-8.....	1	1	
Great Britain:				
Cork.....	June 17-23.....		1	
Glasgow.....	Sept. 30-Oct. 6.....	1		
Greece:				
Saloniki.....	May 23-June 30.....		32	
Do.....	July 1-Nov. 10.....		101	
Japan:				
Hakodate.....	July 22-28.....	1		
Nagasaki.....	June 11-24.....	4		
Do.....	July 9-Nov. 25.....	53	3	
Java:				
East Java.....				May 6-July 1, 1917: Cases, 6.
Surabaya.....	June 25-July 29.....	4		July 9-Aug. 29, 1917: Cases, 7.
Mid-Java.....				Apr. 1-June 24, 1917: Cases, 38;
Samarang.....	May 5-June 10.....	14	2	deaths, 5. July 9-Oct. 2, 1917: Cases, 16; deaths, 2.
Do.....	July 2-8.....	5		
West Java.....				Apr. 13-July 5, 1917: Cases, 147;
Batavia.....	Apr. 13-July 5.....	70	6	deaths, 6. July 6-Oct. 2, 1917: Cases, 151; deaths, 17.
Do.....	July 6-Oct. 4.....	96	10	
Mexico:				
Aguaascalientes.....	July 10-Nov. 9.....		3	
Coatepec.....	Aug. 1-14.....		1	
Durango, State.....	Oct. 29.....			Prevalent on ranches in vicinity of El Rio.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 30 to Dec. 28, 1917—Continued.

TYPHUS FEVER—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Mexico—Continued.				
Jalapa.....	Apr. 1-June 30....	5	
Do.....	July 1-31.....	3	
Mexico City.....	June 3-30.....	431	
Do.....	July 8-Nov. 10....	1,699	
Orizaba.....	Jan. 1-June 30....	6	
Do.....	July 1-31.....	1	
Norway:				
Bergen.....	July 8-23.....	7	
Portuguese East Africa:				
Lourenço Marques.....	Mar. 1-31.....	1	
Russia:				
Archangel.....	May 1-June 28....	11	2	
Do.....	July 2-Aug. 23....	16	5	
Moscow.....	July 2-Aug. 18....	10	7	
Petrograd.....	Feb. 18-June 30....	141	3	
Do.....	July 2-Aug. 25....	36	
Poland:				
Lodz.....	Apr. 23-June 3....	120	16	Apr. 23-June 3, 1917: Cases, 2,914; deaths, 187. June 17-July 14, 1917: Cases, 2,328; deaths, 211.
Do.....	June 17-July 14....	108	16	
Warsaw.....	Apr. 23-June 3....	1,644	95	
Do.....	June 17-July 14....	1,495	131	
Riga.....	May 31-June 16....	8	Jan. 1-31, 1917: 1 case.
Do.....	July 22-28.....	5	May 1-31, 1917: Cases, 4.
Vladivostok.....	Mar. 29-May 21....	5	
Spain:				
Almeria.....	May 1-31.....	5	
Madrid.....	do.....	2	
Do.....	Oct. 1-31.....	1	
Sweden:				
Göteborg.....	Oct. 7-13.....	1	
Switzerland:				
Basel.....	June 17-23.....	1	
Do.....	July 8-Oct. 27....	11	1	
Zurich.....	July 26-Nov. 3....	3	
Trinidad.....	June 4-9.....	2	
Tunisia:				
Tunis.....	June 30-July 6....	1	
Union of South Africa:				
Cape of Good Hope State...	Aug. 25, 1917: Present in 16 districts.
East London.....	Sept. 10.....	Present.

YELLOW FEVER.

Ecuador:				
Babahoyo.....	Feb. 1-28.....	1	1	
Do.....	Mar. 1-31.....	2	1	
Chobo.....	do.....	1	1	
Guayaquil.....	Feb. 1-28.....	18	7	
Do.....	Mar. 1-Apr. 30....	34	18	
Do.....	July 1-Aug. 31....	24	10	
Milagro.....	Feb. 1-28.....	1	
Do.....	Mar. 1-Apr. 30....	2	1	
Naranjito.....	July 1-Aug. 31....	2	2	
Mexico:				
Campeche, State—	
Campeche.....	Sept. 25.....	2	
Yucatan, State—	
Merida.....	Sept. 1-Oct. 28....	3	2	
Peto.....	June 23.....	1	1	In person recently arrived from Mexico City.
Do.....	July 29-Aug. 11....	6	2	
Venezuela:				
Coro.....	Oct. 27-Nov. 8....	1	Present Sept. 5. From the last part of July to Nov. 7, 1917: Cases, 10.

INDEX.

A.

	Page.
Accuracy of certified causes of death—Relation to mortality statistics and the international list.....	1557
Alabama:	
Camden—Trachoma.....	1900
Cerebrospinal meningitis.....	1110, 1280, 1635, 1766, 1894, 2086
Diphtheria. (See Diphtheria—State reports.)	
Elmore County—Diphtheria.....	1806
Malaria.....	1111, 1281, 1767, 1896, 2087
Prevalence and geographic distribution, 1915 and 1916.....	2165
Meas'es. (See Measles—State reports.)	
Pellagra.....	1111, 1282, 1768, 1896, 2089
Poliomyelitis.....	1113, 1283, 1285, 1420, 1488, 1640, 1770, 1898, 2090
Rabies in animals.....	2130
Ragland—Poliomyelitis.....	1237
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox.....	1114, 1286, 1644, 1771, 1811, 1899, 2093
Typhoid fever.....	1115, 1287, 1650, 1773, 1901, 2094
Anopheles punctipennis—Ability to serve as host for plasmodium falciparum—Technical Asst. M. Bruin Mitzmain.....	1081
Anthrax:	
California—Stockton.....	1894
Colorado—Hugo.....	1484
Great Britain—Bradford and vicinity.....	1392
Iowa—Muscatine.....	1805
Kansas—	
Hutchinson.....	1415
Reno.....	1190
Louisiana.....	1416, 1635, 1894
Chauvin.....	1931
Maryland—Harney.....	1416
Massachusetts.....	1153, 1532, 1765, 1931
Lynn.....	1734
Mississippi—Harrison County.....	1314
New Hampshire—Manchester.....	1485
New Jersey.....	1190
Essex County.....	2038
Jersey City.....	1378
New York—Endicott.....	1315
South Dakota—Mitchell.....	1315
Texas—	
Refugio County.....	1315
Victoria.....	1379
Wisconsin—Milwaukee.....	1806, 1931
Appropriations—City health departments—Passed Asst. Surg. Paul Preble.....	2072
Arabia—Aden—Plague.....	1169
Arizona:	
Douglas—Virulent smallpox.....	1075, 1089
Moqui Indian Reservation—Smallpox.....	1770
Navajo Indian Reservation—Smallpox.....	1770
Nogales—Trachoma.....	1936
Poliomyelitis.....	1488
Arkansas:	
Cerebrospinal meningitis.....	1233, 2039
Current State summaries.....	2084
Dysentery.....	1075, 1155
Eldorado—Cerebrospinal meningitis.....	1852
Malaria.....	1235, 2041
Mississippi County—Bacillary dysentery.....	1083
Paragould—Typhoid fever.....	1428
Pellagra.....	1236, 2043
Poliomyelitis.....	2045

Arkansas—Continued.	Page.
Pulaski County—Smallpox	1322
Smallpox	1240, 1739, 2050
Truman—Smallpox	1858
Typhoid fever	1244, 2055
Army and trachoma—Dangers incident to enlisting recruits affected with trachoma—Surg. John McMullen	1101
Arsphenamine—Manufacture	2071
Australia—Poliomyelitis	1663
Austria-Hungary—Typhus fever	1169

B.

Bacteriological examination of water—Comparative studies of media used—Passed Asst. Surg. H. E. Hasseltine	1879
Barber shops—Camp Greene zone	2082
Beauregard, camp—Disease cases reported. (See Extra cantonment zones.)	
Bernstein, H. S.—Diphtheria epidemic—Newport and vicinity, Rhode Island	1787
Bolduan, Chas. F.—A milk-borne outbreak of typhoid fever	1755
Bolten, Joseph, passed assistant surgeon:	
Diphtheria epidemic—Newport and vicinity, Rhode Island	1787
Winter outbreak of poliomyelitis—Elkins, W. Va., 1916-17	1995
Brown, Walter H., M. D.—Massachusetts endemic index	2121

C.

California:

Alameda County—Plague—Squirrels infected found	1087, 1158, 1194, 1237
Cerebrospinal meningitis	1085, 1416, 1533, 1852, 2086, 2227
Current State summaries	1084, 1109, 1153, 1188, 1232, 1279, 1314, 1378, 1414, 1455, 1484, 1532, 1633, 1680, 1734, 1765, 1805, 1850, 1930, 1970, 2033, 2084
Diphtheria. (See Diphtheria—State reports.)	
Los Angeles—Leprosy	1155, 1234, 1281
Malaria	1087, 1418, 1535, 1853, 2087, 2228
Measles. (See Measles—State reports.)	
Pellagra	1087, 1419, 2089, 2229
Plague—Squirrels infected found	1112
Poliomyelitis	1088, 1237, 1283, 1320, 1421, 1488, 1538, 1856, 2090, 2091, 2230
San Benito County—Plague—Squirrel infected found	1088, 1158
San Francisco—	
Leprosy	1853, 1932, 2039
Smallpox on steamship	1977
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox—Vaccination history	1090, 1423, 1539, 1859, 2002, 2232
Stockton—Anthrax	1894
Typhoid fever	1092, 1429, 1543, 1862, 2094, 2095, 2235
Camps. (See Extra-cantonment zone legislation; Extra-cantonment zone sanitation.)	
Carriers.—Meningococcus—Recognition and treatment	1175
Cerebrospinal meningitis:	
Alabama	1110, 1280, 1635, 1766, 1894, 2086
Arkansas	1233, 2039
Eldorado	1852
California	1085, 1416, 1533, 1852, 2086, 2227
City reports for week ended—	
June 16, 1917	1085
June 23, 1917	1110
June 30, 1917	1154
July 7, 1917	1191
July 14, 1917	1233
July 21, 1917	1280
July 28, 1917	1316
August 4, 1917	1379
August 11, 1917	1417
August 18, 1917	1456
August 25, 1917	1485
September 1, 1917	1533

Cerebrospinal meningitis—Continued.

City reports for week ended—	Page.
September 8, 1917.....	1636
September 15, 1917.....	1681
September 22, 1917.....	1735
September 29, 1917.....	1766
October 6, 1917.....	1806
October 13, 1917.....	1852
October 20, 1917.....	1895
October 27, 1917.....	1932
November 3, 1917.....	1972
November 10, 1917.....	2039
November 17, 1917.....	2086
November 24, 1917.....	2127
December 1, 1917.....	2171
December 8, 1917.....	2228
Colorado.....	1681
Connecticut..... 1085, 1110, 1233, 1416, 1635, 1894,	2086
District of Columbia..... 1154, 1315, 1533	
Hawaii..... 1485, 1734	
Indiana..... 1085, 1233, 1485, 1681, 1894, 2126	
Iowa..... 1085, 1233, 1416, 1681, 1852, 2038	
Kansas..... 1153, 1190, 1315, 1416, 1635, 1806, 1894, 2038	
Louisiana..... 1190, 1416, 2038, 2227	
Doyle.....	1232
Jackson.....	1315
Madagascar.....	1464
Tananarive.....	1778
Maine.....	1852
Maryland..... 1154, 1379, 1766, 1972, 2171	
Massachusetts..... 1109, 1154, 1190, 1279, 1315, 1533, 1766, 1894, 1931, 2126	
Mexico—	
Chihuahua—Correction.....	1098
Vera Cruz.....	2181
Minnesota..... 1190, 1280, 1416, 1455, 1635, 1852, 2038, 2227	
Fort Snelling.....	1416
Mississippi..... 1233, 1485, 1852, 2038	
Montana..... 1316, 1416, 1852, 2086	
Nebraska.....	1766
New Jersey..... 1191, 1416, 1635, 1852, 2038	
New York..... 1085, 1280, 1379, 1681, 1894	
North Dakota.....	2038
Ohio..... 1191, 1379, 1635, 1806, 2038, 2227	
Oregon..... 1085, 1191, 1931	
Pennsylvania..... 1233, 1379, 1635, 1806, 2038, 2227	
Rhode Island..... 1635, 1852, 2038, 2039, 2228	
South Carolina..... 1416, 1852, 2038, 2228	
South Dakota..... 1191, 1416, 2126	
Virginia..... 1154, 1316, 1533, 1734, 1972, 2126	
Washington..... 1110, 1233, 1766, 2086, 2126	
West Virginia..... 1154, 1315, 1635, 1806, 2171	
Wisconsin..... 1154, 1379, 1533, 1894, 1972, 2228	
Wyoming..... 1085, 1681	
Certified causes of death—Accuracy—Relation to mortality statistics and the international list.....	1557
China:	
Hongkong—Plague.....	1292
Rats examined..... 1292, 1437, 1655, 1942, 1984, 2181	
Rats infected found..... 1292, 1437, 1655, 1942, 1984	
Shanghai—Plague—Rats examined..... 1121, 1437, 1942, 2139	
Cholera:	
Foreign reports—	
Cumulative table..... 1123,	
1172, 1210, 1249, 1294, 1333, 1394, 1440, 1466, 1498, 1551, 1657, 1697,	
1748, 1780, 1824, 1872 1911, 1944, 1985, 2063, 2162, 2141, 2183, 2244	
Weekly table..... 1098 1121,	
1170, 1209, 1248, 1293, 1331, 1393, 1438, 1464, 1497, 1549, 1655, 1695,	
1747, 1778, 1822, 1871, 1910, 1943, 1984, 2062, 2101, 2140, 2181, 2243	

Cholera—Continued.	
Indo-China—	Page.
February, 1917	1292
March, 1917	1437
July, 1917	1908
August, 1917	2242
Japan—January-July, 1917	1822
Persia—July-August, 1917	1909
Chosen—Poliomyelitis	1399
City health officers—Directory	1221
Colorado:	
Cerebrospinal meningitis	1681
Diphtheria. (See Diphtheria—State reports.)	
Hugo—Anthrax	1484
Malaria	1318
Measles. (See Measles—State reports.)	
Poliomyelitis	1856, 2090
Rocky Mountain spotted fever	1422
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox—Vaccination history	1323, 1423, 1686, 1859, 2092
Typhoid fever	1325, 1326, 1429, 1688, 1862, 2095
Typhus fever	1327
Common drinking cups—Camp Zachary Taylor zone	1845
Common towels—Camp Zachary Taylor zone	1845
Communicable diseases:	
Control—Report of American Public Health Association committee	1706
Cuba—Habana	1098, 1169, 1248, 1292, 1331, 1437, 1463, 1549, 1695, 1821, 1870, 1908, 1942, 2061, 2139, 2181, 2242
Notification of cases—Camp Zachary Taylor zone	1843
Connecticut:	
Bridgeport—Smallpox	2131
Cerebrospinal meningitis	1085, 1233, 1416, 1635, 1894, 2086
Current State summaries	2084
Diphtheria	1895
(See also Diphtheria—State reports.)	
Measles. (See Measles—State reports.)	
New Britain—	
Poliomyelitis	1237
Pellagra	1236, 1419, 1638, 1896
Poliomyelitis	1113, 1194, 1283, 1320, 1420, 1421, 1488, 1639, 1898, 2090
Rabies	1422
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox	1114, 1240, 1427, 1644, 1899, 2093
Typhoid fever	1116, 1242, 1429, 1645, 1901, 2095
Corbitt, H. B., sanitary bacteriologist—Tetanus in court-plaster—Results of bacteriological examination of 14 specimens	1450
Court-plaster—Tetanus in	1445
Results of bacteriological examination of 14 specimens—Surg. G. W. McCoy, Passed Asst. Surg. J. P. Leake, and Sanitary Bacteriologist H. B. Corbitt	1450
Creel, R. H., assistant surgeon general—Rodent destruction on ships—Report on relative efficiency of fumigants	1445
Cuba:	
Habana—	
Communicable diseases	1098, 1169, 1248, 1292, 1331, 1437, 1463, 1549, 1695, 1821, 1870, 1908, 1942, 2061, 2139, 2181, 2242
Typhoid fever—Comparative statement, 1913-1917	1821
Quarantine by, against Venezuelan ports removed	1655
Current State summaries:	
Arkansas. (See Arkansas—Current State summaries.)	
California. (See California—Current States summaries.)	
Connecticut. (See Connecticut—Current State summaries.)	
Indiana (See Indiana—Current State summaries.)	
Kansas. (See Kansas—Current State summaries.)	
Massachusetts. (See Massachusetts—Current State summaries.)	
Minnesota. (See Minnesota—Current State summaries.)	
Nebraska. (See Nebraska—Current State summaries.)	
South Carolina. (See South Carolina—Current State summaries.)	
Virginia. (See Virginia—Current State summaries.)	
Washington. (See Washington—Current State summaries.)	

Cyprus:

	Page.
Leprosy—year 1916.....	1908
Malaria—year 1916.....	1908
Paratyphoid fever—year 1916.....	1908
Trachoma—year 1916.....	1908
Typhoid fever—year 1916.....	1908

D.

Delaware—Poliomyelitis.....	1283, 1320, 1420
-----------------------------	------------------

Diphtheria:

Alabama—Elmore County.....	1806
City reports for week ended—	
June 16, 1917.....	1094
June 23, 1917.....	1117
June 30, 1917.....	1165
July 7, 1917.....	1206
July 14, 1917.....	1245
July 21, 1917.....	1289
July 28, 1917.....	1328
August 4, 1917.....	1389
August 11, 1917.....	1434
August 18, 1917.....	1469
August 25, 1917.....	1493
September 1, 1917.....	1545
September 8, 1917.....	1652
September 15, 1917.....	1692
September 22, 1917.....	1743
September 29, 1917.....	1775
October 6, 1917.....	1817
October 13, 1917.....	1867
October 20, 1917.....	1904
October 27, 1917.....	1939
November 3, 1917.....	1980
November 10, 1917.....	2057
November 17, 1917.....	2098
November 24, 1917.....	2136
December 1, 1917.....	2178
December 8, 1917.....	2239

Connecticut.....

District of Columbia.....	1932
---------------------------	------

Illinois—

Edwardsville.....	1735
Joliet.....	1852
Peoria.....	1852

Indiana.....	1766, 1807
--------------	------------

Louisiana—Alexandria.....	1895
---------------------------	------

Maryland—

Emmitsburg.....	2086
Gapland.....	1735

Massachusetts.....	1681, 1852
--------------------	------------

Lowell.....	106
-------------	-----

Mississippi.....	1533
------------------	------

Rhode Island—Newport.....	1280, 1316
---------------------------	------------

State reports for—

January, 1917.....	1165
February, 1917.....	1165
March, 1917.....	1165
April, 1917.....	1165
May, 1917.....	1094, 1117, 1165, 1205, 1245, 1328
June, 1917.....	1165, 1205, 1244, 1288, 1327, 1433, 1545, 2057
July, 1917.....	1327, 1388, 1433, 1493, 1545, 1651, 2057, 2097
August, 1917.....	1545, 1651, 1691, 1743, 1774, 1817, 2057, 2097
September, 1917.....	1774, 1817, 1866, 1904, 1917, 1980, 2057, 2097
October, 1917.....	1938, 1980, 2056, 2057, 2097, 2135, 2177
November, 1917.....	2135, 2177, 2238

West Virginia—Peru.....	1735
-------------------------	------

Wyoming—Fort Russell.....	1485
---------------------------	------

Diphtheria epidemic—Rhode Island—Newport and vicinity—Surg. G. W. McCoy, Passed Asst. Surg. Joseph Bolten, and H. S. Bernstein.....	1787
---	------

	Page.
Directory—City health officers.....	1221
Disease simulation—Drugs, chemicals, and septic materials used there- for—Technical Asst. A. G. DuMez.....	1887
Diseases, notifiable—Prevalence:	
In cities of 10,000 to 100,000 during 1916.....	1346
In States during 1916.....	1506
District of Columbia:	
Cerebrospinal meningitis.....	1154, 1315, 1533
Diphtheria.....	1932
(See also Diphtheria—State reports.)	
Measles. (See Measles—State reports.)	
Pellagra.....	1157, 1318, 1536, 1855, 1933
Pollomyelitis.....	1538, 1934
Scarlet fever. (See Scarlet fever—State reports.)	
Typhoid fever.....	1162, 1324, 1542, 1862, 1937
Dodge, camp—Disease cases reported. (See Extra-cantonment zones.)	
Drinks—Camp Pike zone.....	1254
DuMez, A. G., technical assistant—Simulation of disease—Drugs, chemi- cals, and septic materials used therefor.....	1887
Dysentery:	
Arkansas.....	1075, 1155, 1175
Mississippi County—Bacillary dysentery.....	1086
Kentucky—	
Quicksand.....	1636
Surg. John McMullen.....	1473
War Creek.....	1417
Massachusetts—	
Grafton State Hospital.....	1417
Medfield.....	1681
Missouri.....	1155, 1175
Montana—	
Sand Coulee.....	1636
Stockett.....	1636
Tennessee.....	1155
Virginia—Narrows.....	1636
E.	
Ecuador:	
Plague.....	1821
February, March, April, 1917.....	1463
Yellow fever.....	1821
February, March, April, 1917.....	1463
Egypt—Plague.....	1392
Endemic index, Massachusetts—Dr. Walter H. Brown.....	2121
Erysipelas—City reports for week ended:	
June 16, 1917.....	1086
June 23, 1917.....	1110
June 30, 1917.....	1155
July 7, 1917.....	1192
July 14, 1917.....	1234
July 21, 1917.....	1281
July 28, 1917.....	1316
August 4, 1917.....	1380
August 11, 1917.....	1417
August 18, 1917.....	1456
August 25, 1917.....	1485
September 1, 1917.....	1534
September 8, 1917.....	1636
September 15, 1917.....	1682
September 22, 1917.....	1735
September 29, 1917.....	1766
October 6, 1917.....	1807
October 13, 1917.....	1853
October 20, 1917.....	1895
October 27, 1917.....	1932
November 3, 1917.....	1973
November 10, 1917.....	2039
November 17, 1917.....	2087
November 24, 1917.....	2127

Erysipelas—City reports for week ended—	Page.
December 1, 1917.....	2172
December 8, 1917.....	2228
Excreta, human—Fort Oglethorpe zone.....	1954
Executive order:	
Quarantine service—Virgin Islands.....	1705
Quarantine station—Philippine Islands—Cebu—Cauti.....	1127
Experimental typhus fever in guinea pigs—Description of scrotal lesion—	
Passed Asst. Surg. M. H. Neill.....	1105
Extra-cantonment zone legislation:	
Camp Beauregard—Foodstuffs.....	2079
Camp Dix—Foodstuffs.....	1505
Camp Funston—Venereal diseases.....	1956
Camp Greene—	
Barber shops.....	2082
Foodstuffs.....	2081
Hairdressing establishments.....	2082
Camp Pike—Food and drink.....	1254
Camp Wadsworth—Garbage and refuse.....	1967
Camp Zachary Taylor—	
Common drinking cups and common towels.....	1845
Fruits and vegetables.....	1845
Garbage, refuse, and ashes.....	1848
Manure.....	1846
Morbidity reports.....	1843
Mosquitoes.....	1844
Nuisances.....	1844
Privies and cesspools.....	1846
Prostitution.....	2079
Sanitary inspectors.....	1849
Sewer connections.....	1847
Typhoid fever patients, convalescent—Examination of urine and feces.....	1843
Venereal diseases.....	2079
Water supplies.....	1845
Fort Leavenworth—	
City health officer.....	1953
Manure.....	1957
Milk and milk products.....	1960
Privies.....	1957
Sewer connections.....	1957
Venereal diseases.....	1956
Fort Oglethorpe—	
Excreta, human.....	1954
Milk and milk products.....	1953
Extra-cantonment zone sanitation—Camp Shelby—Near Hattiesburg, Miss.—Passed Asst. Surg. J. A. Watkins.....	2149
Extra-cantonment zones—Disease cases reported.....	1968, 2033, 2169, 2223

F.

Federal employees—Medical care when injured in performance of duties.....	1125
Florida:	
Jacksonville—Rabies (in animals).....	1382
Malaria—Prevalence and geographic distribution, April, 1915, to December, 1916.....	2219
Trachoma.....	1900
Foodstuffs:	
Camp Beauregard zone.....	2079
Camp Dix zone.....	1505
Camp Greene zone.....	2081
Camp Pike zone.....	1254
Fox, Carroll, surgeon—Public health administration:	
Quincy, Ill.....	1665
Springfield, Ohio.....	1255
Freeman, A. W., epidemiologist—Typhoid fever—Epidemic at Charleston, W. Va., April-June, 1917.....	1306

Fruits and vegetables—Camp Zachary Taylor zone.....	Page. 1845
Fumigation of ships with hydrocyanic acid gas—Artificial ventilation after—Surg. S. B. Grubbs.....	1757
Funston, camp—Disease cases reported. (<i>See</i> Extra-cantonment zones.)	

G.

Garbage and refuse—Camp Wadsworth zone.....	1967
Garbage, refuse, and ashes—Camp Zachary Taylor zone.....	1848
Georgia—Macon—Typhoid fever.....	1688
Germany:	
Smallpox.....	1170
Typhus fever.....	1170
Glanders—Massachusetts—Human case.....	1317
Gordon, camp—Disease cases reported. (<i>See</i> Extra-cantonment zones.)	
Great Britain:	
Birmingham—Typhoid fever—Comparative statement 1901-1916....	1870
Bradford and vicinity—Anthrax.....	1392
Gravesend—Plague—On steamship Matiana.....	1463
Liverpool—Plague—Rats examined.....	1942
London—Plague—On steamship Sardinia.....	1121
Greene, camp—Disease cases reported. (<i>See</i> Extra-cantonment zones.)	
Grubbs, S. B., surgeon—Artificial ventilation of ships after fumigation with hydrocyanic acid gas.....	1757
Guinea pigs—Experimental typhus fever in—Description of scrotal lesion—Passed Asst. Surg. M. H. Neill.....	1105

H.

Hachtel, F. W., M. D.—Typhoid fever spread by chronic carriers.....	1926
Hairdressing establishments—Camp Greene zone.....	2082
Hancock, camp—Disease cases reported. (<i>See</i> Extracantonment zones.)	
Hasseltine, H. E., passed assistant surgeon:	
Bacteriological examination of water—Comparative studies of media used.....	1879
Public health laboratory specimens—Their preparation and ship- ment.....	2016
Hawaii:	
Castner—Typhoid fever.....	1900
Cerebrospinal meningitis.....	1485, 1734
Diphtheria. (<i>See</i> Diphtheria—State reports.)	
Kukaiiau—Plague.....	1457
Rats infected found.....	1381, 1856
Leprosy.....	1486, 1735
Measles. (<i>See</i> Measles—State reports.)	
Paauhau—Plague—Rats infected found.....	1194, 1381, 1856
Poliomyelitis.....	1113, 1738
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	
Typhoid fever.....	1116, 1491, 1741
Hay fever—Rocky Mountain and Pacific States—Cause and prevention— Dr. Wm. Scheppegrell.....	1135
Health department laboratories—Need for their careful supervision....	1215
Health departments—City—Appropriations—Passed Asst. Surg. Paul Preble.....	2072
Health officers—City:	
Directory.....	1221
Fort Leavenworth zone.....	1953
Heat hazard in industries—Mitigation—Passed Asst. Surg. J. A. Wat- kins.....	2111
Hookworm disease—Certain military aspects of—Prof. C. W. Stiles.....	1299

I.

Idaho:

Diphtheria. (<i>See</i> Diphtheria—State reports.)	
Measles. (<i>See</i> Measles—State reports.)	
Poliomyelitis.....	1159
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	
Smallpox.....	1161
Typhoid fever.....	1163

		Page.
Illinois:		
Cairo—Smallpox	-----	1090
Carbondale—Scarlet fever	-----	1858
Caseyville—Smallpox	-----	1858
Chicago—Poliomyelitis	-----	1238, 1537
Cook County—Poliomyelitis	-----	1639, 1684
Edwardsville—Diphtheria	-----	1735
Galatia—Smallpox	-----	1858
Joliet—Diphtheria	-----	1852
Peoria—Diphtheria	-----	1852
Poliomyelitis	-----	1112, 1283, 1320, 1420, 1488, 1738, 1769, 1809, 1856, 1897, 1975, 2044, 2090, 2129
Quincy—Public health administration—Surg. Carroll Fox	-----	1665
Smallpox	-----	1739
Indiana:		
Bartholomew County—Typhoid fever	-----	1771
Cerebrospinal meningitis	-----	1085, 1233, 1485, 1681, 1894, 2126
Current State summaries	-----	1850, 1930, 1971, 2035, 2084
Diphtheria	-----	1766, 1807
(See also Diphtheria—State reports.)		
Elwood—Smallpox	-----	1770
Fort Wayne—		
Smallpox	-----	1770
Smallpox outbreak	-----	1935
Measles. (See Measles—State reports.)		
Michigan City—Typhoid fever	-----	1814
Poliomyelitis	-----	1088, 1239, 1283, 1489, 1685, 1809, 1898, 2129
Scarlet fever. (See Scarlet fever—State reports.)		
Smallpox	-----	1091, 1240, 1490, 1687, 1899, 2131
Correction	-----	1196
South Bend—Typhoid fever	-----	1540, 1645
Typhoid fever	-----	1093, 1242, 1491, 1688, 1902, 2132
Indo-China:		
Cholera—		
February, 1917	-----	1292
March, 1917	-----	1437
July, 1917	-----	1908
August, 1917	-----	2242
Leprosy—August, 1917	-----	2242
Plague—		
February, 1917	-----	1292
March, 1917	-----	1437
July, 1917	-----	1908
August, 1917	-----	2242
Smallpox—		
February, 1917	-----	1292
March, 1917	-----	1437
July, 1917	-----	1908
August, 1917	-----	2242
Industrial establishments—Lighting—Asst. Physicist Davis H. Tuck	-----	1761
Industries—Mitigation of heat hazard in—Passed Asst. Surg. J. A. Watkins	-----	2111
Iowa:		
Cerebrospinal meningitis	-----	1085, 1233, 1416, 1681, 1852, 2038
Decatur County—Smallpox	-----	2231
Diphtheria. (See Diphtheria—State reports.)		
Measles. (See Measles—State reports.)		
Muscatine—Anthrax	-----	1805
Poliomyelitis	-----	1088, 1283, 1420, 1421, 1685, 1856, 2044
Polk County—Smallpox	-----	2231
Scarlet fever. (See Scarlet fever—State reports.)		
Smallpox	-----	1091, 1240, 1427, 1687, 1860, 2050
Italy—Naples—Deratization of vessels	-----	1438
J.		
Japan:		
Cholera—January–July, 1917	-----	1822
Plague—January–July, 1917	-----	1822
Poliomyelitis	-----	1104

K.		Page.
Kansas:		
Cerebrospinal meningitis	1153, 1190, 1315, 1416, 1635, 1806, 1894, 2038	
Current State summaries	2035, 2085	
Diphtheria. (See Diphtheria—State reports.)		
Hoxie—Rocky Mountain spotted fever	1811	
Hutchinson—Anthrax	1415	
Kansas City—Poliomyelitis	1158	
Leavenworth—		
Smallpox	1899	
Typhoid fever	1385, 1428, 1458, 1901	
Leavenworth County—Typhoid fever	1541	
Malaria	1192, 1418, 1637, 1807, 2040	
Measles. (See Measles—State reports.)		
Pellagra	1193, 1419, 1638, 1808, 2042	
Poliomyelitis	1195, 1238, 1283	
	1320, 1420, 1421, 1488, 1639, 1738, 1809, 1810, 2044	
Reno—Anthrax	1190	
Scarlet fever. (See Scarlet fever—State reports.)		
Smallpox—Vaccination history	1197, 1423, 1642, 1812, 2046	
Typhoid fever	1203, 1429, 1645, 1814, 2051	
Kentucky:		
Dysentery—Surg. John McMullen	1473	
Louisville—		
Rabies in man	1898	
Typhus fever	2135	
Malaria—Prevalence and geographic distribution	1215	
Mason County—Scarlet fever	1686	
Poliomyelitis	1283, 1320	
Quicksand—Dysentery	1636	
War Creek—Dysentery	1417	
Korea. (See Chosen.)		
Krumwiede, Chas., jr.—A milk-borne outbreak of typhoid fever	1755	
L.		
Laboratories of health departments—Need for their careful supervision	1215	
Laboratory specimens, public health—Preparation and shipment—Passed		
Asst. Surg. H. E. Hasseltine	2016	
Leake, J. P., passed assistant surgeon:		
Diagnosis of poliomyelitis	1831	
Tetanus in court-plaster—Results of bacteriological examination of 14 specimens	1450	
Winter outbreak of poliomyelitis—Elkins, W. Va., 1916-17	1995	
Leavenworth, Fort—Disease cases reported. (See Extra-cantonment zones.)		
Lee, Camp—Disease cases reported. (See Extra-cantonment zones.)		
Leprosy:		
California—		
Los Angeles	1155, 1234, 1281	
San Francisco	1853, 1932, 2039	
Cyprus—Year 1916	1908	
Hawaii	1486, 1735	
Indo-China—August, 1917	2242	
Louisiana—		
Burtville	1192	
Garyville	1637	
New Orleans	1767, 2087	
Mississippi—Biloxi	1807	
Montana—Alberton	1807	
Nevada—White Pine County	1317	
New York—		
New York City	1086, 1234	
Syracuse	1486	
Norway—1910 and 1911-1915	2139	
Pennsylvania—Williamsport	1973	
Rhode Island—Providence	1534	
South Carolina—Bennettsville	2172	
Texas—Galveston	2172	

	Page
Letton, H. P., sanitary engineer—New water sample shipping case—Observations on changes in stored samples of water.....	1476
Lewis, Camp—Disease cases reported. (See Extra cantonment zones.)	
Lighting of industrial establishments—Asst. Physicist Davis H. Tuck..	1761
Logan, Camp—Disease cases reported. (See Extra cantonment zones)	
Louisiana:	
Alexandria—Diphtheria	1895
Anthrax.....	1416, 1635, 1894
Burtville—Leprosy	1192
Cerebrospinal meningitis.....	1190, 1416, 2038, 2227
Chauvin—Anthrax	1931
Diphtheria. (See Diphtheria—State reports.)	
Doyle—Cerebrospinal meningitis.....	1232
Garyville—Leprosy	1637
Jackson—Cerebrospinal meningitis.....	1315
Malaria.....	1192, 1418, 1637, 1853, 2040, 2229
Prevalence and geographic distribution.....	1182
Measles. (See Measles—State reports.)	
New Orleans—Leprosy.....	1767, 2087
Pellagra	1193, 1419, 1638, 1855, 2042, 2229
Poliomyelitis	1195, 1283, 1857, 2044
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox.....	1202, 1427, 1644, 1861, 2050, 2234
Typhoid fever.....	1203, 1430, 1647, 1862, 2052, 2236

M.

McClellan, camp—Disease cases reported. (See Extra-cantonment zones.)	
McCoy, G. W., director Hygienic Laboratory:	
Diphtheria epidemic—Newport and vicinity, Rhode Island.....	1787
Tetanus in court-plaster—Results of bacteriological examination of 14 specimens.....	1450
McMullen, John, surgeon:	
Dysentery outbreak in Kentucky.....	1473
Trachoma and the Army—Dangers incident to enlisting recruits affected with trachoma.....	1101
Madagascar:	
Epidemic cerebrospinal meningitis.....	1464
Tananarive—Cerebrospinal meningitis.....	1778
Maine:	
Cerebrospinal meningitis.....	1852
Diphtheria. (See Diphtheria—State reports.)	
Eastport—Smallpox	2174, 2232
Gardiner—Smallpox	1935
Measles. (See Measles—State reports.)	
Pellagra.....	1638
Poliomyelitis	1421, 1639, 2044
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox.....	1427, 1644, 1861, 2050, 2231
Typhoid fever.....	1431, 1432, 1647, 1862, 2052
Malaria:	
Alabama.....	1111, 1281, 1767, 1896, 2087
Prevalence and geographic distribution, 1915 and 1916.....	2165
Anopheles punctipennis—Ability to serve as host for plasmodium falciparum—Technical Asst. M. Bruhn Mitzmain.....	1081
Arkansas	1235, 2041
California.....	1087, 1418, 1535, 1853, 2087, 2228
City reports for week ended—	
June 16, 1917.....	1087
June 23, 1917.....	1111
June 30, 1917.....	1157
July 7, 1917.....	1193
July 14, 1917.....	1235
July 21, 1917.....	1281
July 28, 1917.....	1318
August 4, 1917.....	1380
August 11, 1917.....	1418
August 18, 1917.....	1456

Malaria—Continued.

City reports for week ended—	Page.
August 25, 1917.....	1487
September 1, 1917.....	1536
September 8, 1917.....	1637
September 15, 1917.....	1683
September 22, 1917.....	1736
September 29, 1917.....	1767
October 6, 1917.....	1808
October 13, 1917.....	1854
October 20, 1917.....	1896
October 27, 1917.....	1933
November 3, 1917.....	1974
November 10, 1917.....	2041
November 17, 1917.....	2088
November 24, 1917.....	2128
December 1, 1917.....	2172
December 8, 1917.....	2229
Cyprus—Year 1916.....	1908
Colorado.....	1318
Florida—Prevalence and geographic distribution, April, 1915, to December, 1916.....	2219
Kansas.....	1192, 1418, 1637, 1807, 2040
Kentucky—Prevalence and geographic distribution.....	1215
Louisiana.....	1192, 1418, 1637, 1853, 2040, 2229
Prevalence and geographic distribution.....	1182
Malaria parasite in the mosquito—Development—Effects of low temperature and other factors on—Technical Asst. M. Bruin Mitzmain.....	1400
Maryland.....	1156, 1380, 1534, 1767, 1973, 2172
Massachusetts.....	1156, 1317, 1534, 1767, 1933, 2127
Mississippi.....	1234, 1486, 1682, 1854, 2040
Nevada.....	2088
New Jersey.....	1192, 1418, 1637, 1854, 2040
North Carolina—Prevalence and geographic distribution.....	1128
Ohio.....	1637, 1807, 2229
Pennsylvania.....	1235, 1380, 1637, 1807, 2040, 2229
South Carolina.....	1235, 1418, 1854, 2041, 2088, 2229
Tennessee—Prevalence and geographic distribution.....	1339
Texas, southern—Prevalence and geographic distribution.....	1301
Virginia.....	1156, 1317, 1535, 1736, 1973, 2127
Wisconsin.....	1380
Manure:	
Camp Zachary Taylor zone.....	1846
Fort Leavenworth zone.....	1957
Maryland:	
Cerebrospinal meningitis.....	1154, 1379, 1766, 1972, 2171
Diphtheria. (See Diphtheria—State reports.)	
Emmitsburg—Diphtheria.....	2086
Gapland—Diphtheria.....	1735
Harney—Anthrax.....	1416
Loch Raven—Maryland school for boys—Typhoid fever.....	1740
Malaria.....	1156, 1380, 1534, 1767, 1973, 2172
Measles. (See Measles—State reports.)	
Pellagra.....	1157, 1380, 1536, 1768, 2173
Pollomyelitis.....	1159, 1238, 1283, 1320, 1381, 1420, 1489, 1538, 1769, 1975
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox.....	1976, 2046, 2131, 2174
Vaccination history.....	1161, 2175
Typhoid fever.....	1162, 1386, 1542, 1772, 1978, 2176
Massachusetts:	
Anthrax.....	1153, 1532, 1765, 1931
Brockton—Rabies in animals.....	1976
Cerebrospinal meningitis.....	1109,
1154, 1190, 1279, 1315, 1533, 1766, 1894, 1931, 2126	
Current State summaries.....	1931, 1971, 2035, 2085
Diphtheria.....	1681, 1852
(See also Diphtheria—State reports.)	
Erving—Typhoid fever.....	1772
Gardner—Typhoid fever.....	1428, 1772

Massachusetts—Continued.	Page.
Glanders (human case).....	1317
Gloucester—Typhoid fever.....	1688
Grafton State Hospital—Dysentery..	1417
Haverhill—Poliomyelitis.....	1158, 1238
Lowell—Diphtheria.....	1086
Lynn—	
Anthrax.....	1734
Poliomyelitis.....	1238
Malaria.....	1156, 1317, 1534, 1767, 1933, 2127
Measles. (See Measles—State reports.)	
Medfield—Dysentery.....	1681
Pellagra.....	1157, 1318, 1536, 1768, 1933, 2128
Poliomyelitis.....	1113,
1159, 1194, 1283, 1320, 1321, 1420, 1489, 1537, 1538, 1769, 1934, 2129	2226
Reciprocal notification.....	
Scarlet fever. (See Scarlet fever—State reports.)	
Septic sore throat.....	1422
Smallpox—Vaccination history.....	1384, 1161, 1539, 1812, 2175
Tewksbury—Typhoid fever.....	1688
Tewksbury State Infirmary—Typhoid fever.....	1740, 1772
Typhoid fever.....	1163, 1324, 1542, 1772, 1937, 2133
Virulent smallpox.....	1239
Massachusetts endemic index—Dr. Walter H. Brown.....	2121
Measles:	
City reports for week ended—	
June 16, 1917.....	1095
June 23, 1917.....	1117
June 30, 1917.....	1165
July 7, 1917.....	1206
July 14, 1917.....	1245
July 21, 1917.....	1289
July 28, 1917.....	1328
August 4, 1917.....	1389
August 11, 1917.....	1434
August 18, 1917.....	1460
August 25, 1917.....	1493
September 1, 1917.....	1545
September 8, 1917.....	1652
September 15, 1917.....	1692
September 22, 1917.....	1743
September 29, 1917.....	1775
October 6, 1917.....	1817
October 13, 1917.....	1867
October 20, 1917.....	1904
October 27, 1917.....	1939
November 3, 1917.....	1980
November 10, 1917.....	2057
November 17, 1917.....	2098
November 24, 1917.....	2136
December 1, 1917.....	2178
December 8, 1917.....	2239
Prevalence—In States during 1916.....	1186
State reports for—	
January, 1917.....	1165
February, 1917.....	1165
March, 1917.....	1165
April, 1917.....	1165
May, 1917.....	1094, 1117, 1165, 1205, 1245, 1328
June, 1917.....	1165, 1205, 1244, 1288, 1327, 1433, 1545, 2057
July, 1917.....	1327, 1388, 1433, 1493, 1545, 1651, 2057, 2097
August, 1917.....	1545, 1651, 1691, 1743, 1774, 1817, 2057, 2097
September, 1917.....	1774, 1817, 1866, 1904, 1938, 1980, 2057, 2097
October, 1917.....	1980, 1938, 2056, 2057, 2097, 2135, 2177
November, 1917.....	2135, 2177, 2238
Medical care of Federal employees—When injured in performance of duties.....	1125
Meningococcus carriers—Recognition and treatment.....	1175

	Page.
Mexico:	
Chihuahua—Cerebrospinal meningitis—Correction	1098
Merida—Yellow fever	1497
Vera Cruz—Cerebrospinal meningitis	2181
Yucatan—Peto—Yellow fever	1121, 1438
Michigan:	
Ann Arbor—Rabies	1858
Detroit—Smallpox outbreak	1935
Diphtheria. (See Diphtheria—State reports.)	
Measles. (See Measles—State reports.)	
Poliomyelitis	1195, 1283, 1421, 1639, 1857, 2044, 2230
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox—Vaccination history	1198, 1424, 1642, 1859, 2047, 2232
Typhoid fever	1203, 1431, 1647, 1863, 2052, 2236
Milk—Pasteurization advocated	1879
Milk and milk products:	
Fort Leavenworth zone	1960
Fort Ogleshorpe zone	1953
Milk-borne outbreak of typhoid fever—Chas. F. Bolduan and Chas. Krumwiede, jr.	1755
Minnesota:	
Cerebrospinal meningitis	1190, 1280, 1416, 1455, 1635, 1852, 2038, 2227
Current State summaries	1971, 2035, 2085
Diphtheria. (See Diphtheria—State reports.)	
Fort Snelling—Cerebrospinal meningitis	1416
Measles. (See Measles—State reports.)	
Pellagra	1638
Poliomyelitis	1113, 1194, 1195, 1283, 1421, 1457, 1639, 1857, 2044, 2230
Pope County—Poliomyelitis	1238
Ramsey County—Rabies in man	2231
Reciprocal notification	1189, 1414, 1634, 1851, 2226
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox	1090, 1114, 1160, 1196, 1240, 1322, 1384, 1422, 1490, 1539, 1641, 1686, 1739, 1811, 1858, 1899
Vaccination history	1199, 1425, 1643, 1860, 2048, 2233
Typhoid fever	1204, 1431, 1648, 1863, 2053, 2236
Mississippi:	
Biloxi—Leprosy	1807
Cerebrospinal meningitis	1233, 1485, 1852, 2038
Diphtheria	1533
(See also Diphtheria—State reports.)	
Greenwood—Typhoid fever	1688, 1936
Harrison County—Anthrax	1314
Malaria	1234, 1486, 1682, 1854, 2040
Measles. (See Measles—State reports.)	
Moselle—Typhoid fever	1541
Pellagra	1236, 1487, 1683, 1855, 2042
Poliomyelitis	1239, 1283, 1489, 1685, 1857, 2044
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox	1240, 1490, 1687, 1861, 2050
Tishomingo—	
Rabies	1382
Rabies (in animals)	1382
Typhoid fever	1242, 1492, 1689, 1864, 2053
Typhus fever	1691
Missouri:	
Columbia—Poliomyelitis	1159
Dysentery	1155, 1175
Kansas City—Rabies	1322, 1935
Poliomyelitis	1283, 1420
Mitzmahn, M. Bruin, technical assistant—Malaria parasite in the mosquito—Effects of low temperature and other factors on its development	1400
Montana:	
Alberton—Leprosy	1807
Butte—Scarlet fever	1976
Cerebrospinal meningitis	1316, 1416, 1852, 2086
Diphtheria. (See Diphtheria—State reports.)	
East Helena—Scarlet fever	1739, 1858
Helena—Scarlet fever	1739, 1858

		Page.
Montana—Continued.		
Measles. (See Measles—State reports.)		
Poliomyelitis	1284, 1321, 1421, 1685, 1857, 2090	
Rocky Mountain spotted fever	1322, 1422	
Sand Coulee—Dysentery		1636
Scarlet fever. (See Scarlet fever—State Reports.)		
Smallpox	1323, 2093	
Vaccination history	1426, 1686,	1860
Stockett—Dysentery		1636
Typhoid fever	1325, 1432, 1689, 1864,	2095
Morbidity reports—Communicable diseases—Camp Zachary Taylor zone		1843
Mortality—Venezuela:		
1916		1209
January-May, 1917		2061, 2062
Mosquitoes:		
Anopheles punctipennis—Ability to serve as host for plasmodium falciparum—Technical Asst. M. Bruin Mitzmain		1081
Camp Zachary Taylor zone		1844
Malaria parasite in—Effects of low temperature and other factors on its development—Technical Asst. M. Bruin Mitzmain		1400
N.		
Nebraska:		
Cedar County—Scarlet fever		1770
Cerebrospinal meningitis		1766
Omaha—Smallpox outbreak		1935
Poliomyelitis	1284, 1538,	1769
Smallpox	1540,	1771
Typhoid fever		1772
Neill, M. H., passed assistant surgeon—Experimental typhus fever in guinea pigs—Description of scrotal lesion		1105
Nesbitt, Chas. T., M. D.—Sewage disposal under rural conditions		1076
Nevada:		
Diphtheria. (See Diphtheria—State reports.)		
Humboldt County—Rocky Mountain spotted fever	1114, 1322	
Malaria		2088
Measles. (See Measles—State reports.)		
Rocky Mountain spotted fever	1089, 1239, 1422	
Scarlet fever. (See Scarlet fever—State reports.)		
Smallpox	1091, 1241, 1427, 1687, 2093	
Typhoid fever	1093, 1243, 1432, 1689, 2095,	2096
Washoe County—Rocky Mountain spotted fever		2091
White Pine County—Leprosy		1317
New Hampshire:		
Manchester—Anthrax		1485
Poliomyelitis		1284
New Jersey:		
Anthrax		1190
Cerebrospinal meningitis	1191, 1416, 1635, 1852,	2038
Diphtheria. (See Diphtheria—State reports.)		
Essex County—Anthrax		2038
Jersey City—		
Anthrax		1378
Smallpox, correction		2131
Malaria	1192, 1418, 1637, 1854,	2040
Measles. (See Measles—State reports.)		
Newark—Rabies in man		2045
Orange—Rabies in animals		1976
Poliomyelitis	1195, 1284, 1421, 1639, 1857,	2044
Scarlet fever. (See Scarlet fever—State reports.)		
Smallpox		1202
Tetanus		2235
Typhoid fever	1204, 1432, 1648, 1865,	2053
New Mexico—San Juan Navajo Reservation—Smallpox		2091
New York:		
Cerebrospinal meningitis	1085, 1280, 1379, 1681,	1894
Diphtheria. (See Diphtheria—State reports.)		
Endicott—Anthrax		1315

New York—Continued.

Measles. (<i>See</i> Measles—State reports.)	
New York City—	Page.
Leprosy.....	1086, 1234
Poliomyelitis.....	1113
Typhus fever.....	1388, 1459, 1817, 1938, 1980
Poliomyelitis.....	1088, 1284, 1285, 1381, 1685, 1898
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	
Smallpox.....	1899
Vaccination history.....	1090, 1286, 1384, 1686
Syracuse—Leprosy.....	1486
Typhoid fever.....	1093, 1287, 1386, 1690, 1902
North Carolina:	
Malaria—Prevalence and geographic distribution.....	1128
Poliomyelitis.....	1284
North Dakota:	
Cerebrospinal meningitis.....	2038
Diphtheria. (<i>See</i> Diphtheria—State reports.)	
Measles. (<i>See</i> Measles—State reports.)	
Poliomyelitis.....	1421, 1685, 1857, 2044
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	
Smallpox.....	1091, 1241, 1427, 1687, 1861, 2050
Typhoid fever.....	1093, 1243, 1432, 1690, 1865, 2054
Norway—Leprosy—1910 and 1911–1915.....	2139
Notifiable diseases—Prevalence:	
In cities of 10,000 to 100,000 during 1916.....	1346
In States during 1916.....	1506
Nuisances—Camp Zachary Taylor zone.....	1847, 1849

O.

Oglethorpe, Fort—Disease cases reported. (*See* Extra-cantonment zones.)

Ohio:

Akron—Smallpox.....	2131
Belmont County—Poliomyelitis.....	1088
Cerebrospinal meningitis.....	1191, 1379, 1635, 1806, 2038, 2227
Chillicothe—Smallpox.....	1811
Cincinnati—Rabies.....	1160, 1196
Diphtheria. (<i>See</i> Diphtheria—State reports.)	
Malaria.....	1637, 1807, 2229
Measles. (<i>See</i> Measles—State reports.)	
Poliomyelitis.....	1075, 1195, 1284, 1320, 1381, 1420, 1489, 1640, 1810, 2044, 2330
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	
Smallpox—Vaccination history.....	1201, 1384, 1643, 1812, 2049, 2233
Springfield—Public health administration—Surg. Carroll Fox.....	1255
Typhoid fever.....	1204, 1387, 1648, 1814, 2054, 2236
Uhrichsville—Poliomyelitis.....	1194

Oregon:

Cerebrospinal meningitis.....	1085, 1191, 1931
Diphtheria. (<i>See</i> Diphtheria—State reports.)	
Measles. (<i>See</i> Measles—State reports.)	
Pellagra.....	1808
Poliomyelitis.....	1089, 1195, 1810, 1934, 2174
Portland—	
Poliomyelitis.....	1809
Smallpox—Correction.....	1539
Rocky Mountain spotted fever.....	1089, 1196
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	
Smallpox.....	1091, 1202, 1323, 1490, 2175
Typhoid fever.....	1093, 1205, 1325, 1492, 1814, 1937

P.

Pacific States—Hay fever—Cause and prevention—Dr. Wm. Scheppegegrell.....	1135
Paratyphoid fever—Cyprus—Year 1916.....	1908
Pasteurization of milk advocated.....	1879

		Page.
Pellagra:		
Alabama	1111, 1282, 1768, 1896,	2089
Arkansas		1236, 2043
California	1087, 1419, 2089,	2220
City reports for week ended—		
June 16, 1917		1087
June 23, 1917		1112
June 30, 1917		1158
July 7, 1917		1193
July 14, 1917		1237
July 21, 1917		1282
July 28, 1917		1319
August 4, 1917		1381
August 11, 1917		1419
August 18, 1917		1457
August 25, 1917		1488
September 1, 1917		1537
September 8, 1917		1638
September 15, 1917		1684
September 22, 1917		1737
September 29, 1917		1768
October 6, 1917		1808
October 13, 1917		1855
October 20, 1917		1897
October 27, 1917		1933
November 3, 1917		1975
November 10, 1917		2043
November 17, 1917		2089
November 24, 1917		2129
December 1, 1917		2173
December 8, 1917		2230
Connecticut	1236, 1419, 1638,	1896
District of Columbia	1157, 1318, 1536, 1855,	1933
Kansas	1193, 1419, 1638, 1808,	2042
Louisiana	1193, 1419, 1638, 1855,	2042, 2229
Maine		1638
Maryland	1157, 1380, 1536, 1768,	2173
Massachusetts	1157, 1318, 1536, 1768,	1933, 2128
Minnesota		1638
Mississippi	1236, 1487, 1683, 1855,	2042
Oregon		1808
Pennsylvania	1380, 1808,	2042
South Carolina	1236, 1419, 1855, 2042,	2089, 2229
Vermont		1318
Virginia	1157, 1319, 1536, 1737,	1974, 2128
West Virginia	1157, 1318, 1638, 1808,	1974
Pennsylvania:		
Cerebrospinal meningitis	1233, 1379, 1635, 1806,	2038, 2227
Diphtheria. (See Diphtheria—State reports.)		
Malaria	1235, 1380, 1637, 1807,	2040, 2229
Measles. (See Measles—State reports.)		
Pellagra	1380, 1808,	2042
Pittsburgh—		
Polomyelitis		1639
Rabies		1935, 2130
Polomyelitis	1239, 1284, 1382, 1420, 1640, 1810,	2044, 2230
Scarlet fever. (See Scarlet fever—State reports.)		
Smallpox	1241, 1385, 1644, 1813,	2050, 2234
Typhoid fever	1243, 1387, 1649, 1815,	2054, 2237
Williamsport—Leprosy		1973
Persia—Cholera—July-August, 1917		1909
Peru—Plague		1170
June-July, 1917		1909
Philippine Islands—Cebu—Cauit—Quarantine station—Executive order.		1127
Pike, camp—Disease cases reported. (See Extra-cantonment zones.)		

Plague:

Arabia—Aden	1169
California—	
Alameda County—Squirrels infected found.....	1087, 1158, 1194, 1237
Plague-infected squirrels found.....	1112
San Benito County—Squirrel infected found.....	1087, 1158
China—	
Hongkong.....	1292
Rats examined.....	1292, 1437, 1655, 1942, 1984, 2181
Rats infected found.....	1292, 1437, 1655, 1942, 2245
Shanghai—Rats examined.....	1121, 1437, 1942, 2139
Deratization of vessels—Italy—Naples.....	1438
Ecuador.....	1821
February, March, April, 1917.....	1463
Egypt.....	1392
Foreign reports—	
Cumulative table.....	1123,
1172, 1211, 1250, 1295, 1333, 1394, 1441, 1467, 1499, 1551, 1637, 1698,	
1749, 1781, 1825, 1873, 1912, 1946, 1986, 2065, 2103, 2142, 2184, 2245	
Weekly table.....	1098, 1122,
1171, 1209, 1248, 1293, 1332, 1393, 1439, 1464, 1497, 1550, 1656, 1695,	
1747, 1779, 1823, 1871, 1910, 1943, 1984, 2063, 2101, 2140, 2182, 2243	
Great Britain—	
Gravesend—On steamship Matiana.....	1463
Liverpool—Rats examined.....	1942
London—On steamship Sardinia.....	1121
Hawaii—	
Kukaiau.....	1457
Rats infected found.....	1381, 1856
Pauuhau—Rats infected found.....	1194, 1381, 1856
Indo-China—	
February, 1917.....	1292
March, 1917.....	1437
July, 1917.....	1908
August, 1917.....	2242
Japan—January-July, 1917.....	1822
Peru.....	1170
June-July, 1917.....	1909
Rodent destruction on ships—Report on relative efficiency of fumigants—Asst. Surg. Gen. R. H. Creel and Passed Asst. Surg. F. French Simpson.....	1445
Turkey in Asia—Trebizond.....	2139
Union of South Africa—	
Cape of Good Hope State.....	1331, 1778
Glengrey district.....	1392
Orange Free State.....	1293
Washington—Seattle—Rats infected found.....	1319
Pneumonia—City reports for week ended:	
June 16, 1917.....	1088
June 23, 1917.....	1112
June 30, 1917.....	1158
July 7, 1917.....	1194
July 14, 1917.....	1237
July 21, 1917.....	1282
July 28, 1917.....	1319
July 28, 1917.....	1319
August 4, 1917.....	1381
August 11, 1917.....	1419
August 18, 1917.....	1457
August 25, 1917.....	1488
September 1, 1917.....	1537
September 8, 1917.....	1638
September 15, 1917.....	1684
September 22, 1917.....	1737
September 29, 1917.....	1768
October 6, 1917.....	1809
October 13, 1917.....	1856
October 20, 1917.....	1897
October 27, 1917.....	1934

Pneumonia—Continued.	Page.
November 3, 1917	1975
November 10, 1917	2043
November 17, 1917	2090
November 24, 1917	2129
December 1, 1917	2173
December 8, 1917	2230
Poliomyelitis:	
Alabama	1113, 1283, 1285, 1420, 1488, 1640, 1770, 1898, 2090
Ragland	1237
Arizona	1488
Arkansas	2045
Australia	1663
California	1088,
	1237, 1283, 1320, 1421, 1488, 1538, 1856, 2090, 2091, 2230
Chosen	1399
City reports for week ended—	
June 16, 1917	1089
June 23, 1917	1113
June 30, 1917	1160
July 7, 1917	1196
July 14, 1917	1239
July 21, 1917	1285
July 28, 1917	1321
August 4, 1917	1382
August 11, 1917	1421
August 18, 1917	1457
August 25, 1917	1490
September 1, 1917	1539
September 8, 1917	1641
September 15, 1917	1685
September 22, 1917	1739
September 29, 1917	1770
October 6, 1917	1811
October 13, 1917	1857
October 20, 1917	1898
October 27, 1917	1934
November 3, 1917	1976
November 10, 1917	2045
November 17, 1917	2091
November 24, 1917	2130
December 1, 1917	2174
December 8, 1917	2231
Colorado	1856, 2090
Connecticut	1113, 1194, 1283, 1320, 1420, 1421, 1488, 1639, 1898, 2090
New Britain	1237
Delaware	1283, 1320, 1420
Diagnosis—Passed Asst. Surg. J. P. Leake	1831
District of Columbia	1538, 1934
Hawaii	1113, 1738
Idaho	1159
Illinois	1112, 1283,
	1320, 1420, 1488, 1738, 1769, 1809,
	1856, 1897, 1975, 2044, 2090, 2129
Chicago	1238, 1537
Cook County	1639, 1684
Indiana	1088, 1239, 1283, 1489, 1685, 1809, 1898, 2129
Iowa	1088, 1283, 1420, 1421, 1685, 1856, 2044
Japan	1104
Kansas	1195, 1238, 1283, 1320, 1420, 1421, 1488, 1639, 1738, 1809, 1810, 2044
Kansas City	1158
Kentucky	1283, 1320
Louisiana	1195, 1283, 1857, 2044
Maine	1421, 1639, 2044
Maryland	1159, 1238, 1283, 1320, 1381, 1420, 1489, 1538, 1769, 1975
Massachusetts	1113, 1159,
	1194, 1283, 1320, 1321, 1420, 1489, 1537, 1538, 1769, 1934, 2129
Haverhill	1158, 1238
Lynn	1238

Poliomyelitis—Continued.

	Page.
Michigan.....	1195, 1283, 1421, 1639, 1857, 2044, 2230
Minnesota.....	1113, 1194, 1195, 1283, 1421, 1457, 1639, 1857, 2044, 2230
Pope County.....	1238
Mississippi.....	1239, 1283, 1489, 1685, 1857, 2044
Missouri.....	1283, 1420
Columbia.....	1159
Montana.....	1284, 1321, 1421, 1685, 1857, 2090
Nebraska.....	1284, 1538, 1769
New Hampshire.....	1284
New Jersey.....	1195, 1284, 1421, 1639, 1857, 2044
New York.....	1088, 1284, 1285, 1381, 1685, 1898
New York City.....	1113
North Carolina.....	1284
North Dakota.....	1421, 1685, 1857, 2044
Ohio.....	1075, 1195, 1284, 1320, 1381, 1420, 1489, 1640, 1810, 2044, 2230
Belmont County.....	1088
Urichsville.....	1194
Oregon.....	1089, 1195, 1810, 1934, 2174
Portland.....	1800
Pennsylvania.....	1239, 1284, 1382, 1420, 1640, 1810, 2044, 2230
Pittsburgh.....	1639
Prevalence.....	1253, 1337
Rhode Island.....	1284, 1640, 1857, 2045, 2231
South Carolina.....	1239, 1284, 1857, 2045, 2231
South Dakota.....	1195, 1284, 1421, 1685, 1857, 2130
Texas.....	1420
Vermont.....	1113, 1159,
1195, 1238, 1284, 1321, 1420, 1489, 1537, 1640, 1738, 1769, 2045, 2174	
Virginia.....	1160, 1238,
1284, 1320, 1321, 1420, 1489, 1538, 1639, 1738, 1769, 1975, 2130	
Rockingham County.....	1195
Theological Seminary.....	1159
Washington.....	1113, 1284, 1420, 1934, 2091, 2130
West Virginia.....	1150, 1238,
1284, 1320, 1321, 1420, 1489, 1640, 1684, 1738, 1769, 1810, 1975, 2174	
Monongah.....	1195
Winter outbreak—Elkins, W. Va., 1916-17—Passed Asst. Surg. J. P. Leake, Passed Asst. Surg. Joseph Boltin, and Asst. Surg. H. F. Smith.....	1995
Wisconsin.....	1159, 1285, 1382, 1538, 1898, 1975, 2231
Cottage Grove.....	1159
Wyoming.....	1239, 1285, 1421
Preble, Paul, passed assistant surgeon—Appropriations for city health departments.....	2072
Privies—Fort Leavenworth zone.....	1957
Privies and cesspools—Camp Zachary Taylor zone.....	1846
Prostitution—Camp Zachary Taylor zone.....	2079
Public health administration:	
Illinois—Quincy—Surg. Carroll Fox.....	1665
Ohio—Springfield—Surg. Carroll Fox.....	1255
Russia, 1917—Prof. C.-E. A. Winslow.....	2191
Public health laboratory specimens—Preparation and shipment—Passed Asst. Surg. H. E. Hasseltine.....	2016

Q.

Quarantine service—Virgin Islands—Placed under Public Health Service by Executive order.....	1705
Quarantine station—Philippine Islands—Cebu—Cauit—Executive order.....	1127

R.

Rabies:

Connecticut—New Britain.....	1422
Kentucky—Louisville.....	1898
Michigan—Ann Arbor.....	1858
Minnesota—Ramsey County.....	2231
Mississippi—Tishomingo.....	1382
Missouri—Kansas City.....	1322, 1935

Rabies—Continued.	Page.
New Jersey—Newark	2045
Ohio—Cincinnati	1160, 1196
Pennsylvania—Pittsburgh	1935, 2130
Tennessee—	
Memphis	1160
Nashville	2130
Wisconsin—Milwaukee	1935, 1976, 2091
Rabies in animals:	
Alabama	2130
City reports for week ended—	
June 16, 1917	1089
June 23, 1917	1114
June 30, 1917	1160
July 7, 1917	1196
City reports for week ended—	
July 14, 1917	1239
July 21, 1917	1285
July 28, 1917	1322
August 4, 1917	1383
August 11, 1917	1422
August 18, 1917	1458
September 8, 1917	1641
September 15, 1917	1685
September 22, 1917	1739
September 29, 1917	1770
October 6, 1917	1811
October 13, 1917	1858
October 20, 1917	1898
November 10, 1917	2045
November 24, 1917	2130
December 8, 1917	2231
Florida—Jacksonville	1382
Massachusetts—Brockton	1976
Mississippi—Tishomingo	1382
New Jersey—Orange	1976
Washington	1383
West Virginia	1383
Wisconsin—Milwaukee	1976
Reciprocal notification:	
California	2035
Massachusetts	1971, 2226
Minnesota	1189, 1414, 1634, 1851, 2036, 2226
Rhode Island:	
Cerebrospinal meningitis	1635, 1852, 2038, 2039, 2228
Diphtheria. (See Diphtheria—State reports.)	
Measles. (See Measles—State reports.)	
Newport—Diphtheria	1280, 1316
Newport and vicinity—Diphtheria epidemic—Surg. G. W. McCoy,	
Passed Asst. Surg. Joseph Boltin, and H. S. Bernstein	1787
Poliomyelitis	1284, 1640, 1857, 2045, 2231
Providence—Leprosy	1534
Scarlet fever. (See Scarlet Fever—State reports.)	
Typhoid fever	1649, 1865, 2055, 2237
Rocky Mountain spotted fever:	
Colorado	1422
Kansas—Hoxie	1811, 2046
Montana	1322, 1422
Nevada	1089, 1239, 1422
Humboldt County	1114, 1322
Washoe County	2091
Oregon	1089, 1196
Washington	1114
Spokane	2046
Wyoming	1089, 1239, 1422
Rocky Mountain States—Hay fever—Cause and prevention— Dr. Wm.	
Scheppegegrell	1135
Rodent destruction on ships—Report on relative efficiency of fumigants—	
Asst. Surg. Gen. R. H. Creel and Passed Asst. Surg. Fiench Simpson	1445

Russia:	Page.
Poland—Typhus fever.....	1942
Public health administration in 1917—Prof. C.-E. A. Winslow.....	2191
S.	
Salvarsan—Manufacture.....	2071
Sanitary inspectors—Camp Zachary Taylor zone.....	1849
Scarlet fever:	
City reports for week ended—	
June 16, 1917.....	1094
June 23, 1917.....	1117
June 30, 1917.....	1165
July 7, 1917.....	1206
July 14, 1917.....	1245
July 21, 1917.....	1289
July 28, 1917.....	1328
August 4, 1917.....	1389
August 11, 1917.....	1434
August 18, 1917.....	1460
August 25, 1917.....	1493
September 1, 1917.....	1545
September 8, 1917.....	1652
September 15, 1917.....	1692
September 22, 1917.....	1743
September 29, 1917.....	1775
October 6, 1917.....	1817
October 13, 1917.....	1867
October 20, 1917.....	1904
October 27, 1917.....	1939
November 3, 1917.....	1980
November 10, 1917.....	2057
November 17, 1917.....	2098
November 24, 1917.....	2136
December 1, 1917.....	2178
December 8, 1917.....	2239
Illinois—Carbondale.....	1858
Kentucky—Mason County.....	1686
Montana—	
Butte.....	1976
East Helena.....	1739, 1858
Helena.....	1739, 1858
Nebraska—Cedar County.....	1770
State reports for—	
January, 1917.....	1165
February, 1917.....	1165
March, 1917.....	1165
April, 1917.....	1165
May, 1917.....	1094, 1117, 1165, 1205, 1245, 1328
June, 1917.....	1165, 1205, 1244, 1288, 1327, 1433, 1545, 2057
July, 1917.....	1327, 1388, 1433, 1493, 1545, 1651, 2057, 2097
August, 1917.....	1545, 1651, 1691, 1743, 1774, 1817, 2097, 2057
September, 1917.....	1774, 1817, 1866, 1904, 1938, 1980, 2057, 2097
October, 1917.....	1938, 1980, 2056, 2057, 2097, 2135, 2177
November, 1917.....	2135, 2177, 2238
Washington—Vancouver.....	2046
Scheppegrell, Wm. M. D.—Hay fever—Rocky Mountain and Pacific States—Cause and prevention.....	1135
Schereschewsky, J. W., surgeon—Trinitrotoluol—Practical points in its safe handling.....	1919
Septic sore throat—Massachusetts.....	1422
Sevier, camp—Disease cases reported. (See Extra-cantonment zones.)	
Sewage disposal—Under rural conditions—Dr. Chas. T. Nesbitt.....	1076
Sewer connections:	
Camp Zachary Taylor zone.....	1847
Fort Leavenworth zone.....	1957
Shelby, camp:	
Disease cases reported. (See Extra-cantonment zones.)	
Near Hattiesburg, Miss.—Sanitation of extra-cantonment zone—Passed Asst. Surg. J. A. Watkins.....	2149

	Page.
Sheridan, camp—Disease cases reported. (See Extra-cantonment zones.)	
Sherman, camp—Disease cases reported. (See Extra-cantonment zones.)	
Shipping case for water samples—Changes in stored samples of water— Asst. Surg. R. R. Spencer and Sanitary Engineer H. P. Letton-----	1476
Simpson, Fiench, passed assistant surgeon—Rodent destruction on ships—Report on relative efficiency of fumigants-----	1445
Simulation of disease—Drugs, chemicals, and septic materials used there- for—Technical Asst. A. G. DuMez-----	1887
Smallpox:	
Alabama-----	1114, 1286, 1644, 1771, 1811, 1899, 2093
Arizona—	
Douglas—Virulent type-----	1075, 1089
Moqui Indian reservation-----	1770
Navajo Indian reservation-----	1770
Arkansas-----	1240, 1739, 2050
Pulaski County-----	1322
Truman-----	1858
City reports for week ended—	
June 16, 1917-----	1092
June 23, 1917-----	1115
June 30, 1917-----	1162
July 7, 1917-----	1202
July 14, 1917-----	1241
July 21, 1917-----	1286
July 28, 1917-----	1324
August 4, 1917-----	1385
August 11, 1917-----	1428
August 18, 1917-----	1458
August 25, 1917-----	1491
September 1, 1917-----	1540
September 8, 1917-----	1644
September 15, 1917-----	1687
September 22, 1917-----	1740
September 29, 1917-----	1771
October 6, 1917-----	1813
October 13, 1917-----	1861
October 20, 1917-----	1899
October 27, 1917-----	1936
November 3, 1917-----	1977
November 10, 1917-----	2051
November 17, 1917-----	2093
November 24, 1917-----	2132
December 1, 1917-----	2175
December 8, 1917-----	2235
Connecticut-----	1114, 1240, 1427, 1644, 1899, 2093
Bridgeport-----	2131
Foreign reports—	
Cumulative table-----	1123,
1173, 1211, 1250, 1296, 1334, 1395, 1442, 1468, 1500, 1553, 1639, 1699,	
1750, 1782, 1826, 1874, 1914, 1947, 1988, 2066, 2105, 2144, 2186, 2247	
Weekly table-----	1099, 1122,
1171, 1210, 1249, 1294, 1332, 1393, 1439, 1465, 1498, 1550, 1636, 1696,	
1747, 1779, 1823, 1871, 1910, 1943, 1985, 2063, 2101, 2140, 2182, 2243	
Germany-----	1170
Idaho-----	1161
Illinois-----	1739
Cairo-----	1090
Caseyville-----	1858
Galatia-----	1858
Indiana-----	1091, 1240, 1490, 1687, 1899, 2131
Correction-----	1196
Elwood-----	1770
Fort Wayne-----	1770, 1935
Indo-China—	
February, 1917-----	1292
March, 1917-----	1437
July, 1917-----	1908
August, 1917-----	2242

Smallpox—Continued.		Page.
Iowa	1091, 1240, 1427, 1687, 1860, 2050	2231
Decatur County		2231
Polk County		2231
Kansas—Leavenworth		1899
Louisiana	1202, 1427, 1644, 1861, 2050, 2234	2231
Maine	1427, 1644, 1861, 2050, 2231	2174, 2232
Eastport		1935
Gardiner		2174
Maryland	1976, 2046, 2131, 2174	1239
Massachusetts—Virulent smallpox		1935
Michigan—Detroit		1090, 1114, 1160, 1196, 1240, 1322, 1384, 1422, 1490, 1539, 1641, 1686, 1739, 1811, 1858, 1899
Minnesota	1240, 1490, 1687, 1861, 2050	1323, 2093
Mississippi		1540, 1771
Montana		1935
Nebraska		1091, 1241, 1427, 1687, 2093
Omaha		1202
Nevada		2131
New Jersey		2091
Jersey City, correction		1899
New Mexico—San Juan Navajo Reservation		1091, 1241, 1427, 1687, 1861, 2050
New York		
North Dakota		
Ohio—		
Akron		2131
Chillicothe		1811
Oregon	1091, 1202, 1323, 1490, 2175	1539
Portland—Correction		1241, 1385, 1644, 1813, 2050, 2234
Pennsylvania	1241, 1427, 1861, 2050, 2093, 2234	1202, 1427, 1687, 1861, 2131
South Carolina		1899
South Dakota		2124
Texas—Eagle Pass		1993
United States—Prevalence		
Vaccination against—Kind of vaccine to use and how to use it		
Vaccination history—		
California	1090, 1423, 1539, 1859, 2092, 2232	
Colorado	1323, 1423, 1686, 1859, 2092	
Kansas	1197, 1423, 1642, 1812, 2046	
Maryland		1161, 2175
Massachusetts	1161, 1384, 1539, 1812, 2175	
Michigan	1198, 1424, 1642, 1859, 2047, 2232	
Minnesota	1199, 1425, 1643, 1860, 2048, 2233	
Montana		1426, 1686, 1860
New York	1090, 1286, 1384, 1686	
Ohio	1201, 1384, 1643, 1812, 2049, 2233	
Vermont		1161, 1323
Virginia	1161, 1323, 1540, 1740, 1977, 2131	
Washington	1114, 1241, 1771, 1935, 2093, 2131	
West Virginia	1161, 1323, 1644, 1813, 1977, 2175	
Wisconsin	1161, 1385, 1540, 1899, 1977, 2234	
Barron County—Correction		1641
Sparta		1384
Wyoming	1091, 1241, 1427, 1687, 1861, 2050	
Lusk		1490
Smith, H. F., assistant surgeon—Winter outbreak of poliomyelitis—		
Elkins, W. Va., 1916-17		1995
South Carolina:		
Bennettsville—Leprosy		2172
Cerebrospinal meningitis	1416, 1852, 2038, 2228	
Current State summaries		2085
Diphtheria. (See Diphtheria—State reports.)		
Malaria	1235, 1418, 1854, 2041, 2088, 2229	
Measles. (See Measles—State reports.)		
Pellagra	1236, 1419, 1855, 2042, 2089, 2229	
Poliomyelitis	1239, 1284, 1857, 2045, 2231	
Scarlet fever. (See Scarlet fever—State reports.)		
Smallpox	1241, 1427, 1861, 2050, 2093, 2234	

South Carolina—Continued.	Page.
Spartanburg County—Typhoid fever	1901
Typhoid fever	1243, 1432, 1865, 2055, 2096, 2237
South Dakota :	
Cerebrospinal meningitis	1191, 1416, 2126
Diphtheria. (<i>See</i> Diphtheria—State reports.)	
Measles. (<i>See</i> Measles—State reports.)	
Mitchell—Anthrax	1315
Pollomyelitis	1195, 1284, 1421, 1685, 1857, 2130
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	
Smallpox	1202, 1427, 1687, 1861, 2131
Typhoid fever	1204, 1432, 1690, 1865, 2133
Spencer, R. R., assistant surgeon—New water sample shipping case—	
Observations on changes in stored samples of water	1476
State summaries. (<i>See</i> names of States.)	
Stiles, C. W., professor of zoology—Certain military aspects of hookworm disease	1299
Stokes, Wm. Royal, M. D.—Typhoid fever spread by chronic carriers	1926

T.

Taylor, Zachary, camp—Disease cases reported. (<i>See</i> Extra-cantonment zones.)	
Tennessee :	
Chattanooga—Typhoid fever	1287, 1386, 1458
Chattanooga and vicinity—Typhoid fever	1541
Dysentery	1155
Malaria—Prevalence and geographic distribution	1339
Memphis—Rabies	1160
Nashville—	
Rabies	2130
Typhoid fever	1253
Tazewell—Typhoid fever	2094
Tetanus :	
City reports for week ended—	
June 16, 1917	1092
June 23, 1917	1115
June 30, 1917	1162
July 7, 1917	1202
July 14, 1917	1242
July 21, 1917	1286
July 28, 1917	1324
August 4, 1917	1385
August 11, 1917	1428
August 18, 1917	1458
August 25, 1917	1491
September 1, 1917	1540
September 8, 1917	1645
September 15, 1917	1688
September 22, 1917	1740
September 29, 1917	1771
October 6, 1917	1813
October 13, 1917	1861
October 20, 1917	1900
October 27, 1917	1936
November 3, 1917	1977
November 10, 1917	2051
November 17, 1917	2093
November 24, 1917	2132
December 1, 1917	2176
December 8, 1917	2235
In court-plaster	1445
Results of bacteriological examination of 14 specimens—Surg.	
G. W. McCoy, Passed Asst. Surg. J. P. Leake, and Sanitary	
Bacteriologist H. B. Corbitt	1450
New Jersey	2235

	Page.
Texas:	
Eagle Pass—Smallpox	1899
Galveston—Leprosy	2172
Poliomyelitis	1420
Refugio County—Anthrax	1315
Victoria—Anthrax	1379
Texas, southern—Malaria—Prevalence and geographic distribution.....	1301
Tidewater health district—Disease cases reported. (See Extra-cantonment zones.)	
Trachoma:	
Alabama—Camden	1900
Arizona—Nogales	1936
Cyprus—Year 1916.....	1908
Florida	1900
Trachoma and the Army—Dangers incident to enlisting recruits affected with trachoma—Surg. John McMullen.....	1101
Trinitrotoluol—Practical points in its safe handling—Surg. J. W. Schereschewsky	1919
Tuberculosis—City reports for week ended:	
June 16, 1917.....	1094
June 23, 1917.....	1117
June 30, 1917.....	1165
July 7, 1917.....	1206
July 14, 1917.....	1245
July 21, 1917.....	1289
July 28, 1917.....	1328
August 4, 1917.....	1389
August 11, 1917.....	1434
August 18, 1917.....	1460
August 25, 1917.....	1493
September 1, 1917.....	1544
September 8, 1917.....	1652
September 15, 1917.....	1692
September 22, 1917.....	1743
September 29, 1917.....	1775
October 6, 1917.....	1817
October 13, 1917.....	1867
October 20, 1917.....	1904
October 27, 1917.....	1939
November 3, 1917.....	1980
November 10, 1917.....	2057
November 17, 1917.....	2098
November 24, 1917.....	2136
December 1, 1917.....	2178
December 8, 1917.....	2239
Tuck, Davis H., assistant physicist—Lighting of industrial establishments	1761
Turkey in Asia—Trebizond—Plague.....	2139
Typhoid fever:	
Alabama.....	1115, 1287, 1650, 1773, 1901, 2094
Arkansas	1244, 2055
Paragould	1428
California.....	1092, 1429, 1543, 1862, 2094, 2095, 2235
San Francisco, on steamship.....	1977
City reports for week ended—	
June 16, 1917.....	1093
June 23, 1917.....	1116
June 30, 1917.....	1164
July 7, 1917.....	1205
July 14, 1917.....	1244
July 21, 1917.....	1288
July 28, 1917.....	1326
August 4, 1917.....	1388
August 11, 1917.....	1432
August 18, 1917.....	1459
August 25, 1917.....	1492
September 1, 1917.....	1544
September 8, 1917	1650

Typhoid fever—Continued.

City reports for week ended—		Page.
September 15, 1917	-----	1690
September 22, 1917	-----	1742
September 29, 1917	-----	1773
October 6, 1917	-----	1816
October 13, 1917	-----	1865
October 20, 1917	-----	1903
October 27, 1917	-----	1938
November 3, 1917	-----	1979
November 10, 1917	-----	2056
November 17, 1917	-----	2097
November 24, 1917	-----	2134
December 1, 1917	-----	2177
December 8, 1917	-----	2238
Colorado	1325, 1326, 1429, 1688, 1862	2095
Connecticut	1116, 1242, 1429, 1645, 1901,	2095
Cuba—Habana—Comparative statement, 1913-1917	-----	1821
Cyprus—Year 1916	-----	1908
District of Columbia	1162, 1324, 1542, 1862,	1937
Examination of urine and feces of convalescent patients—Camp Zachary Taylor zone	-----	1843
Georgia—Macon	-----	1688
Great Britain—Birmingham—Comparative statement 1901-1916	-----	1870
Hawaii	1116, 1491,	1741
Castner	-----	1900
Idaho	-----	1163
Indiana	1093, 1242, 1491, 1688, 1902,	2132
Bartholomew County	-----	1771
Michigan City	-----	1814
South Bend	-----	1645
Outbreak	-----	1540
Kansas	1203, 1429, 1645, 1814,	2051
Leavenworth	1385, 1428, 1458,	1901
Leavenworth County	-----	1541
Louisiana	1203, 1430, 1647, 1862, 2052,	2236
Maine	1431, 1432, 1647, 1862,	2052
Maryland	1162, 1386, 1542, 1772, 1978,	2176
Loch Raven—Maryland school for boys	-----	1740
Massachusetts	1163, 1324, 1542, 1772, 1937,	2133
Erving	-----	1772
Gardner	-----	1428, 1772
Gloucester	-----	1688
Tewksbury	-----	1688
Tewksbury State Infirmary	-----	1740, 1772
Michigan	1203, 1431, 1647, 1863, 2052,	2236
Milk-borne outbreak—Chas. F. Bolduan and Chas. Krumwiede, Jr.	-----	1755
Minnesota	1204, 1431, 1648, 1863, 2053,	2236
Mississippi	1242, 1492, 1689, 1864,	2053
Greenwood	-----	1688, 1936
Moselle	-----	1541
Montana	1325, 1432, 1689, 1864,	2095
Nebraska	-----	1772
Nevada	1093, 1243, 1432, 1689, 2095,	2096
New Jersey	1204, 1432, 1648, 1865,	2053
New York	1093, 1287, 1386, 1690,	1902
North Dakota	1093, 1243, 1432, 1690, 1865,	2054
Ohio	1204, 1387, 1648, 1814,	2054, 2236
Oregon	1093, 1205, 1325, 1492, 1814,	1937, 2176
Pennsylvania	1243, 1387, 1649, 1815,	2054, 2237
Rhode Island	1649, 1865,	2055, 2237
South Carolina	1243, 1432, 1865, 2055,	2096, 2237
Spartanburg County	-----	1901
South Dakota	1204, 1432, 1690, 1865,	2133
Spread by chronic carriers—Dr. Wm. Royal Stokes and Dr. F. W. Hachtel	-----	1926

Typhoid fever—Continued.

Tennessee—	Page.
Chattanooga	1287, 1386, 1458
Chattanooga and vicinity	1541
Nashville	1253
Tazewell	2094
Vermont	1163, 1325, 1649, 1772, 2055, 2176
Virginia	1164, 1325, 1543, 1741, 1978, 2133
Washington	1116, 1243, 1773, 1937, 2096, 2134
West Virginia	1163, 1325, 1649, 1815, 1979, 2176
Charleston—Epidemic April-June, 1917—Epidemiologist A. W. Freeman	1306
Wisconsin	1163, 1387, 1542, 1903, 1979, 2237
Wyoming	1093, 1243, 1432, 1690, 1865, 2055
Typhus fever:	
Austria-Hungary	1169
Colorado	1327
Foreign reports—	
Cumulative table	1124, 1174, 1213, 1252, 1297, 1335, 1397, 1444, 1470, 1502, 1555, 1661, 1701, 1752, 1784, 1829, 1877, 1916, 1950, 1991, 2069, 2107, 2147, 2188, 2250
Weekly table	1090, 1122, 1172, 1210, 1249, 1294, 1332, 1394, 1440, 1465, 1498, 1550, 1656, 1696, 1747, 1779, 1823, 1871, 1911, 1944, 1985, 2063, 2101, 2141, 2182, 2244
Germany	1170
Kentucky—Louisville	2135
Mississippi	1691
New York—New York City	1388, 1459, 1817, 1938, 1980
Russia—Poland	1942
Union of South Africa—	
Cape of Good Hope State	1909
East London	1655
Utah—Ogden	1165
Typhus fever, experimental—In guinea pigs—Description of scrotal lesion—Passed Asst. Surg. M. H. Neill	1105

U.

Union of South Africa:	
Cape of Good Hope State—	
Plague	1331, 1778
Typhus fever	1909
East London—Typhus fever	1655
Glengrey district—Plague	1392
Orange Free State—Plague	1293
United States:	
Employees—Medical care when injured in performance of duties	1125
Smallpox—Prevalence	2124
Utah—Ogden—Typhus fever	1165

V.

Vaccination against smallpox—Kind of vaccine to use and how to use it	1993
Vaccine virus—Propagation and sale in interstate traffic	2191
Vegetables and fruits—Camp Zachary Taylor zone	1845
Venereal diseases:	
Camp Funston zone	1956
Camp Zachary Taylor zone	2079
Fort Leavenworth zone	1956
Venezuela:	
Coro and vicinity—Yellow fever	1695
Mortality, 1916	1209
Mortality, January-May, 1917	2061, 2062
Quarantine against, by Cuba, removed	1655
Ventilation of ships—After fumigation with hydrocyanic acid gas—Surg. S. B. Grubbs	1757
Vermont:	
Diphtheria. (See Diphtheria—State reports.)	
Measles. (See Measles—State reports.)	

Vermont—Continued.

	Page.
Pellagra	1318
Poliomyelitis	1113, 1159, 1195, 1238, 1284, 1321, 1420, 1489, 1537, 1640, 1738, 1769, 2045, 2174
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox	1161, 1323
Typhoid fever	1163, 1325, 1649, 1772, 2055, 2176
Artificial ventilation after fumigation—Surg. S. B. Grubbs	1757
Deratization—Italy—Naples	1438
Rodent destruction on—Report on relative efficiency of fumigants— Asst. Surg. Gen. R. H. Creel and Passed Surg. Friench Simpson	1445
Virgin Islands—Quarantine service—Placed under Public Health Serv- ice by Executive order	1705
Virginia:	
Cerebrospinal meningitis	1154, 1316, 1533, 1734, 1972, 2126
Current State summaries	2085
Diphtheria. (See Diphtheria—State reports.)	
Malaria	1156, 1317, 1535, 1736, 1973, 2127
Measles. (See Measles—State reports.)	
Narrows—Dysentery	1636
Pellagra	1157, 1319, 1536, 1737, 1974, 2128
Poliomyelitis	1160, 1238, 1284, 1320, 1321, 1420, 1489, 1538, 1639, 1738, 1769, 1875, 2130
Rockingham County—Poliomyelitis	1195
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox	1161, 1323, 1540, 1740, 1977, 2131
Theological Seminary—Poliomyelitis	1159
Typhoid fever	1164, 1325, 1543, 1741, 1978, 2133
Virus, vaccine—Propagation and sale in interstate traffic	2191

W.

Wadsworth, Camp—Disease cases reported. (See Extra-cantonment zones.)	
Washington:	
Cerebrospinal meningitis	1110, 1233, 1766, 2086, 2126
Current State summaries	1971, 2085
Diphtheria. (See Diphtheria—State reports.)	
Measles. (See Measles—State reports.)	
Poliomyelitis	1113, 1284, 1420, 1934, 2091, 2130
Rabies (in animals)	1383
Rocky Mountain spotted fever	1114
Scarlet fever. (See Scarlet fever—State reports.)	
Seattle—Plague—Rats infected found	1319
Smallpox	1114, 1241, 1771, 1935, 2093, 2131
Spokane—Rocky Mountain spotted fever	2046
Typhoid fever	1116, 1243, 1773, 1937, 2096, 2134
Vancouver—Scarlet fever	2046
Water—Bacteriological examination—Comparative studies of media used—Passed Asst. Surg. H. E. Hasseltine	1879
Water sample shipping case, new—Changes in stored samples of water— Asst. Surg. R. R. Spencer and Sanitary Engineer H. P. Letton	1476
Water supplies—Camp Zachary Taylor zone	1845
Watkins, J. A., passed assistant surgeon:	
Extra-cantonment zone sanitation—Camp Shelby—Near Hattiesburg, Miss	2149
Mitigation of heat hazard in industries	2111
West Virginia:	
Cerebrospinal meningitis	1154, 1315, 1635, 1806, 2171
Charleston—Typhoid fever—Epidemic April-June, 1917—Epidemiolo- gist A. W. Freeman	1306
Diphtheria. (See Diphtheria—State reports.)	
Elkins—Poliomyelitis—Winter outbreak, 1916-17—Passed Asst. Surg. J. P. Leake, Passed Asst. Surg. Joseph Bolten, and Asst. Surg. H. F. Smith	1995
Measles. (See Measles—State reports.)	

West Virginia—Continued.		Page.
Monongah—Poliomyelitis	-----	1195
Pellagra	----- 1157, 1318, 1638, 1808,	1974
Peru—Diphtheria	-----	1735
Poliomyelitis	----- 1159, 1238,	2174
1284, 1320, 1321, 1420, 1489, 1640, 1684, 1738, 1769, 1810, 1975,	-----	1383
Rabies (in animals)	-----	1383
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	-----	
Smallpox	----- 1161, 1323, 1644, 1813, 1977,	2175
Typhoid fever	----- 1163, 1325, 1649, 1815, 1979,	2176
Wheeler, camp—Disease cases reported. (<i>See</i> Extra-cantonment zones.)	-----	
Winslow, C.-E. A., professor—Public health administration in Russia in 1917	-----	2191
Wisconsin:		
Barron County—Smallpox—Correction	-----	1641
Cerebrospinal meningitis	----- 1154, 1379, 1533, 1894, 1972,	2228
Cottage Grove—Poliomyelitis	-----	1159
Diphtheria. (<i>See</i> Diphtheria—State reports.)	-----	
Malaria	-----	1380
Measles. (<i>See</i> Measles—State reports.)	-----	
Milwaukee—	-----	
Anthrax	-----	1806, 1931
Rabies	-----	1935, 1976, 2091
Rabies in animals	-----	1976
Poliomyelitis	----- 1159, 1285, 1382, 1538, 1898, 1975,	2231
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	-----	
Smallpox	----- 1161, 1385, 1540, 1899, 1977,	2234
Sparta—Smallpox	-----	1384
Typhoid fever	----- 1163, 1387, 1542, 1903, 1979,	2237
Wyoming:		
Cerebrospinal meningitis	-----	1085, 1681
Diphtheria. (<i>See</i> Diphtheria—State reports.)	-----	
Fort Russell—Diphtheria	-----	1485
Lusk—Smallpox	-----	1499
Measles. (<i>See</i> Measles—State reports.)	-----	
Poliomyelitis	----- 1239, 1285, 1421	
Rocky Mountain spotted fever	----- 1089, 1239,	1422
Scarlet fever. (<i>See</i> Scarlet fever—State reports.)	-----	
Smallpox	----- 1091, 1241, 1427, 1687, 1861, 2050	
Typhoid fever	----- 1093, 1243, 1432, 1690, 1865,	2055
Y.		
Yellow fever:		
Ecuador	-----	1821
February, March, April, 1917	-----	1463
Foreign reports—	-----	
Cumulative table	----- 1174, 1213, 1252, 1297, 1336, 1397, 1444, 1471,	
1503, 1556, 1662, 1703, 1754, 1786, 1830, 1878,	-----	
1917, 1951, 1992, 2070, 2109, 2148, 2190, 2251	-----	
Weekly table	----- 1122, 1440, 1466, 1498, 1550, 1696, 1779, 1823, 1985,	2141
Mexico—	-----	
Merida	-----	1497
Yucatan—Peto	-----	1121, 1438
Venezuela—Coro and vicinity	-----	1695

